

DRAFT HAZARDOUS WASTE POST-CLOSURE PERMIT

> OLIN CORPORATION WSETLAKE, LOUISIANA LAD 008080681-PC-RN-1 AI#1254 / PER20040001

> RECORD CENTER COPY

FACT SHEET

FACT SHEET

FOR THE DRAFT HAZARDOUS WASTE POST-CLOSURE RENEWAL PERMIT PREPARED FOR

Olin Corporation Westlake Facility

EPA ID # LAD008080681 Agency Interest # 1254 PER20040001

> Westlake, Louisiana Calcasieu Parish

Permit Number LAD008080681-PC-RN-1

I. INTRODUCTION

This fact sheet has been developed in accordance with the Louisiana Administrative Code (LAC) 33:V.703.D and briefly sets forth principal and significant facts, legal, methodological and policy requirements of the proposed draft hazardous waste post-closure permit for Olin Corporation (Olin), EPA ID Number LAD008080681, Agency Interest Number 1254, for the facility located in Westlake, Calcasieu Parish, Louisiana.

Olin is seeking to renew its hazardous waste post-closure permit governing the post-closure care activities of the Interim Status Landfill at its Westlake Facility.

The Louisiana Department of Environmental Quality (LDEQ) has prepared this proposed draft hazardous waste post-closure renewal permit which addresses the requirements of LAC Title 33, Part V, Subpart 1 and the Federal Resource Conservation and Recovery Act (RCRA) as amended by the 1984 Hazardous and Solid Waste Amendments (HSWA).

II. THE PERMITTING PROCESS

The purpose of this fact sheet is to initiate the permit decision process. The LDEQ's Office of Environmental Services - Waste Permits Division (OES-WPD) is required to prepare this draft hazardous waste permit. The permit sets forth all the applicable conditions, which the permittee is required to comply with during the life of the permit. Olin submitted its Hazardous Waste Part B Post-Closure Permit Application, dated October 07, 2004, to comply with the Environmental Protection Agency (EPA) regulations requiring post-closure care for facilities closed with hazardous wastes in place, as per Subtitle C of the Resource Conservation and Recovery Act (RCRA).

The permitting process will afford the LDEQ, interested citizens, and other agencies the opportunity to evaluate the ability of the permittee to comply with the requirements of the LAC 33:V.Subpart 1, and the Hazardous and Solid Waste Amendments (HSWA) portion.

The public is given a minimum of forty-five (45) days to review and comment on the draft post-closure permit. The Administrative Authority, prior to making a decision or taking any final action on the draft permit, will consider all significant comments. The decision of the Administrative Authority shall be to issue, deny, modify, or revoke the draft post-closure permit in accordance with LAC 33:V.705.

A. DRAFT HAZARDOUS WASTE PERMIT

The Waste Permits Division reviewed the permit application and other pertinent technical information, and prepared a draft permit that contains the language that pertains to the post-closure care of the listed facilities.

This draft hazardous waste permit is a tentative determination and is not the final decision of the Administrative Authority.

B. PUBLIC COMMENT PERIOD

LAC 33:V.715 requires that the public be given at least forty-five (45) days to comment on a draft permit decision.

The specific dates for the opening and closing of the public comment period are contained in the public notice that was issued for this particular permitting action. Any person interested in commenting on the draft permit for the Olin, Westlake Facility must do so within the allotted forty-five (45) day comment period.

A public hearing may be held, if requested, or if the draft permit generates a significant amount of public interest, on the date, at the location and time provided in the public notice of the hearing. LDEQ will hold the hearing within forty-five (45) days after public notice of the hearing.

Public notice of the proposed permitting action and of the hearing shall be published in specified newspapers, announced on the designated radio station, and mailed to those persons contained on the facility's mailing list.

C. LOCATIONS OF AVAILABLE INFORMATION

The administrative record, including all supporting documents, is on file at the LDEQ Public Records Center, Room 1-127, 602 North 5th Street, Baton Rouge, Louisiana. These documents may be inspected and copied (at \$0.25 per copy page) at any time between the hours of 8:00 to 4:30 p.m., Monday through Friday (except holidays).

In addition, a copy of the draft post-closure renewal permit, fact sheet, and supporting documents are available for review at the Calcasieu Parish Library, Westlake Branch, 937 Mulberry Street, Lake Charles, Louisiana 70669 and the Calcasieu Parish Library, Sulphur Regional Branch, 1160 Cypress Street, Sulphur, Louisiana 70663-5111.

D. WRITTEN COMMENT SUBMISSION

Interested persons may submit written comments on the draft post-closure permit and/or a request for public hearing to the Administrative Authority, at the address listed below, no later than 12:30 p.m. on the closing date of the comment period. All comments should include:

- 1. the name and address of the commenter,
- 2. a concise statement of the exact basis for any comment and supporting relevant facts upon which the comment is based,
- 3. identification of the facility commented on (the EPA Identification Number and AI number), and
- 4. supporting relevant facts upon which the comments are based.

All comments, further requests for information (including copies of this decision and fact sheet) and any requests by public interest groups or individuals, who would like to be included in the mailing list, should be made in writing to:

Ms. Soumaya Ghosn
Louisiana Department of Environmental Quality
Office of Environmental Services
Post Office Box 4313
Baton Rouge, Louisiana 70821-4313
(225) 219-3276 or fax (225) 219-3309

Any technical questions regarding this draft permit should be addressed to:

Mr. K. Craig Easley
Louisiana Department of Environmental Quality
Office of Environmental Services
Water and Waste Permits Division
Post Office Box 4313
Baton Rouge, LA 70821-4313
(225) 219-3050 or fax (225) 219-3158

III. DESCRIPTION OF OVERALL SITE

Olin ceased active manufacturing operations at its Westlake Facility by virtue of the sale of the chemical manufacturing operations to Arco Chemical (now Lyondell Chemical Company) in 1997. However, Olin continues to be responsible for the post-closure care of the Interim Status Landfill, groundwater monitoring, and implementation of corrective action activities at its Westlake Facility.

IV. HAZARDOUS WASTE FACILITIES

This draft hazardous waste post-closure renewal permit is only applicable to the Interim Status Landfill. The unit covers an area of approximately six (6) acre-feet. The unit was closed in March 1996 in accordance with an approved closure plan. The unit no longer receives hazardous waste and has not generated any leachate in the last five (5) years. The only ongoing activities involving the Interim Status Landfill are groundwater monitoring and cap maintenance.

V. FINANCIAL AND LIABILITY REQUIREMENTS

UOP has submitted documentation to satisfy the financial assurance requirements of LAC 33:V.Chapter 37.

VI. SUMMARY OF ENVIRONMENTAL FACTORS CONSIDERED

Pursuant to LA.R.S.30:2018.E.3, this draft hazardous waste post-closure permit is not subject to the requirements regarding environmental assessment statements or IT Analysis (Save Ourselves v. La. Envtl. Control Comm'n, 452 So. 2d 1152, 1159. La. 1984). Nevertheless, the LDEQ has considered factors similar to the IT Analysis in preparing this draft permit. This is a preliminary analysis based on information currently available to the LDEQ.

A. The potential and real adverse environmental effects of the proposed project have been avoided to the maximum extent possible.

Olin submitted its Post-Closure Permit Renewal Application for the Interim Status Landfill at its Westlake Facility. The unit was closed in accordance with an LDEQ approved closure plan. The Interim Status Landfill was covered with a low-permeability clay cap. Topsoil was then added above the clay, and then the resulting cap was planted with grass.

This permit does not propose the alteration of waste classifications, codes or characteristics. UOP has closed all units that were involved in the treatment and disposal of hazardous waste. The design and post-closure care procedures associated with the Interim Status Landfill will comply with all regulatory and permit

requirements to prevent the escape of any material disposed of in the landfill into the environment. These actions minimize the potential and real adverse environmental effects of handling hazardous waste to the maximum extent possible.

B. A cost benefit analysis of the environmental impact balanced against the social and economic benefits of the project demonstrates that the social and economic benefits outweigh environmental impacts.

This is an existing facility submitting an application for the post-closure care of its existing, closed hazardous waste disposal unit. Olin no longer maintains chemical manufacturing operations at its Westlake Facility and does not generate hazardous waste. There are no ongoing hazardous waste management activities involving the Interim Status Landfill other than maintenance of the protective cap and groundwater monitoring.

The proposed permit should have little or no affect on property values, the tax base, economic development, or public costs as they pertain to the economics of the local community. The proposed draft hazardous waste permit should not promote the need for additional fire protection, police, medical facilities, or roads.

C. There are no <u>alternative projects</u> or <u>alternative sites</u> or <u>mitigating measures</u> which offer more protection to the environment than the proposed project without unduly curtailing non-environmental benefits to the extent applicable.

1. ALTERNATIVE PROJECTS

This draft permit is for the post-closure care of the Interim Status Landfill. There appears to be no known alternative projects that would offer more protection to the environment than issuing a post-closure permit for the closed units without unduly curtailing non-environmental benefits.

2. ALTERNATIVE SITE

This draft permit is for an <u>existing</u> facility. The hazardous waste unit to be permitted was a disposal unit for hazardous waste that was generated on-site. Since post-closure care requirements are in place at the facility, relocating this unit to a different existing or new location could result in greater environmental impact due to siting and transportation considerations, as well as increased hazardous waste production and transportation.

3. MITIGATING MEASURES

By submittal of its hazardous waste permit renewal application, Olin has demonstrated that the post-closure care of the Interim Status Landfill will

comply with all applicable hazardous waste regulations and permit requirements and will be protective of human health and the environment. No mitigating measures would offer more protection to the environment than permitting without unduly curtailing non-environmental benefits.

PUBLIC PARTICIPATION



KATHLEEN BABINEAUX BLANCO GOVERNOR MIKE D. McDANIEL, Ph.D.

SECRETARY

June 20, 2007

Phone: (225) 383-1111 Fax: (225) 388-0164

Ms. Susan Bush Legal Advertising The Advocate P.O. Box 588 Baton Rouge, LA 70821-0588

Re:

REQUEST FOR PUBLIC COMMENTS ON A DRAFT HAZARDOUS WASTE POST-CLOSURE RENEWAL PERMIT

OLIN CORPORATION / WESTLAKE FACILITY

AI NUMBER 1254, PERMIT NUMBER LAD008080681-PC-RN-1, AND ACTIVITY NUMBER PER20040001

WESTLAKE, CALCASIEU PARISH, LOUIANA

Dear Ms. Bush:

Please publish the attached legal notice regarding the above referenced facility as a regular legal ad in <u>THE ADVOCATE</u> once only on Monday, June 25, 2007. You will also receive a copy of the legal notice itself via email at: legal.ads@theadvocate.com

Immediately after publication, please fax a copy of the ad to Ms. Dina Heidar at (225) 325-8149.

State regulations require that we provide notification to the public and allow sufficient time for public comments. For this department to be assured that adequate notification is provided, we are requesting that you sign and date the enclosed 'Verification by Newspaper', and fax it to the attention of Ms. Dina Heidar (225) 325-8149 immediately upon publication. If the notice cannot be published on the date requested, please contact Ms. Dina Heidar (225) 219-3278 or email: dina.heidar@la.gov

The invoice for this public notice should be sent to:

Mr. Curt M. Richards
Vice President, Environment, Health & Safety
Olin Corporation
P.O. Box 248
1186 Lower River Road
Charleston, TN 37310-0248

The official proof of publication in the form of a tear sheet should be mailed to the attention of Ms. Dina Heidar, LDEQ, Environmental Assistance Division, P.O. Box 4313, Baton Rouge, LA 70821-4313.

Thank you for assisting in our effort to serve the public.

Sincerely,
Dina Heidar
Environmental Scientist, Public Participation Group

DH/Attachments/2



KATHLEEN BABINEAUX BLANCO GOVERNOR MIKE D. McDANIEL, Ph.D. SECRETARY

June 21, 2007

Phone: (337) 439-3360 Fax: (337) 436-6397

Attn: Larry KAOK-AM News Broadcasting Division 3801 Hwy. 90 East Lake Charles, LA 70615

Re:

REQUEST FOR PUBLIC COMMENTS ON A DRAFT HAZARDOUS WASTE POST-CLOSURE RENEWAL PERMIT

OLIN CORPORATION / WESTLAKE FACILITY

AI NUMBER 1254, PERMIT NUMBER LAD008080681-PC-RN-1, AND ACTIVITY NUMBER PER20040001

WESTLAKE, CALCASIEU PARISH, LOUIANA

Dear Mr. Larry:

Please broadcast the attached legal notice regarding the above referenced facility on <u>KOAK-AM RADIO</u> once only on Tuesday, June 26, 2007.

Immediately after broadcasting, please fax the verification form to Ms. Dina Heidar at (225) 325-8149.

State regulations require that we provide notification to the public and allow sufficient time for public comments. For this department to be assured that adequate notification is provided, we are requesting that you sign and date the enclosed 'Verification by Radio Station', and fax it to the attention of Ms. Dina Heidar (225)325-8149 immediately upon publication. If the notice cannot be broadcasted on the date requested, please contact Ms. Dina Heidar (225) 219-3278 or email: dina.heidar@la.gov

The invoice for this public notice should be sent to:

Mr. Curt M. Richards
Vice President, Environment, Health & Safety
Olin Corporation
P.O. Box 248
1186 Lower River Road
Charleston, TN 37310-0248

The official Verification by Radio Station should be also mailed to the attention of Ms. Dina Heidar, LDEQ, Environmental Assistance Division, P.O. Box 4313, Baton Rouge, LA 70821-4313.

Thank you for assisting in our effort to serve the public.

Sincerely,
Dina Heidar
Environmental Scientist, Public Participation Group



KATHLEEN BABINEAUX BLANCO GOVERNOR

MIKE D. McDANIEL, Ph.D. SECRETARY

June 20, 2007

Phone: (337) 494-4039 Fax: (337) 494-4008

Ms. Felicia McFarlain or Ms. Karen Dobbins Legal Advertising American Press P.O. Box 2893 Lake Charles, LA 70602

Re:

REQUEST FOR PUBLIC COMMENTS ON A DRAFT HAZARDOUS WASTE POST-CLOSURE RENEWAL PERMIT

OLIN CORPORATION / WESTLAKE FACILITY

AI NUMBER 1254, PERMIT NUMBER LAD008080681-PC-RN-1, AND ACTIVITY NUMBER PER20040001

WESTLAKE, CALCASIEU PARISH, LOUIANA

Dear Ms. McFarlain:

Please publish the attached legal notice regarding the above referenced facility as a regular legal ad in the <u>AMERICAN PRESS</u> once only on Tuesday, June 26, 2007. You will also receive a copy of the legal notice itself via email at: adv@americanpress.com

Immediately after publication, please fax a copy of the ad to Ms. Dina Heidar at (225) 325-8149.

State regulations require that we provide notification to the public and allow sufficient time for public comments. For this department to be assured that adequate notification is provided, we are requesting that you sign and date the enclosed 'Verification by Newspaper', and fax it to the attention of Ms. Dina Heidar (225)325-8149 immediately upon publication. If the notice cannot be published on the date requested, please contact Ms. Dina Heidar (225) 219-3278 or email: dina, heidar@la.gov

The invoice for this public notice should be sent to:

Mr. Curt M. Richards
Vice President, Environment, Health & Safety
Olin Corporation
P.O. Box 248
1186 Lower River Road
Charleston, TN 37310-0248

The official proof of publication in the form of a tear sheet should be mailed to the attention of Ms. Dina Heidar, LDEQ, Environmental Assistance Division, P.O. Box 4313, Baton Rouge, LA 70821-4313.

Thank you for assisting in our effort to serve the public.

Sincerely,
Dina Heidar
Environmental Scientist, Public Participation Group



KATHLEEN BABINEAUX BLANCO GOVERNOR MIKE D. McDANIEL, Ph.D.

SECRETARY

June 22, 2007

Tel: (337)491-2315

Email: larep035@legis.state.la.us

Representative Brett F. Geymann Louisiana House of Representatives - District 35 P.O. Box 12703 Lake Charles, , LA 70612-2703

Re: REQUEST FOR PUBLIC COMMENTS ON A DRAFT HAZARDOUS WASTE POST-CLOSURE RENEWAL PERMIT OLIN CORPORATION / WESTLAKE FACILITY
AI NUMBER, PERMIT NUMBER LAD008080681-PC-RN-1, AND ACTIVITY NUMBER PER20040001
WESTLAKE, CALCASIEU PARISH, LOUISIANA

Dear Representative Geymann,

The Louisiana Department of Environmental Quality (LDEQ) is requesting public comments regarding permitting actions for the Olin Corporation / Westlake Facility, P.O. Box 248, Charleston, TN 37310-0248.

For your reference, attached is a copy of the draft hazardous waste post closure renewal permit legal notice that is to be published in THE ADVOCATE and THE AMERICAN PRESS on Tuesday, June 26, 2007. There will also be radio announcement on the KOAK-AM in Lake Charles, LA. It is also posted on the LDEQ Website, found at www.deq.state.la.us. Written comments on the proposed air permits may be submitted to Ms. Soumaya Ghosn, LDEQ-OES, Environmental Assistance Division, P.O. Box 4313, Baton Rouge, LA 70821-4313. All comments regarding the technically complete permit renewal application should specify Agency Interest (AI) No. 1254

Should you have any questions additional permit information may be obtained from Mr. Craig Easley, LDEQ, Permits Division, P.O. Box 4313, Baton Rouge, LA 70821-4313, telephone (225) 219-3050. Should you have any questions regarding the draft hazardous waste post closure renewal permit public comments, please contact Ms. Dina Heidar, LDEQ, Environmental Assistance Division, Stakeholder Outreach Section, at Tel: (225) 219-3278, Fax (225) 325-8149 or email: dina.heidar@la.gov.

We appreciate your assistance in our efforts to serve the public

Sincerely.

Dina Heidar

Environmental Scientist, Public Participation Group

DH



KATHLEEN BABINEAUX BLANCO GOVERNOR

MIKE D. McDANIEL, Ph.D. SECRETARY

June 22, 2007

Tel: (337) 491-2016

Email: lasen27@legis.state.la.us

Senator Willie L. Mount Louisiana State Senator - District 27 P.O. Box 3004 Lake Charles, LA 70602

Re: REQUEST FOR PUBLIC COMMENTS ON A DRAFT HAZARDOUS WASTE POST-CLOSURE RENEWAL PERMIT OLIN CORPORATION / WESTLAKE FACILITY

AI NUMBER, PERMIT NUMBER LAD008080681-PC-RN-1, AND ACTIVITY NUMBER PER20040001

WESTLAKE, CALCASIEU PARISH, LOUISIANA

Dear Senator Mount,

The Louisiana Department of Environmental Quality (LDEQ) is requesting public comments regarding permitting actions for the Olin Corporation / Westlake Facility, P.O. Box 248, Charleston, TN 37310-0248.

For your reference, attached is a copy of the draft hazardous waste post closure renewal permit legal notice that is to be published in <u>THE ADVOCATE</u> and <u>THE AMERICAN PRESS</u> on Tuesday, June 26, 2007. There will also be radio announcement on the <u>KOAK-AM</u> in Lake Charles, LA. It is also posted on the LDEQ Website, found at <u>www.deq.state.la.us</u>. Written comments on the proposed air permits may be submitted to Ms. Soumaya Ghosn, LDEQ-OES, Environmental Assistance Division, P.O. Box 4313, Baton Rouge, LA 70821-4313. All comments regarding the technically complete permit renewal application should specify Agency Interest (AI) No. 1254

Should you have any questions additional permit information may be obtained from Mr. Craig Easley, LDEQ, Permits Division, P.O. Box 4313, Baton Rouge, LA 70821-4313, telephone (225) 219-3050. Should you have any questions regarding the draft hazardous waste post closure renewal permit public comments, please contact Ms. Dina Heidar, LDEQ, Environmental Assistance Division, Stakeholder Outreach Section, at Tel: (225) 219-3278, Fax (225) 325-8149 or email: dina.heidar@la.gov.

We appreciate your assistance in our efforts to serve the public

Sincerely,

Dina Heidar

Environmental Scientist, Public Participation Group

DH



KATHLEEN BABINEAUX BLANCO GOVERNOR

MIKE D. McDANIEL, Ph.D. **SECRETARY**

June 22, 2007

Tel: (504)349-8840

Email: larep084@legis.state.la.us

Representative N. J. Damico Louisiana State House Of Representatives Environment Committee - Chairman 5201 Westbank Expressway Ste. 201 Marrero, LA 70072

Re: REQUEST FOR PUBLIC COMMENTS ON A DRAFT HAZARDOUS WASTE POST-CLOSURE RENEWAL PERMIT OLIN CORPORATION / WESTLAKE FACILITY
AI NUMBER, PERMIT NUMBER LAD008080681-PC-RN-1, AND ACTIVITY NUMBER PER20040001
WESTLAKE, CALCASIEU PARISH, LOUISIANA

Dear Representative Damico,

The Louisiana Department of Environmental Quality (LDEQ) is requesting public comments regarding permitting actions for the Olin Corporation / Westlake Facility, P.O. Box 248, Charleston, TN 37310-0248.

For your reference, attached is a copy of the draft hazardous waste post closure renewal permit legal notice that is to be published in THE ADVOCATE and THE AMERICAN PRESS on Tuesday, June 26, 2007. There will also be radio announcement on the KOAK-AM in Lake Charles, LA. It is also posted on the LDEQ Website, found at www.deq.state.la.us. Written comments on the proposed air permits may be submitted to Ms. Soumaya Ghosn, LDEQ-OES, Environmental Assistance Division, P.O. Box 4313, Baton Rouge, LA 70821-4313. All comments regarding the technically complete permit renewal application should specify Agency Interest (AI) No. 1254

Should you have any questions additional permit information may be obtained from Mr. Craig Easley, LDEQ, Permits Division, P.O. Box 4313, Baton Rouge, LA 70821-4313, telephone (225) 219-3050. Should you have any questions regarding the draft hazardous waste post closure renewal permit public comments, please contact Ms. Dina Heidar, LDEQ, Environmental Assistance Division, Stakeholder Outreach Section, at Tel: (225) 219-3278, Fax (225) 325-8149 or email: dina.heidar@la.gov.

We appreciate your assistance in our efforts to serve the public

Sincerely,

Dina Heidar

Environmental Scientist, Public Participation Group

DH

Attachments/1

P:225-219-3181 F:225-219-3309 WWW,DEQ,LOUISIANA.GOV



KATHLEEN BABINEAUX BLANCO GOVERNOR MIKE D. McDANIEL, Ph.D. SECRETARY

June 22, 2007

Tel: (337)261-0044

Email: larep044@legis.state.la.us

Representative Wilfred Pierre Louisiana State House Of Representatives Natural Resources Committee - Chairman P.O. Box 91705 Lafayette, LA 70501

Re: REQUEST FOR PUBLIC COMMENTS ON A DRAFT HAZARDOUS WASTE POST-CLOSURE RENEWAL PERMIT OLIN CORPORATION / WESTLAKE FACILITY
AI NUMBER, PERMIT NUMBER LAD008080681-PC-RN-1, AND ACTIVITY NUMBER PER20040001
WESTLAKE, CALCASIEU PARISH, LOUISIANA

Dear Representative Pierre,

The Louisiana Department of Environmental Quality (LDEQ) is requesting public comments regarding permitting actions for the Olin Corporation / Westlake Facility, P.O. Box 248, Charleston, TN 37310-0248.

For your reference, attached is a copy of the draft hazardous waste post closure renewal permit legal notice that is to be published in THE ADVOCATE and THE AMERICAN PRESS on Tuesday, June 26, 2007. There will also be radio announcement on the KOAK-AM in Lake Charles, LA. It is also posted on the LDEQ Website, found at www.deq.state.la.us. Written comments on the proposed air permits may be submitted to Ms. Soumaya Ghosn, LDEQ-OES, Environmental Assistance Division, P.O. Box 4313, Baton Rouge, LA 70821-4313. All comments regarding the technically complete permit renewal application should specify Agency Interest (AI) No. 1254

Should you have any questions additional permit information may be obtained from Mr. Craig Easley, LDEQ, Permits Division, P.O. Box 4313, Baton Rouge, LA 70821-4313, telephone (225) 219-3050. Should you have any questions regarding the draft hazardous waste post closure renewal permit public comments, please contact Ms. Dina Heidar, LDEQ, Environmental Assistance Division, Stakeholder Outreach Section, at Tel: (225) 219-3278, Fax (225) 325-8149 or email: dina.heidar@la.gov.

We appreciate your assistance in our efforts to serve the public

Sincerely,

Dina Heidar

Environmental Scientist, Public Participation Group

DH

Attachments/1

WWW.DEQ.LOUISIANA.GOV



KATHLEEN BABINEAUX BLANCO GOVERNOR

MIKE D. McDANIEL, Ph.D. SECRETARY

June 22, 2007

Tel: (225) 342-2040

Email: senvq@legis.state.la.us

Senator Heulette "Clo" Fontenot Louisiana State Senate Environmental Quality Committee - Chairman P.O. Box 1238 Livingston, LA 70754

Re: REQUEST FOR PUBLIC COMMENTS ON A DRAFT HAZARDOUS WASTE POST-CLOSURE RENEWAL PERMIT

OLIN CORPORATION / WESTLAKE FACILITY

AI NUMBER, PERMIT NUMBER LAD008080681-PC-RN-1, AND ACTIVITY NUMBER PER20040001

WESTLAKE, CALCASIEU PARISH, LOUISIANA

Dear Senator Fontenot,

The Louisiana Department of Environmental Quality (LDEQ) is requesting public comments regarding permitting actions for the Olin Corporation / Westlake Facility, P.O. Box 248, Charleston, TN 37310-0248.

For your reference, attached is a copy of the draft hazardous waste post closure renewal permit legal notice that is to be published in THE ADVOCATE and THE AMERICAN PRESS on Tuesday, June 26, 2007. There will also be radio announcement on the KOAK-AM in Lake Charles, LA. It is also posted on the LDEQ Website, found at www.deq.state.la.us. Written comments on the proposed air permits may be submitted to Ms. Soumaya Ghosn, LDEQ-OES, Environmental Assistance Division, P.O. Box 4313, Baton Rouge, LA 70821-4313. All comments regarding the technically complete permit renewal application should specify Agency Interest (AI) No. 1254

Should you have any questions additional permit information may be obtained from Mr. Craig Easley, LDEQ, Permits Division, P.O. Box 4313, Baton Rouge, LA 70821-4313, telephone (225) 219-3050. Should you have any questions regarding the draft hazardous waste post closure renewal permit public comments, please contact Ms. Dina Heidar, LDEQ, Environmental Assistance Division, Stakeholder Outreach Section, at Tel: (225) 219-3278, Fax (225) 325-8149 or email: dina.heidar@la.gov.

We appreciate your assistance in our efforts to serve the public

Sincerely,

Dina Heidar

Environmental Scientist, Public Participation Group

DH



KATHLEEN BABINEAUX BLANCO GOVERNOR

MIKE D. McDANIEL, Ph.D. SECRETARY

June 22, 2007

Tel: (225) 342-2040

Email: snatr@legis.state.la.us

Senator Max Malone Louisiana State Senate Natural Resources Committee - Chairman 610 Marshall Street Suite 722 Shreveport, LA 71101

: REQUEST FOR PUBLIC COMMENTS ON A DRAFT HAZARDOUS WASTE POST-CLOSURE RENEWAL PERMIT OLIN CORPORATION / WESTLAKE FACILITY

AI NUMBER, PERMIT NUMBER LAD008080681-PC-RN-1, AND ACTIVITY NUMBER PER20040001

WESTLAKE, CALCASIEU PARISH, LOUISIANA

Dear Senator Malone,

The Louisiana Department of Environmental Quality (LDEQ) is requesting public comments regarding permitting actions for the Olin Corporation / Westlake Facility, P.O. Box 248, Charleston, TN 37310-0248.

For your reference, attached is a copy of the draft hazardous waste post closure renewal permit legal notice that is to be published in THE ADVOCATE and THE AMERICAN PRESS on Tuesday, June 26, 2007. There will also be radio announcement on the KOAK-AM in Lake Charles, LA. It is also posted on the LDEQ Website, found at www.deq.state.la.us. Written comments on the proposed air permits may be submitted to Ms. Soumaya Ghosn, LDEQ-OES, Environmental Assistance Division, P.O. Box 4313, Baton Rouge, LA 70821-4313. All comments regarding the technically complete permit renewal application should specify Agency Interest (AI) No. 1254

Should you have any questions additional permit information may be obtained from Mr. Craig Easley, LDEQ, Permits Division, P.O. Box 4313, Baton Rouge, LA 70821-4313, telephone (225) 219-3050. Should you have any questions regarding the draft hazardous waste post closure renewal permit public comments, please contact Ms. Dina Heidar, LDEQ, Environmental Assistance Division, Stakeholder Outreach Section, at Tel: (225) 219-3278, Fax (225) 325-8149 or email: dina.heidar@la.gov.

We appreciate your assistance in our efforts to serve the public

Sincerely,

Dina Heidar

Environmental Scientist, Public Participation Group

DH



KATHLEEN BABINEAUX BLANCO GOVERNOR

MIKE D. McDANIEL, Ph.D.

SECRETARY

June 22, 2007

Tel: (337) 433-0691

Email: dannycupit@yahoo.com

Mayor Daniel W. Cupit Westlake City P. O. Box 700 Westlake, LA 70669-0700

Re: REQUEST FOR PUBLIC COMMENTS ON A DRAFT HAZARDOUS WASTE POST-CLOSURE RENEWAL PERMIT

OLIN CORPORATION / WESTLAKE FACILITY

AI NUMBER, PERMIT NUMBER LAD008080681-PC-RN-1, AND ACTIVITY NUMBER PER20040001

WESTLAKE, CALCASIEU PARISH, LOUISIANA

Dear Mayor Cupit,

The Louisiana Department of Environmental Quality (LDEQ) is requesting public comments regarding permitting actions for the Olin Corporation / Westlake Facility, P.O. Box 248, Charleston, TN 37310-0248.

For your reference, attached is a copy of the draft hazardous waste post closure renewal permit legal notice that is to be published in THE ADVOCATE and THE AMERICAN PRESS on Tuesday, June 26, 2007. There will also be radio announcement on the KOAK-AM in Lake Charles, LA. It is also posted on the LDEQ Website, found at www.deq.state.la.us. Written comments on the proposed air permits may be submitted to Ms. Soumaya Ghosn, LDEQ-OES, Environmental Assistance Division, P.O. Box 4313, Baton Rouge, LA 70821-4313. All comments regarding the technically complete permit renewal application should specify Agency Interest (AI) No. 1254

Should you have any questions additional permit information may be obtained from Mr. Craig Easley, LDEQ, Permits Division, P.O. Box 4313, Baton Rouge, LA 70821-4313, telephone (225) 219-3050. Should you have any questions regarding the draft hazardous waste post closure renewal permit public comments, please contact Ms. Dina Heidar, LDEQ, Environmental Assistance Division, Stakeholder Outreach Section, at Tel: (225) 219-3278, Fax (225) 325-8149 or email: dina.heidar@la.gov.

We appreciate your assistance in our efforts to serve the public

Sincerely,

Dina Heidar

Environmental Scientist, Public Participation Group

DH



KATHLEEN BABINEAUX BLANCO GOVERNOR

MIKE D. McDANIEL, Ph.D. SECRETARY

June 20, 2007

Phone: (337) 721-3500 Fax: (337) 437-3399

Mr. S. Mark McMurry - Parish Administrator Calcasieu Parish Police Jury 1015 Pithon Street Lake Charles, LA 70602

Re: REQUEST FOR PUBLIC COMMENTS ON A DRAFT HAZARDOUS WASTE POST-CLOSURE RENEWAL PERMIT OLIN CORPORATION / WESTLAKE FACILITY AI NUMBER 1254, PERMIT NUMBER LAD008080681-PC-RN-1, AND ACTIVITY NUMBER PER20040001 WESTLAKE, CALCASIEU PARISH, LOUIANA

Dear Mr. McMurry:

The Louisiana Department of Environmental Quality (LDEQ) is requesting public comments regarding permitting actions for the Olin Corporation / Westlake Facility, P.O. Box 248 Charleston, Tennessee 37310-0248.

For your reference, attached is a copy of the draft hazardous waste post closure renewal permit and the legal notice is to be published in THE ADVOCATE and AMERICAN PRESS on Tuesday, June 26,2007. There will also be radio announcement on the KOAK-AM in Lake Charles, LA. It is also posted on the LDEQ Website, found at www.deq.state.la.us. Written comments on the proposed air permits may be submitted to Ms. Soumaya Ghosn, LDEQ-OES, Environmental Assistance Division, P.O. Box 4313, Baton Rouge, LA 70821-4313. All comments regarding the technically complete permit renewal application should specify Agency Interest (AI) No. 1254

Should you have any questions additional permit information may be obtained from Mr. Craig Easley, LDEQ, Permits Division, P.O. Box 4313, Baton Rouge, LA 70821-4313, telephone (225) 219-3050. Should you have any questions regarding the draft hazardous waste post closure renewal permit, please contact Ms. Dina Heidar, LDEQ, Environmental Assistance Division, Stakeholder Outreach Section, at (225) 219-3278.

Please complete the attached 'Verification of Receipt' and mail to Ms. Dina Heidar, LDEQ-OES, Environmental Assistance Division, PO Box 4313, Baton Rouge, LA 70821-4313, or Fax (225) 325-8149.

We appreciate your assistance in our efforts to serve the public. If you have any questions, please call Ms. Heidar at (225) 219-3278.

Sincerely,

Dina Heidar

Environmental Scientist, Public Participation Group

DH

Attachments/2

WWW.DEQ.LOUISIANA.GOV



KATHLEEN BABINEAUX BLANCO GOVERNOR MIKE D. McDANIEL, Ph.D. SECRETARY

Juen 20, 2007

Tel: (214) 665-6750

Mr. Kishor Fruitwala, Ph.D., P.E. U. S. EPA, Region VI 1445 Ross Avenue Dallas, Texas 75202-2733

Re:

REQUEST FOR PUBLIC COMMENTS ON A DRAFT HAZARDOUS WASTE POST-CLOSURE RENEWAL PERMIT OLIN CORPORATION / WESTLAKE FACILITY AI NUMBER 1254, PERMIT NUMBER LAD008080681PC-RN-1, AND ACTIVITY NUMBER PER20040001 WESTLAKE, CALCASIEU PARISH, LOUIANA

Dear Fruitwala:

The Louisiana Department of Environmental Quality (LDEQ) is enclosing for your reference, a copy of the draft hazardous waste post closure renewal permit and the legal notice for the public notice for public comments to be published in <u>THE ADVOCATE</u> and <u>AMERICAN PRESS</u> on Tuesday, June 26,2007. There will also be radio announcement on the <u>KOAK-AM</u> in Lake Charles, LA. It is also posted on the LDEQ Website, found at <u>www.deq.state.la.us</u>. Written comments on the proposed air permits may be submitted to Ms. Soumaya Ghosn, LDEQ-OES, Environmental Assistance Division, P.O. Box 4313, Baton Rouge, LA 70821-4313. All comments regarding the technically complete permit renewal application should specify Agency Interest (AI) No.1254

Should you have any questions additional permit information may be obtained from Mr. Craig Easley, LDEQ, Permits Division, P.O. Box 4313, Baton Rouge, LA 70821-4313, telephone (225) 219-3050. Should you have any questions regarding the draft hazardous waste post closure renewal permit, please contact Ms. Dina Heidar, LDEQ, Environmental Assistance Division, Stakeholder Outreach Section, at (225) 219-3278.

Please complete the attached 'Verification of Receipt' and mail to Ms. Dina Heidar, LDEQ-OES, Environmental Assistance Division, PO Box 4313, Baton Rouge, LA 70821-4313, or Fax (225) 325-8149.

We appreciate your assistance in our efforts to serve the public. If you have any questions, please call Ms. Heidar at (225) 219-3278.

Sincerely,

Dina Heidar

Environmental Scientist, Public Participation Group

DH

Attachments/2

P:225-219-3181 F:225-219-3309 WWW.DEQ.LOUISIANA.GOV



KATHLEEN BABINEAUX BLANCO GOVERNOR

MIKE D. McDANIEL, Ph.D.

SECRETARY

June 21, 2007

Phone: 337-527-7200 Fax: 337-527-8987

Ms. Ester Pennington, Branch Manager Calcasieu Parish Library, Sulphur Branch, 1160 Cypress Street, Sulphur, LA 70663

Re:

REQUEST FOR PUBLIC COMMENTS ON A DRAFT HAZARDOUS WASTE POSTCLOSURE RENEWAL PERMIT

OLIN CORPORATION / WESTLAKE FACILITY

AI NUMBER 1254, PERMIT NUMBER LAD008080681PC-RN-1, AND ACTIVITY NUMBER PER20040001

WESTLAKE, CALCASIEU PARISH, LOUIANA

Dear Ms. Pennington:

We request that the enclosed draft hazardous waste post closure renewal permit and public notice associated with the referenced facility be made available for public review upon receipt in the Calcasieu Parish Library, Sulphur Branch, 1160 Cypress Street, Sulphur, LA 70663. It is imperative that these documents are available for review at all times; therefore, they cannot be checked out by anyone at any time.

The documents should be retained during the permitting process. At the close of the permitting period, the Louisiana Department of Environmental Quality, Office of Environmental Services (LDEQ-OES), Permits Division, will provide written notice to you requesting that the information be removed.

Please complete the attached 'Verification by Library' and mail to Ms. Dina Heidar, LDEQ-OES, Environmental Assistance Division, Post Office Box 4313, Baton Rouge, Louisiana 70821-4313, or Fax to (225) 325-8149.

We appreciate your assistance in our efforts to serve the public. If you have any questions, please callMs. Heidar at (225) 219-3278.

Sincerely,

Dina Heidar

Environmental Scientist, Public Participation Group

DH

Attachments/2

P:225-219-3181 F:225-219-3309 WWW.DEQ.LOUISIANA.GOV



KATHLEEN BABINEAUX BLANCO GOVERNOR

MIKE D. McDANIEL, Ph.D. SECRETARY

June 21, 2007

Phone: 337-437-3571 Fax : 337-437-3571

Ms. Danielle McGavock, Branch Manager Calcasieu Parish Public Library, Westlake Branch, 937 Mulberry Street, Westlake, LA 70669

Re:

REQUEST FOR PUBLIC COMMENTS ON A DRAFT HAZARDOUS WASTE POST-CLOSURE RENEWAL PERMIT OLIN CORPORATION / WESTLAKE FACILITY AI NUMBER 1254, PERMIT NUMBER LAD008080681PC-RN-1, AND ACTIVITY NUMBER PER20040001 WESTLAKE, CALCASIEU PARISH, LOUIANA

Dear Mr. McGavock:

We request that the enclosed draft hazardous waste post closure renewal permit and public notice associated with the referenced facility be made available for public review upon receipt in the Calcasieu Parish Public Library, Westlake Branch, 937 Mulberry Street, Westlake, LA 70669. It is imperative that these documents are available for review at all times; therefore, they cannot be checked out by anyone at any time.

The documents should be retained during the permitting process. At the close of the permitting period, the Louisiana Department of Environmental Quality, Office of Environmental Services (LDEQ-OES), Permits Division, will provide written notice to you requesting that the information be removed.

Please complete the attached 'Verification by Library' and mail to Ms. Dina Heidar, LDEQ-OES, Environmental Assistance Division, Post Office Box 4313, Baton Rouge, Louisiana 70821-4313, or Fax to (225) 325-8149.

We appreciate your assistance in our efforts to serve the public. If you have any questions, please callMs. Heidar at (225) 219-3278.

Sincerely,

Dina Heidar

Environmental Scientist, Public Participation Group

DH



KATHLEEN BABINEAUX BLANCO

GOVERNOR

 $\label{eq:mike-def} \textbf{Mike-D. McDaniel}, Ph.D.$

SECRETARY

June 20, 2007

Phone: (337) 491-2667 Fax: (337) 491-2682

Billy Eakin, Regional Manager LDEQ Regional Southwest Regional Office 1301 Gadwall Street Lake Charles, LA 70615

Re: REQUEST FOR PUBLIC COMMENTS ON A DRAFT HAZARDOUS WASTE POST-CLOSURE RENEWAL PERMIT

OLIN CORPORATION / WESTLAKE FACILITY

AI NUMBER 1254, PERMIT NUMBER LAD008080681-PC-RN-1, AND ACTIVITY NUMBER PER20040001

WESTLAKE, CALCASIEU PARISH, LOUIANA

Dear Mr. Eakin:

We are enclosing a copy of the draft hazardous waste post closure renewal permit and public notice for the referenced facility for your use and for public review.

Please complete the attached 'Verification of Receipt' and mail to Ms. Dina Heidar, LDEQ-OES, Environmental Assistance Division, PO Box 4313, Baton Rouge, LA 70821-4313, or Fax (225) 325-8149.

We appreciate your assistance in our efforts to serve the public. If you have any questions, please call Ms. Heidar at (225) 219-3278.

Sincerely,

Dina Heidar

Environmental Scientist, Public Participation Group

DH

PUBLIC NOTICE LOUISIANA DEPARTMENT OF ENVIRONMENTAL QUALITY (LDEQ) OLIN CORPORATION / WESTLAKE FACILITY DRAFT HAZARDOUS WASTE POST-CLOSURE RENEWAL PERMIT

The LDEQ, Office of Environmental Services, is accepting written comments on a draft hazardosu waste post-closure enewal permit for Olin Corporation, P.O. Box 248 Charleston, Tennessee 37310-0248 for the Westlake Facility-Interim Status Landfill. The facility is located at 960 I-10 West, Westlake, Calcasieu Parish.

Olin Corporation requested a renewal of a hazardous waste permit governing the post-closure care of the Interim Status Landfill. Olin Corporation no longer maintains chemical manufacturing operations at its Westlake Facility but is still responsible for the post-closure care of the Interim Status Landfill, groundwater monitoring, and implementing site-wide corrective action. The Interim Status Landfill received on-site generated hazardous waste. The Interim Status Landfill was closed in March 1996, and requires a permit to govern post-closur care of the unit.

The Interim Status Landfill no longer receives hazardous waste. The draft post-closure renewal permit addresses the maintenance of the final cover and the unit's groundwater monitoring program.

Written comments, written requests for a public hearing, or written requests for notification of the final decision regarding this permit action may be submitted to Ms. Soumaya Ghosn at LDEQ, Public Participation Group, P.O. Box 4313, Baton Rouge, LA 70821-4313. Written comments and/or written requests must be received by 12:30 p.m., Monday, August 13, 2007. Written comments will be considered prior to a final permit decision.

If LDEQ finds a significant degree of public interest, a public hearing will be held. LDEQ will send notification of the final permit decision to the applicant and to each person who has submitted written comments or a written request for notification of the final decision.

The draft permit and application are available for review at the LDEQ, Public Records Center, Room 127, 602 North 5th Street, Baton Rouge, LA. Viewing hours are from 8:00 a.m. to 4:30 p.m., Monday through Friday (except holidays). The available information can also be accessed electronically on the Electronic Document Management System (EDMS) in the DEQ public website at www.deq.louisiana.gov.

Additional copies may be reviewed at the Calcasieu Parish Library, Westlake Branch, 937 Mulberry Street, Westlake, LA 70669 and the Calcasieu Parish Library, Sulphur Branch, 1160 Cypress Street, Sulphur, LA 70663.

Previous notices have been published in the Lake Charles American Press and The Advocate on November 11, 2004.

Inquiries or requests for additional information regarding this permit action should be directed to Mr. Craig Easley, LDEQ, Waste Permits Division, P.O. Box 4313, Baton Rouge, LA 70821-4313, phone (225) 219-3050.

Persons wishing to be included on the LDEQ permit public notice mailing list or for other public participation related questions should contact the Public Participation Group in writing at LDEQ, P.O. Box 4313, Baton Rouge, LA 70821-4313, by email at deqmailtistrequest@la.gov or contact the LDEQ Customer Service Center at (225) 219-LDEQ (219-5337).

Permit public notices including electronic access to the draft permit and associated information can be viewed on the LDEQ permits public webpage at www.deq.louisiana.gov/apps/pubNotice/default.asp and general information related to the public participation in permitting activities can be viewed at www.deq.louisiana.gov/portal/tabid/2198/Default.aspx.

Alternatively, individuals may elect to receive the permit public notices via email by subscribing to the LDEQ permits public notice List Server at www.doa.louisiana.gov/oes/listservpage/ldeq_pn_listserv.htm

All correspondence should specify AI Number 1254, Permit Number LAD008080681-PC-RN-1, and Activity Number PER20040001.

Scheduled Publication Date: Tuesday, June 26, 2007.

form_7124_r01 04/30/07

PUBLIC RADIO ANNOUNCEMENT

The Louisiana Department of Environmental Quality is accepting written comments on a draft hazardous waste post-closure renewal permit for Olin Corporation, / Westlake Facility-Interim Status Landfill. The facility is located at 960 I-10 West, Westlake, Calcasieu Parish.

Olin Corporation requested a renewal of its hazardous waste permit governing the postclosure care of the Interim Status Landfill.

Written comments, written requests for a public hearing, or written requests for notification of the final decision regarding this permit action may be submitted to Ms. Soumaya Ghosn at LDEQ, Public Participation Group, P.O. Box 4313, Baton Rouge, LA 70821-4313. Written comments and/or written requests must be received by 12:30 p.m., Monday, August 13, 2007. Written comments will be considered prior to a final permit decision.

The draft permit and application is available at LDEQ, Headquarters in Baton Rouge, the Calcasieu Parish Library, Westlake Branch, 937 Mulberry Street, Westlake, LA 70669 and the Calcasieu Parish Library, Sulphur Branch, 1160 Cypress Street, Sulphur, LA 70663.

For any inquiries contact LDEQ Customer Service Center at (225) 219-LDEQ, that is (225) 219-5337.

All correspondence should specify AI Number 1254, Permit Number LAD008080681-PC-RN-1, and Activity Number PER20040001.

The public notice with detailed information has been scheduled to publish in The Advocate and The American Press on June 26, 2007 and can be viewed on the LDEQ Permits Public Notice Web page

Scheduled Broadcast Date: Tuesday, June 26, 2007

SIGNATURE PAGE

DRAFT PERMIT

LOUISIANA DEPARTMENT OF ENVIRONMENTAL QUALITY

POST-CLOSURE PERMIT FOR THE CLOSED HAZARDOUS WASTE PILE

PERMITTEE:

Olin Coporation

PERMIT NUMBER:

LAD 008080681-PC-RN-1

Agency Interest #1254/Activity # PER20040001

FACILITY LOCATION:

900 I-10 WEST

WESTLAKE, LOUISIANA, 70669

This permit is issued by the Louisiana Department of Environmental Quality (LDEQ) under the authority of the Louisiana Hazardous Waste Control Law R.S. 30:2171 et seq., and the regulations adopted thereunder and under the authority of the 1984 Hazardous and Solid Waste Amendments (HSWA) to the Resource Conservation and Recovery Act (RCRA) to Olin Corporation, (hereafter called the Permittee), for the post-closure care of closed unit located at Blanchard, Louisiana, at latitude 30° 13′ 55″ and longitude 93° 15′ 57.″

For the purposes of this permit, the "Administrative Authority" shall be the Secretary of the Louisiana Department of Environmental Quality, or his/her designee.

The permittee must comply with all terms and conditions of this permit. This permit consists of the conditions contained herein and the applicable regulations contained in the Louisiana Administrative Code, Title 33, Part V, Subpart 1, (LAC 33:V.Subpart 1). Applicable regulations are those that are in effect on the effective date of issuance of this permit.

This permit is based on the assumption that the information provided to LDEQ by the Permittee is accurate. Further, this permit is based in part on the provisions of Sections 206, 212, and 224 of the HSWA of 1984, which modify Section 3004 and 3005 of RCRA. In particular, Section 206 requires corrective action for all releases of hazardous waste or constituents from any solid waste management unit at a treatment, storage or disposal facility seeking a permit, regardless of the time at which waste was placed in such unit.

Section 212 provides authority to review and modify the permit at any time. Any inaccuracies found in the submitted information may be grounds for the termination, modification, revocation, and reissuance of this permit (see LAC 33:V.323) and potential enforcement action. The Permittee must inform the LDEQ of any deviation from or changes in the information in the application that would affect the Permittee's ability to comply with the applicable regulations or permit conditions.

This permit shall be effective as of, and shall remain in effect until, unless revoked, reissued, modified or terminated in accordance with LAC 33:V.323 and 705 of the Louisiana Hazardous Waste Regulations. The Administrative Authority may issue any permit for a duration that is less than the maximum term of ten (10) years and the term shall not be extended beyond the maximum duration by modification in accordance with LAC 33:V.315.
Post-closure requirements of LAC 33:V. Chapter 35, Subchapter B must continue for at least thirty (30) years after the date of closure for those units listed in Condition IV of this permit. Expiration of this permit does not relieve the permittee of the responsibility to reapply for a permit for the remainder of the thirty (30) year post-closure care period.
Provisions of this permit may be appealed in writing pursuant to La. R.S. 30:2024(A) within thirty (30) days from receipt of the permit. Only those provisions specifically appealed will be suspended by a request for hearing, unless the Secretary elects to suspend other provisions as well. A request for hearing must be sent to the following:
Louisiana Department of Environmental Quality Office of the Secretary Attention: Hearings Clerk, Legal Services Division Post Office Box 4302 Baton Rouge, Louisiana 70821-4302
DRAFT Date Chuck Carr Brown, Ph.D. Assistant Secretary Louisiana Department of Environmental Quality

PART A APPLICATION

OMB#: 2050-0175

MAIL THE COMPLETED FORM

TO: EQ/Compliance stance Division

PO Box 82135

Baton Rouge, LA 70884

United States Environmental Protection Agency

and

LOUISIANA

DEPARTMENT OF ENVIRONMENTAL QUALITY NOTIFICATION OF HAZARDOUS WASTE ACTIVITY RCRA SUBTITLE C SITE IDENTIFICATION FORM



	RCRA SUBTITLE C SITE IDEN	TIFICATI	ON FORM			
Reason for Submittal CHECK APPROPRIATE REASON(S) (see instructions)	A. Reason for Submittal: □ To provide initial notification (to obtain an EPA ID Number for hazardous waste, universal waste, or used oil activities). □ To provide subsequent notification (to update site identification information). or □ As a component of a First RCRA Hazardous Waste Part A Permit Application. X As a component of a Revised RCRA Hazardous Waste Part A Permit Application (Amendment #). or □ As a component of the Hazardous Waste Report.					
2. Site EPA ID Number (see instructions)	EPAID Number: LAD008080681					
3. Site Name (see instructions)	Legal Name: Olin Corporation Lake Charles, LA					
4. Site Physical Location	Street Address: 960 I-10 West					
3. Site Name (see instructions) 4. Site Physical Location Information (see instructions) 5. Site Land Type (see instructions) 6. North American Industry Classification System (NAICS) Code(s) for the Site (see instructions)	City, Town, or Village: Westlake	State: LA				
	County/Parish Name: Calcasieu	ZIp Code: 7 0 6 0 2				
	Site Land Type: XPrivate D County/Parish D D	istrict DFe	derai 🖸 Indian 🚨 M	funicipal 🗅 State 🗅 Other		
	A. 562910					
or the Site (see	C. D.					
7. Site Mailing Address (see instructions)	Street or P. O. Box: P.O. Box 248					
See maddelonay	City, Town, or Village: Charleston					
	State: TN					
	County/Parish Name: Bradley		Zip Code: 373	10		
I. Site Contact Person see instructions)	First Name: James	MI: C	Last Name: Brow	ωn		
see manuclions,	Phone Number: 423-336-4308	Phone Number Extension:				
I. Legal Owner and Operator of the Site (see	A. Name of Site's Legal Owner: Olin Corporation Date Became Owner (mm/dd/yyyy): 1934					
nstructions)	Owner Type: X Private	al 🗆 Indian 🗅 Muni	cipal State Other			
	B. Name of Site's Operator: Olin Corpor	Date Became Operator (mm/dd/yyyy): 1934				
Suit	Operator Type: XPrivate					

PA Form 8700-13A/B (Revised 11/00) DEQ Form HW-1 (Revised 11/01) Same as Page 1 of EPA Form 8700-12
Page 1 of 2
Same as Page 1 of EPA Form 8700-23

			EPA ID No. [LA Σ) 00 0 0 0 0 0 0 0 0 0			
Type of Regulated W	aste Activity (Mark 'X'	in the appropriate boxe	s. See Instructions)			
الم	ities					
1. Generator of Hazardo	ous Waste					
(select one of the follow	wing categories)		Mode of Transportation (Transporters Only) ☐ Highway ☐ Rail ☐ Air ☐ Water			
a. LQG: Greater the waste; or	nan 1,000 kg/mo (2,200 lbs	.) of non-acute hazardous	Transfer Facility Status (month, day, year)			
			(Transporter status must be indicated above)			
☐ b. SQG: 100 to 1, waste; or	000 kg/mo (220 - 2,200 lbs	a) of non-acute hazardous	Requested Received			
C c. CESQG: Less to	han 100 kg/mo of non-acut	e hazardous waste	☐ 3. Treater, Storer, or Disposer of HW (at your site)			
d. NON-GENERAT	OR		Note: A hazardous waste permit is required for this activity			
In addition, indicate of	other generator activities	(check all that apply)	☐ Permitted ☐ Interim Status ☐ Proposed			
a e. United States Im	porter of Hazardous Waste	3	 4. Recycler of Hazardous Waste (at your site) Note: A hazardous waste permit may be required for this 			
☐ f. Mixed Waste (ha	azardous and radioactive) (Generator	activity.			
For Items 2 through 6, che	ck all that apply:		5. Exempt Boiler and/or Industrial Furnace			
☐ 2. Transporter of Hazard	lous Waste		 a. Small Quantity On-site Burner Exemption b. Smelting, Melting, Refining Furnace Exemption 			
□ For own waste only						
☐ For commercial purp	poses		☐ 6. Underground Injection Control			
Large Quantity Handler of to determine what is regula and/or accumulated at you	ited]. Indicate types of u	niversal waste generated	C. Used Oil Activities 1. Used Oil Transporter - Indicate Type(s) of Activity(ies) a. Transporter b. Transfer Facility			
	<u>Generated</u>	Accumulated	Requested Received			
a. Batteries	<u>n</u>		2. Used Oil Processor and/or Re-refiner - Indicate Type(s)			
b. Pesticides	٥		of Activity(ies)			
c. Thermostats	0	_	a. Processor			
d. Lamps	۵	o j	☐ b. Re-refiner			
e. Other (specify)		ا ت	☐ 3. Off-Specification Used Oil Burner			
f. Other (specify)g. Other (specify)		<u> </u>	4. Used Oil Fuel Marketer - Indicate Type(s) of Activity(ies)			
Destination Facility for Universal Waste Note: A hazardous waste permit may be required for this activity.			 a. Marketer Who Directs Shipment of Off-Specification Used Oil to Off-Specification Used Oil Burner b. Marketer Who First Claims the Used Oil Meets the Specifications 			
			5. Used Oil Fuel Burner – Indicate Combustion Device(s)			
			□Utility Boiler □Industrial Boiler □Industrial Furnace			
Description of Hazard	ous Wastes (see instri	uctions on page 16)				
Waste Codes for Federally I them in the order they are pre	Regulated Hazardous Wa sented in the regulations (stes. Please list the waste of e.g., D001, D003, F007, U11	codes of the Federal hazardous wastes handled at your site. List 12). Use an additional page if more spaces are needed.			
39						
—						

OMB#: 2050-0175					
			E	PAID No. LA I	0 08080681
aste Codes for State-Regulated (i.e.,dled at your site. List them in the order to					
	<u> </u>	T		T	
		<u> </u>			
	<u> </u>				,
			<u> </u>		
12. Comments (see instructions)					
This HW-1 accompar	ies an appl	ication for	renewal of a	post-closu	re permit.
The wastes listed					-
managed in the clo					
					
					
				<u>-</u>	
· · · · · · · · · · · · · · · · · · ·	, <u>, , , , , , , , , , , , , , , , , , </u>		····		
·			***		
13. Certification. I certify under penalty of	of law that this document	and all attachments we	re prenared under my di	raction or supervision	in accordance
with a system designed to assure that qualific persons who manage the system, or those poly knowledge and belief, true, accurate, and cor	ed personnel properly ga ersons directly responsit	ather and evaluate the in ole for gathering the info	formation submitted. Barmation, the information	sed on my inquiry of the submitted is, to the be	ne person or st of my
fine and imprisonment for knowing violations.		alore are significant pen	andes for subtrinting faise	, mornapor, moroding	the possibility of
Signature of owner, operator, or an authorized representative		Name and Official	Title (type or print)		Date Signed (mm-dd-yyyy)
Dames Brown	James C. Br	own, Directo	or, Environme	ental Remed:	10/1/04 lation
Cunt in Richards			Env. Health		10/1/04
		<u> </u>			<u> </u>

OMB#: 2050-0175

MAIL THE COMPLETED FORM

TO: EQ/Compliance istance Division

PO Box 82135


Baton Rouge, LA 70884

United States Environmental Protection Agency

and

LOUISIANA

DEPARTMENT OF ENVIRONMENTAL QUALITY NOTIFICATION OF HAZARDOUS WASTE ACTIVITY RCRA SUBTITLE C SITE IDENTIFICATION FORM



	RCRA SUBTITLE C SITE IDEN	ON FORM					
1. Reason for Submittal CHECK APPROPRIATE REASON(S) (see instructions)	A. Reason for Submittal: □ To provide initial notification (to obtain an EPA ID Number for hazardous waste, universal waste, or used oil activities). □ To provide subsequent notification (to update site identification information). or □ As a component of a First RCRA Hazardous Waste Part A Permit Application. ★ As a component of a Revised RCRA Hazardous Waste Part A Permit Application (Amendment #						
2. Site EPA ID Number (see instructions)	EPA ID Number: LAD 0 0 8 0 8 0 6 8 1						
3. Site Name (see instructions)	Legal Name: Olin Corporation Lake Charles, LA						
4. Site Physical Location Information (see	Street Address: 960 I-10 West						
instructions)	City, Town, or Village: Westlake	State: LA					
	County/Parish Name: Calcasieu	Zip Code: 7 0 6 0 2					
5. Site Land Type (see instructions)	Site Land Type: XPrivate	istrict 🛭 Fe	derat 🖸 Indian 🔘 N	Municipal 🗆 State 🗀 Other			
5. North American industry Classification	A. 562910 B.						
System (NAICS) Code(s) for the Site (see instructions)	C.	D.					
7. Site Meiling Address see Instructions)	Street or P. O. Box: P.O. Box 248						
goo mondonono,	City, Town, or Village: Charleston						
	State: TN						
	County/Parish Name: Bradley		Zip Code: 373	10			
3. Site Contact Person see instructions)	First Name: James	MI: C	Last Name: Bro	wn			
,	Phone Number: 423-336-4308 Phone Number Extension:						
I. Legal Owner and Operator of the Site (see	A. Name of Site's Legal Owner: Olin Corporation Date Became Owner (mm/dd/yyyy): 1934						
nstructions)	Owner Type: X Private	al 🔾 Indian 🗘 Muni	idpal 🔾 State 🗘 Other				
	B. Name of Site's Operator: Olin Corporation Date Became Operator (mm/dd/yyyy): 1934						
The state of the s	Operator Type: 又Private 🗅 County/Parish 🗅 District 🔘 Federal 🗅 Indian 🗅 Municipal 🔘 State 🗘 Other						

OMB#: 2050-0175					EPA ID No. LA 11 008 (805	181		
Type of Regu	lated Waste Activi	ty (Mark 'X'	in the ap	propriate boxes.	See instructions)	<u> </u>		
A. Hazardous Was	te Activities	· · · · · · · · · · · · · · · · · · ·						
1. Generator o	f Hazardous Waste							
(select one o	of the following categor	ies)			Mode of Transportation (Transporters Only)			
					☐ Highway ☐ Rail ☐ Air ☐ Water			
🗅 a. LQG: waste:	Greater than 1,000 kg or	/mo (2,200 lbs	s.) of non-a	icute hazardous	Transfer Facility Status (month, day, year)			
·					(Transporter status must be indicated above)			
□ b. SQG: waste;	100 to 1,000 kg/mo () or	220 - 2,200 lbs	s,) of non-a	acute hazardous	RequestedReceived	~		
C c. CESQ	G: Less than 100 kg/r	no of non-acut	le hazardo	us waste	☐ 3. Treater, Storer, or Disposer of HW (at your site)			
□ d. NON-G	SENERATOR				Note: A hazardous waste permit is required for this activi			
In addition	indicate other genera	ator activities	(check at	I that apply)	☐ Permitted ☐ Interim Status ☐ Proposed			
	States Importer of Ha		·	, (app.)	A. Recycler of Hazardous Waste (at your site) Note: A hazardous waste permit may be required for the	vie.		
☐ f. Mixed	Waste (hazardous and	d radioactive) (Generator		activity.	115		
	gh 6, check all that a	•			5. Exempt Boiler and/or Industrial Furnace			
	of Hazardous Waste				□ a. Small Quantity On-site Burner Exemption □ b. Smelting, Melting, Refining Furnace Exemption			
☐ For own w	vaste only				2 5. Cholang, metang, temmig Ferricase Exemples.			
☐ For comm	nercial purposes				6. Underground Injection Control			
to determine what	Activities andler of Universal W t is regulated]. Indica ed at your site. (che	ate types of u	niversal w	e regulations /aste generated	C. Used Oil Activities 1. Used Oil Transporter - Indicate Type(s) of Activity(id) a. Transporter b. Transfer Facility	es)		
	<u>G</u>	enerated	Acct	<u>ımulated</u>	Requested Received	i		
a. Batteries		u			2. Used Oil Processor and/or Re-refiner - Indicate Type	ə(s)		
b. Pesticides		a			of Activity(les)	1		
c. Thermostats					a. Processor			
d. Lamps		0			☐ b. Re-refiner			
		D			3. Off-Specification Used Oil Burner			
f. Other (specify)g. Other (specify)					4. Used Oil Fuel Marketer - Indicate Type(s) of			
g. Outer (appears)		_			Activity(ies)			
□ 2. Destination Facility for Universal Waste Note: A hazardous waste permit may be required for this activity,			☐ a. Marketer Who Directs Shipment of Off-Specification Used Oil to Off-Specification Used Oil Burner ☐ b. Marketer Who First Claims the Used Oil Meets the Specifications					
				☐ 5. Used Oil Fuel Burner – Indicate Combustion Device(s)				
			□Utility Boiler □Industrial Boiler □Industrial Furnac	æ:				
11. Description of	f Hazardous Waste	s (see instr	uctions o	on page 16)				
					odes of the Federal hazardous wastes handled at your site. List 2). Use an additional page if more spaces are needed.			
39		· · · · · · · · · · · · · · · · · · ·				\neg		
								

Same as Page 2 of EPA Form 8700-12
Page 2 of Same as Page 2 of EPA Form 8700-23

DMB#: 2050-0175	,	
	EPA ID No. LA I	0 0808088
	non-Federal) Hazardous Wastes. Please list the waste codes of the State-regulated hazard hey are presented in the regulations. Use an additional page if more spaces are needed for w	
		<u> </u>
2. Comments (see instructions)	<u>l</u>	<u> </u>
This UW 1 accompan		
	nies an application for renewal of a post-closu	
	in Item 11 are generated at the site, but are	
managed in the clo	sed unit that is the subject of this applicati	on.
		
2. Cartification Lauthanders		
ith a system designed to assure that qualificersons who manage the system, or those p	of law that this document and all attachments were prepared under my direction or supervision and personnel properly gather and evaluate the information submitted. Based on my inquiry of the ersons directly responsible for gathering the information, the information submitted is, to the be implete. I am aware that there are significant penalties for submitting false information, including (see instructions)	he person or est of my
Signature of owner, operator, or an authorized representative	Name and Official Title (type or print)	Date Signed (mm-dd-yyyy)
James Bronn	James C. Brown, Director, Environmental Remed	iation
inthe Richards	Curt M. Richards, V.P. Env. Health & Safety	10/1/04

OMB#: 2050-0175

MAIL THE COMPLETED FORM

EQ/Compliance listance Division

PO Box 82135

Baton Rouge, LA 70884

United States Environmental Protection Agency

and

LOUISIANA

DEPARTMENT OF ENVIRONMENTAL QUALITY NOTIFICATION OF HAZARDOUS WASTE ACTIVITY RCRA SUBTITLE C SITE IDENTIFICATION FORM



•	RCRA SUBTITLE C SITE IDEN	TIFICATI	ON FORM			
1. Reason for Submittal CHECK APPROPRIATE REASON(S) (see instructions)						
2. Site EPA ID Number (see instructions)	EPA ID Number: LAD008080681		·			
3. Site Name (see Instructions)	Legal Name: Olin Corporation Lake Charles, LA					
4. Site Physical Location Information (see	Street Address: 960 I-10 West					
instantions)	City, Town, or Village: Westlake	State: LA				
	County/Parish Name: Calcasieu	Zip Code: 7 0 6 0 2				
5. Site Land Type (see instructions)	Site Land Type: XPrivate	District 🗅 Fe	deral 🔾 Indian 🔾 M	dunicipal □ State □ Other		
5. North American Industry Classification	A. 562910					
System (NAICS) Code(s) for the Site (see instructions)	C.	D.				
7. Site Mailing Address see instructions)	Street or P. O. Box: P.O. Box 248					
	City, Town, or Village: Charleston					
	State: TN					
	County/Parish Name: Bradley		Zip Code: 373	10		
3. Site Contact Person see instructions)	First Name: James	MI: C	Last Name: Bro	wn		
occ mondonomy	Phone Number: 423-336-4308		Phone Number Extension:			
I. Legal Owner and Operator of the Site (see	A. Name of Site's Legal Owner: Olin Corporation Date Became Owner (mm/dd/yyyy): 1934					
nstructions)	Owner Type: ✓ Private ☐ County/Parish ☐ Distr	rict 🗆 Feder	al 🗆 Indian 🖵 Muni	cipal 🗆 State 🚨 Other		
	B. Name of Site's Operator: Olin Corpor	ation	Date Became Operator (mm/dd/yyyy):			
Name	Operator Type: Private County/Parish Coistrict Conference Indian Communicipal Conference County/Parish County/Parish Conference County/Parish Conference County/Parish Conference County/Parish County/Pari					

ļ

DMB#: 2050-0175			EPA ID No. [LAD] 0.08 0805 81
Type of Regulated Wa	aste Activity (Mark 'X'	in the appropriate boxe	
A. Hazardous Waste Activi	ties	·	
1. Generator of Hazardo	ous Waste		
(select one of the follow	ving categories)		Mode of Transportation (Transporters Only) ☐ Highway ☐ Rail ☐ Air ☐ Water
a. LQG: Greater th waste; or	an 1,000 kg/mo (2,200 lbs	.) of non-acute hazardous	Transfer Facility Status (month, day, year)
☐ b. SQG: 100 to 1,0 waste; or	000 kg/mo (220 - 2,200 lbs	s.) of non-acute hazardous	(Transporter status must be indicated above) Requested Received
C c. CESQG: Less th	nan 100 kg/mo of non-acut	e hazardous waste	 3. Treater, Storer, or Disposer of HW (at your site) Note: A hazardous waste permit is required for this activity.
d. NON-GENERATO			☐ Permitted ☐ Interim Status ☐ Proposed
In addition, Indicate o	other generator activities	(check all that apply)	_
	porter of Hazardous Waste		 4. Recycler of Hazardous Waste (at your site) Note: A hazardous waste permit may be required for this activity.
if. Mixed Waste (ha	zardous and radioactive) (ck all that apply:	Senerator	5. Exempt Boiler and/or Industrial Furnace
☐ 2. Transporter of Hazard	ous Waste		 □ a. Small Quantity On-site Burner Exemption □ b. Smelting, Melting, Refining Furnace Exemption
☐ For own waste only			a si amoung, maning, naming a amada anampasin
☐ For commercial purp	ooses		☐ 6. Underground Injection Control
arge Quantity Handler of Uto determine what is regula and/or accumulated at your	ted). Indicate types of u	niversal waste generated	C. Used Oil Activities 1. Used Oil Transporter - Indicate Type(s) of Activity(ies) □ a. Transporter
and or accounted at you	•		☐ b. Transfer Facility
	Generated	<u>Accumulated</u>	Requested Received
a. Batteries	O O		2. Used Oil Processor and/or Re-refiner - Indicate Type(s)
b. Pesticides	٥	۵	of Activity(les)
c. Thermostats	<u> </u>	<u> </u>	☐ a. Processor
d. Lamps	0	0	☐ b. Re-refiner
e. Other (specify)		0	☐ 3. Off-Specification Used Oil Burner
f. Other (specify)		٥	 Used Oil Fuel Marketer - Indicate Type(s) of Activity(ies)
Destination Facility for Universal Waste Note: A hazardous waste permit may be required for this activity.			 a. Marketer Who Directs Shipment of Off-Specification Used Oil to Off-Specification Used Oil Burner b. Marketer Who First Claims the Used Oil Meets the Specifications
			5. Used Oil Fuel Burner – Indicate Combustion Device(s)
			☐Utility Boiler ☐Industrial Boiler ☐Industrial Furnace
1. Description of Hazardo	ous Wastes (see instr	uctions on page 16)	
. Waste Codes for Federally F them in the order they are pre-	Regulated Hazardous Wasented in the regulations (istes. Please list the waste e.g., D001, D003, F007, U11	codes of the Federal hazardous wastes handled at your site. List 2). Use an additional page if more spaces are needed.
39			
<u> </u>			

OMB#: 2050-0175					
			E	PAID No. LA I	0 \$40 8\$4 0
aste Codes for State-Regulated (i.e., noted at your site. List them in the order to					
	T	1	T		
_					
					···-
				 	
	<u> </u>		<u> </u>		
2. Comments (see instructions)					
This HW-l accompa	nies an annl	ication for	ronoval of a	seet aless	
The wastes listed					
managed in the clo	sed unit tha	at is the su	bject of thi	s application	on.
	·				
··· ·					
					
	····				
					
2 Continue la differentia de la differentia della differentia dell					
Certification. I certify under penalty of the a system designed to assure that qualified	ed personnel properly ga	ather and evaluate the ir	formation submitted. Ba	sed on my inquiry of th	e person or
ersons who manage the system, or those p nowledge and belief, true, accurate, and co	ersons directly responsit molete. I am aware that	ole for gathering the info there are significant per	mation, the information alties for submitting false	submitted is, to the bes e information, including	at of my the possibility of
ne and imprisonment for knowing violations		- '	-		
Signature of owner, operator, or an					Date Signed
authorized representative		Name and Official	Title (type or print)		(mm-dd-yyyy
Lames Chronn	James C. Br	own, Directo	or, Environme	ental Remedi	10/1/09 ation
O + h Pilane			***		1 1
me in purpose	GUIL H. KIC	marus, v.r.	Env. Health	o Sarety_	10/1/04
					<u> </u>
					1

OMB#: 2050-0175

MAIL THE COMPLETED FORM

TO: EQ/Compliance istance Division

PO Box 82135

Baton Rouge, LA 70884

United States Environmental Protection Agency

and

LOUISIANA

DEPARTMENT OF ENVIRONMENTAL QUALITY NOTIFICATION OF HAZARDOUS WASTE ACTIVITY RCRA SUBTITLE C SITE IDENTIFICATION FORM



	RCRA SUBTITLE C SITE IDENTIFICATION FORM					
Reason for Submittal CHECK APPROPRIATE REASON(S) (see instructions)	A. Reason for Submittal: ☐ To provide initial notification (to obtain an EPA ID Number for hazardous waste, universal waste, or used oil activities). ☐ To provide subsequent notification (to update site identification information). or ☐ As a component of a First RCRA Hazardous Waste Part A Permit Application. X As a component of a Revised RCRA Hazardous Waste Part A Permit Application (Amendment #). or ☐ As a component of the Hazardous Waste Report.					
2. Site EPA ID Number (see instructions)	EPA ID Number:	LAD008080681	<u></u>	· <u>·</u>		
3. Site Name (see instructions)	Legal Name:	Olin Corporation Lake Charles, LA				
4. Site Physical Location Information (see	Street Address:	960 I-10 West				
instructions)	City, Town, or Village: Westlake			State: LA		
, —	County/Parish Nam	^{ne:} Calcasieu		Zip Code: 706	02	
5. Site Land Type (see instructions)	Site Land Type:	Private Cl County/Parish Cl C	istrict 🗅 Fe	deral 🗅 Indian 🗘 N	Municipal 🗆 State 🗆 Other	
3. North American Industry Classification System (NAICS) Code(s) for the Site (see Instructions)	A. 562910 c.		B. D.			
7. Site Mailing Address 'see Instructions'	Street or P. O. Box	P.O. Box 248	<u> </u>		· · · · · · · · · · · · · · · · · · ·	
see manuchons/	City, Town, or Villa	ge: Charleston				
	State: TN					
	County/Parish Nam	e: Bradley		Zip Code: 373	10	
3. Site Contact Person see instructions)	First Name: Ja	mes	MI: C	Last Name: Bro	wn	
see maductionsy	Phone Number: 423-336-4308		Phone Number Extension:			
l. Legal Owner and Operator of the Site (see	A. Name of Site's L	egal Owner: Olin Corp	oration	Date Became Owner	(mm/dd/yyyy): 1934	
nstructions)	Owner Type: X Pri	vate County/Parish Distr	ict D Feder	al 🗆 Indian 🗅 Mun	icipal 🗆 State 🗅 Other	
	B. Name of Site's O	perator: Olin Corpor	ation	Date Became Operator (mm/dd/yyyy):		
Super	Operator Type: 🔊	Operator Type: StPrivate				

Type of Regulated Waste Activity (Mark 'X' in the appropriate boxes. See instructions) A Hazardous Waste Activities 1. Generator of Hazardous Waste (select one of the following categories) a. LOG: Greater than 1,000 kg/mo (2,200 lbs.) of non-acute hazardous waste or life the following categories) b. S.OG: 100 lb 1,000 kg/mo (2,200 lbs.) of non-acute hazardous waste or life. Life that subject or life the following categories) d. LORN-GENERATOR ln addition, indicate other generator activities (check all that apply) e. Linked States importer of Hazardous Waste d. MON-GENERATOR ln addition, indicate other generator activities (check all that apply) e. Linked States importer of Hazardous waste or life that addition, indicate other generator activities (check all that apply): 2. Transporter of Hazardous waste permit in equival for this activity. 2. Transporter of Hazardous Waste (at your site) For own waste only S. Exempt Boller and/or industrial Furnace a. Small Quantity On-site Burner Exemption b. Smelting, Refining Furnace Exemption b. Smelting, Refining Furnace Exemption c. Lamps c. Linked States lndicate types of universal waste generated and/or accumulated at your site. (check all boxes that apply): Generated Accumulated lndicate types of universal waste generated and/or accumulated at your site. (check all boxes that apply): Generated Accumulated lndicate types of universal waste generated and/or accumulated lndicate types of lndicated lndi							
Type of Regulated Waste Activities 1. Generator of Nazardous Waste (select one of the following categories) LOG: Greater than 1,000 kg/mo (22 - 2,200 lbs.) of non-acute hazardous waste; or LOG: Greater than 1,000 kg/mo (22 - 2,200 lbs.) of non-acute hazardous waste; or C. CESOG: Less than 100 kg/mo (22 - 2,200 lbs.) of non-acute hazardous waste; or C. CESOG: Less than 100 kg/mo of non-acute hazardous waste d. NON-GENERATOR In addition, Indicate other generator activities (check all that apply) e. United States importer of Hazardous Waste G. Mased Waste (Nazardous and radioactive) Generator Permitted Interim Status Proposed of this activity. 2. Transporter of Hazardous Waste For own waste only For commercial purposes Senting, Melting, Refining Furnace Exemption b. Smelling, Melting, Refining Furnace Exemption c. United States importer of Universal Waste (permit what is regulated), Indicate types of universal waste generated and/or accumulated at your site, (check all boxs that apply): Generater Accumulated Accumulated	OMB#: 2050-0175				FPA II	Mo It has look I denk en	
1. Generator of Hazardous Waste (select one of the following categories) 2. LGG: Greater than 1,000 kg/me (220-2,200 lbs.) of non-acute hazardous waste; or 2. LGG: Greater than 1,000 kg/me (220-2,200 lbs.) of non-acute hazardous waste; or 3. Transporter status must be indicated above) 4. NoN-GENERATOR 3. Transporter of Hazardous waste 3. Transporter status must be indicated above) 4. NoN-GENERATOR 4. NoN-GENERATOR 4. Mixed Waste (hazardous Waste (all that apply) 4. Recycler of Hazardous waste pomit in we be required for this activity 4. Anazardous waste pomit may be required for this activity 4. Anazardous waste pomit may be required for this activity 4. Anazardous waste pomit may be required for this activity 4. Anazardous waste pomit may be required for this activity 5. Exempt Boiler and/or Industrial Furnace 5. Seempt Boiler and/or Industrial Furnace Exemption 5. Smelting, Melting, Refining Furnace Exemption 5. Smelting, Melting, Refining Furnace Exemption 5. Smelting, Melting, Refining Furnace Exemption 5. Underground Injection Control 6. Underground Injection Control 6. Underground Injection Control 7. Used Oil Transporter - Indicate Type(s) of Activity(ies) 6. Underground Injection Control 7. Used Oil Transporter - Indicate Type(s) of Activity(ies) 6. Underground Injection Control 7. Used Oil Transporter - Indicate Type(s) of Activity(ies) 6. Underground Injection Control 7. Used Oil Fuel Marketer - Indicate Type(s) of Activity(ies) 7. Non-Appellication 7. Oil February More Fired Control 7. Oil	Type of Regu	lated Waste Ac	tivity (Mark 'X'	in the appropriate boxes		Mo ITH DILMOB I dolob 1 di	
celect one of the following categories	A. Hazardous Was	te Activities			——————————————————————————————————————		
celect one of the following categories) d. LOG: Greater than 1,000 kg/mo (2,200 lbs.) of non-acute hazardous waste; or d. SGC: 100 to 1,000 kg/mo (220 - 2,200 lbs.) of non-acute hazardous waste; or d. CESGG: Lass than 100 kg/mo of non-acute hazardous waste Gransporter status must be indicated above) Requested Received Recei	1. Generator o	of Hazardous Wast	te				
a. LQG: Greater than 1,000 kg/mo (220 lbs.) of non-acute hazardous waste; or Transfer Facility Status (month, day, year) Transfer Facility Status (month,	factor one	f the following ento			Mode of Transportation	(Transporters Only)	
waste; or Cransporter status must be indicated above)	(select one c	it the following cate	gares)		☐ Highway ☐ Rail	□ Air □ Water	
D. SGG: 100 to 1,000 kg/mo (220 - 2,200 lbs.) of non-acute hazardous waste waste; or C. CESGG: Less than 100 kg/mo of non-acute hazardous waste G. MoN-GENERATOR In addition, indicate other generator activities (check all that apply) C. United States Importer of Hazardous Waste C. United States only C. Transporter of Hazardous Waste (hazardous Waste (hazardous Waste (hazardous Waste (hazardous Waste (hazardous Waste only C. Transporter of Hazardous Waste C. United States only C. Exempt Boiler and/or Industrial Furnace C. Exempt Boiler and/or Industrial Furnace C. Exemption C. Used Oil Transporter C. Used Oil Transporter - Indicate Type(s) of Activity(les) C. Used Oil Transporter - Indicate Type(s) of Activity(les) C. Used Oil Transporter - Indicate Type(s) of Activity(les) C. Used Oil Transporter - Indicate Type(s) of Activity(les) C. Used Oil Processor and/or Re-refiner - Indicate Type(s) of Activity(les) C. Used Oil Processor and/or Re-refiner - Indicate Type(s) of Activity(les) C. Used Oil Forcessor and/or Re-refiner - Indicate Type(s) of Activity(les) C. Used Oil Forcessor and/or Re-refiner - Indicate Type(s) of Activity(les) C. Used Oil Forcessor and/or Re-refiner - Indicate Type(s) of Activity(les) C. Used Oil Forcessor and/or Re-refiner - Indicate Type(s) of Activity(les) C. Used Oil Fuel Marketer - Indicate Type(s) of Activity(les) C. Used Oil Fuel Marketer - Indicate Type(s) of Activity(les) C. Used Oil Fuel Marketer - Indicate Type(s) of Activity(les) C. Used Oil Fuel Marketer - Indicate Type(s) of Activity(les) C. Used Oil Fuel Burner - Indicate Type(s) of Activity(les) C. Used Oil Fuel Burner - Indicate Type(s) of Activity(les) C. Used Oil Fuel Burner - Indicate Type(s) of Activity(les) C. Used Oil Fuel Burn			kg/mo (2,200 lbs	s.) of non-acute hazardous	•	• • •	
S. Neeter, Storet, or Note and your step			o (220 - 2,200 lbs	s.) of non-acute hazardous	•	·	
Note: A hazardous waste permit is required for this activit Permitted Interim Status Proposed Permitted Interim Status Proposed Permitted Interim Status Proposed Recycler of Hazardous Waste (at your site) Note: A hazardous waste permit may be required for this activity. Permitted Interim Status Proposed Recycler of Hazardous Waste (at your site) Note: A hazardous waste permit may be required for this activity. Permitted Interim Status Proposed Recycler of Hazardous Waste (at your site) Note: A hazardous waste permit may be required for this activity. Permitted Interim Status Proposed Recycler of Hazardous Waste (at your site) Note: A hazardous waste permit may be required for this activity. Permitted Interim Status Proposed Recycler of Hazardous waste permit may be required for this activity. Permitted Interim Status Proposed Recycler of Hazardous waste permit may be required for this activity. Permitted Interim Status Proposed Recycler of Hazardous waste permit may be required for this activity. Permitted Interim Status Proposed Recycler of Hazardous waste permit may be required for this activity. Status Proposed Recycler of Hazardous waste permit may be required for this activity. Permitted Interim Status Proposed Status Proposed A. Small Quantity Proposed Status Proposed S	□ c. CESQ	G: Less than 100 l	cg/mo of non-acut	e hazardous waste	17 3 Treater Storer or Dice	nocor of UW (at your cita)	
a. United States Importer of Hazardous Waste (at your site) Note: A hazardous Waste (at your site) Note: A hazardous waste permit may be required for this activity. a. Recycler of Hazardous Waste (at your site) Note: A hazardous waste permit may be required for this activity. 4. Recycler of Hazardous Waste (at your site) Note: A hazardous waste permit may be required for this activity. 5. Exempt Boiler and/or Industrial Furnace a. Small Quantity On-site Burner Exemption b. Smelting, Melting, Refining Furnace Exemption b. Smelting, Melting, Refining Furnace Exemption b. Smelting, Melting, Refining Furnace Exemption c. Underground Injection Control d. Underground Injection	🖸 d. NON-G	SENERATOR			Note: A hazardous was	te permit is required for this activity.	
C. United States importer of Hazardous waste generator	In addition,	indicate other ger	nerator activities	(check all that apply)	□ Permitted □ Interim	Status D Proposed	
For Items 2 through 6, check all that apply: C. Transporter of Hazardous Waste Generated	🗆 e. United	States Importer of	Hazardous Waste	e			
a. Small Quantity On-site Burner Exemption b. Smelting, Melting, Refining Furnace Exemption b. Smelting, Melting, Refining Furnace Exemption b. Smelting, Melting, Refining Furnace Exemption c. Underground Injection Control For commercial purposes c. Underground Injection Control	☐ f. Mixed	Waste (hazardous	and radioactive) (Generator	activity.		
b. Smelling, Melting, Refining Furnace Exemption For own waste only For commercial purposes 6. Underground Injection Control	For Items 2 through	gh 6, check all tha	it apply:		5. Exempt Boiler and/or l	ndustrial Furnace	
For own waste only	☐ 2. Transporter	of Hazardous Was	ste				
Behaviorsal Waste Activities Gree Quantity Handler of Universal Waste [refer to your State regulations to determine what is regulated]. Indicate types of universal waste generated and/or accumulated at your site. (check all boxes that apply): Generated Accumulated a. Batteries b. Pesticides c. Thermostats d. Lamps c. Other (specify) g. Other (specify) g. Other (specify) 2. Destination Facility for Universal Waste Note: A hazardous waste permit may be required for this activity. Behavior of Hazardous Wastes (see instructions on page 16) C. Used Oil Activities 1. Used Oil Transporter - Indicate Type(s) of Activity(ies) a. Transporter b. Transfer Facility Requested Received 2. Used Oil Processor and/or Re-refiner - Indicate Type(s) of Activity(ies) a. Processor b. Re-refiner c. Used Oil Fuel Marketer - Indicate Type(s) of Activity(ies) a. Marketer Who Directs Shipment of Off-Specification Used Oil Fuel Marketer - Indicate Type(s) of Activity(ies) c. Thermostats c. Used Oil Fuel Marketer - Indicate Type(s) c. Thermostats c. Used Oil Fuel Marketer - Indicate Type(s) c. Used Oil Fuel Marketer - Indicate Type(s) of Activity(ies) c. Used Oil Fuel Burner c. Used Oil Fuel Burner c. Used Oil Fuel Burner - Indicate Combustion Device(s) c. Used Oil Fuel Burner - Indicate Combustion Device(s) c. Used Oil Fuel Burner - Indicate Combustion Device(s) c. Used Oil Fuel Burner - Indicate Combustion Device(s) c. Used Oil Fuel Burner - Indicate Combustion Device(s) c. Used Oil Fuel Burner - Indicate Combustion Device(s) c. Used Oil Fuel Burner - Indicate Combustion Device(s) c. Used Oil Fuel Burner - Indicate Combustion Device(s) c. Used Oil Fuel Burner - Indicate Combustion Device(s) c. Used Oil Fuel Burner - Indicate Combustion Device(s) c. Used Oil Fuel Burner - Indicate Type(s) of Activity(ies) c. Thermostate Type(s) c. Used Oil Fuel Burner - Indicate T	☐ For own w	vaste only			J, J.		
C. Used Oil Transporter - Indicate Type(s) of Activity(ies)	☐ For comm	nercial purposes			 6. Underground Injection 	Control	
a. Batteries b. Pesticides c. Thermostats c. Other (specify) g. Other (specify) Note: A hazardous waste permit may be required for this activity. Generated Accumulated Requested Requested Received 2. Used Oil Processor and/or Re-refiner - Indicate Type(s) of Activity(ies) c. Thermostats c. A. Processor c. Thermostats c	arge Quantity Ha	andler of Universa t is regulated]. Inc	dicate types of u	niversal waste generated	 Used Oil Transporter - a. Transporter 	Indicate Type(s) of Activity(ies)	
a. Batteries D. Pesticides D. Processor D. Re-refiner D.			Generated	Accumulated	•	Received	
b. Pesticides	D 4-3				,		
c. Thermostats d. Lamps d. Lamps d. Cother (specify) d. Cother (sp						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
d. Lamps e. Other (specify) f. Other (specify) g. Other (specify) g. Other (specify) d. Used Oil Fuel Marketer - Indicate Type(s) of Activity(les) 2. Destination Facility for Universal Waste Note: A hazardous waste permit may be required for this activity. d. Marketer Who Directs Shipment of Off-Specification Used Oil to Off-Specification Used Oil Burner D. Marketer Who First Claims the Used Oil Meets the Specifications d. See Instructions on page 16) A. Waste Codes for Federally Regulated Hazardous Wastes. Please list the waste codes of the Federal hazardous wastes handled at your site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more spaces are needed.			0				
e. Other (specify)	•		<u> </u>				
f. Other (specify)	e. Other (specify)		. 0		☐ 3. Off-Specification Used	Oil Burner	
Activity(les) 2. Destination Facility for Universal Waste Note: A hazardous waste permit may be required for this activity. 3. Marketer Who Directs Shipment of Off-Specification Used Oil to Off-Specification Used Oil Burner b. Marketer Who First Claims the Used Oil Meets the Specifications 5. Used Oil Fuel Burner – Indicate Combustion Device(s) Utility Boiler Industrial Boiler Industrial Furnace 11. Description of Hazardous Wastes (see instructions on page 16) A. Waste Codes for Federally Regulated Hazardous Wastes. Please list the waste codes of the Federal hazardous wastes handled at your site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more spaces are needed.				□ [•		
Used Oil to Off-Specification Used Oil Burner Description of Hazardous Wastes (see instructions on page 16) Used Oil Fuel Burner — Indicate Combustion Device(s)						- Indicate Type(s) of	
11. Description of Hazardous Wastes (see instructions on page 16) A. Waste Codes for Federally Regulated Hazardous Wastes. Please list the waste codes of the Federal hazardous wastes handled at your site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more spaces are needed.				this activity.	Used Oil to Off-Sp □ b. Marketer Who Firs	ecification Used Oil Burner	
11. Description of Hazardous Wastes (see instructions on page 16) A. Waste Codes for Federally Regulated Hazardous Wastes. Please list the waste codes of the Federal hazardous wastes handled at your site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more spaces are needed.					5. Used Oil Fuel Burner - In	dicate Combustion Device(s)	
A. Waste Codes for Federally Regulated Hazardous Wastes. Please list the waste codes of the Federal hazardous wastes handled at your site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more spaces are needed.							
them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more spaces are needed.	11. Description of	f Hazardous Wa	stes (see instri	uctions on page 16)			
	A. Waste Codes for F them in the order th	ederally Regulate	d Hazardous Wa	stes. Please list the waste co	odes of the Federal hazardous was	stes handled at your site. List spaces are needed.	
		<u> </u>					

Same as Page 2 of EPA Form 8700-12
Page 2 of 3
Same as Page 2 of EPA Form 8700-23

OMB#: 2050-0175				PAID No. I.A T	U yaulahdola
aste Codes for State-Regulated (i.e.,	non-Federal) Hazardo	us Wastes Please list		121-[4]	one mastes of Adolohoot
eled at your site. List them in the order t					
					
12. Comments (see instructions)	L	<u> </u>	<u> </u>		
12. Comments (see instructions)					·····
This HW-1 accompan	nies an appl	ication for	renewal of a	post-closu	<u>re permit.</u>
The wastes listed	in Item 11 a	are generate	d at the sit	e, but are	not
managed in the clo	sed unit tha	at is the sul	ject of thi	s applicati	on.
			CERT		
·····					
<u> </u>					
<u></u>			·		
	· .				
13. Certification. I certify under penalty of with a system designed to assure that qualifications who manage the system, or those per knowledge and belief, true, accurate, and confine and imprisonment for knowing violations.	ed personnel properly ga ersons directly responsib mplete. I am aware that t	ather and evaluate the in ole for gathering the info	formation submitted. Ba mation, the information	sed on my inquiry of the submitted is, to the be	e person or st of my
Signature of owner, operator, or an authorized representative		Name and Official	Title (type or print)		Date Signed (mm-dd-yyyy)
Dames Gom	James C. Br	own, Directo	r, Environme	ental Remedi	10/1/04 ation
Cont he Richards	Curt M. Ric	hards, V.P.	Env. Health	& Safety	10/1/04
		··			
			· · · · · · · · · · · · · · · · · · ·	····	

TABLE OF CONTENTS

TABLE OF CONTENTS

I. PERMIT PREAMBLE	
II. GENERAL PERMIT CONDITIONS	
II.A. DURATION OF PERMIT	
II.B. EFFECT OF PERMIT	
II.C. PERMIT ACTIONS	
II.D. SEVERABILITY	
II.E. DUTIES AND REQUIREMENTS	
III. GENERAL POST-CLOSURE CONDITIONS	
III.A. DESIGN AND OPERATION OF THE POST-CLOSURE 9UNIT	16
III.B. REQUIRED NOTIC	16
III.C. GENERAL WASTE ANALYSIS	
III.D. SECURITY	
III.E. GENERAL INSPECTION REQUIREMENTS	
III.F. PERSONNEL TRAINING	
III.G. GENERAL REQUIREMENTS FOR IGNITABLE, REACTIVE, OR INCOMPATII	
WASTE	
III.H. LOCATION STANDARDS	
III.I. PRECIPITATION RUN-ON AND RUN-OFF	
III.J. HURRICANE EVENTS	
III.L. CONTINGENCY PLAN	
III.M. MANIFEST SYSTEM	17
III.N. RECORD KEEPING AND REPORTING	
III.O. POST-CLOSURE	
III.P. COST ESTIMATE FOR CARE OF THE POST-CLOSURE UNIT	
III.Q. FINANCIAL ASSURANCE FOR THE POST-CLOSURE UNIT	
III.R. LIABILITY REQUIREMENTS	
III.S. INCAPACITY OF THE PERMITTEE	
III.T. POST-CLOSURE NOTICES	
IV. PERMITTED CLOSED UNITS	
V. PERMIT CONDITIONS APPLICABLE TO PERMITTED CLOSED UNITS	21
V.A. POST-CLOSURE CARE PERIOD	21
V.B. POST-CLOSURE MAINTENANCE	
V.C. POST-CLOSURE RESTRICTIONS	
V.D. POST-CLOSURE USE OF PROPERTY	
VI. GROUNDWATER PROTECTION	
VI.A. APPLICABILITY	
VI.B. REQUIRED PROGRAMSVI.C. GROUNDWATER PROTECTION STANDARD	23
VI.D. HAZARDOUS CONSTITUENTS, PARAMETERS, ANALYTICAL FREQUENCY	
CONCENTRATION LIMITSVI.E. POINT OF COMPLIANCE	
VI.E. POINT OF COMPLIANCE	
VI.F. COMPLIANCE PERIOD	
VI.H. DETECTION MONITORING PROGRAM	
VI.H. DETECTION MONITORING PROGRAMVI.I. COMPLIANCE MONITORING	
VI.I. COMPETANCE MONITORING	
VI.K. CONSTRUCTION AND ABANDONMENT OF MONITORING WELLS AND	دد
GEOTECHNICAL BOREHOLESGEOTECHNICAL BOREHOLES	35
VI.L. REPORTING AND NOTIFICATION REQUIRMENTS	36

TABLE OF CONTENTS

VII.	GENERAL CONDITIONS PURSUANT TO THE HAZARDOUS AND SOLID WASTE	
	AMENDMENTS	
	VII.A. STANDARD CONDITIONS	38
	VII.B. EMISSION STANDARDS - PROCESS VENTS, EQUIPMENT LEAKS, TANKS, SURFACE IMPOUNDMENTS, AND CONTAINERS (AA-BB-CC AIR	
	REGULATIONS)	42
	VII.C. SPECIFIC CONDITION - CLOSURE	42
VIII.	SPECIAL CONDITIONS PURSUANT TO HAZARDOUS AND SOLID WASTE	
	AMENDMENTS—CORRECTIVE ACTION STRATEGY	43
	VIII.A ALTERNATE CORRECTIVE ACTION	43
	VIII.B. PROJECT DEVELOPMENT AND SCOPING MEETING	48
	VIII.C. REPORTING REQUIREMENTS	49
	VIII.D. SPECIFIC CONDITION - CONCEPTUAL SITE MODEL (CSM)	
	VIII.E. INTERIM MEASURES	55
	VIII.F. CAS (CORRECTIVE ACTION STRATEGY) INVESTIGATION WORKPLAN	
	VIII.G. IMPLEMENTATION OF SITE INVESTIGATION ACTIVITIES UNDER CAS	59
	VIII.H. RECAP REPORT	59
	VIII.I. REMEDIAL ALTERNATIVES STUDY	60
	VIII.J. RISK MANAGEMENT PLAN	61
	VIII.K. DETERMINATION OF NO FURTHER ACTION	63
	VIII.L. NOTIFICATION REQUIREMENTS FOR AND ASSESSMENT OF	
	NEWLY-IDENTIFIED SWMUS AND POTENTIAL AOCS	65
	VIII.M. NOTIFICATION REQUIREMENTS FOR NEWLY-DISCOVERED RELEASES A	ГΑ
	SWMU OR AOC	
	VIII.N. PUBLIC PARTICIPATION REQUIREMENTS	67
	LIST OF ATTACHMENTS	

ATTACHMENT 1.....LIST OF FACILITY DOCUMENTS INCOPORATED IN PERMIT BY REFERENCE

BODY OF PERMIT

DRAFT HAZARDOUS WASTE POST-CLOSURE RENEWAL PERMIT

OLIN CORPORATION - INTERIM STATUS LANDFILL EPA ID# LAD 008080681 Agency Interest# 1254

Calcasieu Parish
Lake Charles, Louisiana
PER20040001
Permit Number LAD 008080681-PC-RN-1

I. PERMIT PREAMBLE

This permit is issued to Olin Corporation, hereinafter referred to as the Permittee, by the Louisiana Department of Environmental Quality (LDEQ) under authority of the Louisiana Hazardous Waste Control Law, R.S. 30:2171 et seq., and the regulations adopted thereunder.

This permit is based on information submitted in the permit application, and all subsequent amendments, and on the applicant's certification that such information is accurate and that all facilities were or will be maintained and operated as specified in the application.

This permit is conditioned upon full compliance with all applicable provisions of the Louisiana Hazardous Waste Control Law, R.S. 30:2171 et. seq., and the regulations adopted thereunder.

GLOSSARY OF TERMS

For the purpose of this permit, terms used herein shall have the same meaning as those in LAC 33:V.Subpart 1 unless the context of use in this permit clearly indicates otherwise. Where terms are not otherwise defined, the meaning otherwise associated with such terms shall be as defined by a standard dictionary reference or the generally accepted scientific or industrial meaning of the term.

- "Administrative Authority" means the Secretary of the Louisiana Department of Environmental Quality or his/her designee (including appropriate assistant secretary).
- "Application" refers to the RCRA Part B Permit Application and subsequent amendments submitted by the Permittee for obtaining a permit.
- "Area of Concern" (AOC) means any discernable unit or area which, in the opinion of the Administrative Authority, may have received solid or hazardous waste or waste containing hazardous constituents at any time. The Administrative Authority may require investigation of the unit to determine if it is a Solid Waste Management Unit (SWMU). If shown to be a SWMU by the investigation, the AOC must be reported by the Permittee as a newly-identified SWMU.
- "Area of Investigation" (AOI) is a zone contiguous to and including impacted media defined vertically and horizontally by the presence of one or more constituents in concentrations exceeding the limiting SS, MO-1 RS, or MO-2 RS (depending on the option being implemented).
- "Beneficial Resource" describes natural resources that are useful to human and ecological receptors. The state may establish statutes or regulations that identify certain environmental components, such as specific ground water or surface water sources, as a "Special Beneficial Resource," or "Designated Beneficial Resource." The beneficial resources then may be entitled to greater protection from contamination.
- "Constituents of Concern" (COC) means the COPC's that pose a significant risk.
- "Constituents of Potential Concern" (COPC) means chemicals from hazardous waste and hazardous waste constituents that are potentially site related and have data of quality for use in the Screen or a site-specific risk assessment. The facility should compile a list of COPC's for each release site based on existing sampling data, waste analysis reports, etc.
- "Conceptual Site Model" (CSM) is part of the Data Quality Objective (DQO) process that presents a three-dimensional picture of site conditions at a discrete point in time that conveys what is known about the facility, releases, release mechanisms, contaminant fate and transport,

exposure pathways, potential receptors, and risks. The information for the CSM is documented into six profiles. The CSM evolves as data gaps in the profiles become more complete, and will be refined based upon results of site characterization data. The final CSM is documented in the Risk Management Plan (RMP).

"CWA" means Clean Water Act.

"Corrective Action" is an activity conducted to protect human health and the environment.

"Dense Nonaqueous Phase Liquid (DNAPL)" a dense liquid not dissolved in water, commonly referred to as "free product."

"Department" means the Louisiana Department of Environmental Quality (LDEQ).

"EPA" means the United States Environmental Protection Agency.

"Facility" means, for the purpose of conducting corrective action under LAC 33:V.3322, all the contiguous property under the control of the Permittee.

"HSWA" means the 1984 Hazardous and Solid Waste Amendments to RCRA.

"Hazardous Constituent" means any constituent identified in LAC 33:V.Chapter 31.Table 1, or any constituent identified in LAC 33:V.3325.Table 4.

"LDEQ" means the Louisiana Department of Environmental Quality.

"Light Nonaqueous Phase Liquid (LNAPL)" a light liquid not dissolved in water, commonly referred to as "free product."

"Newly-discovered Release" any release(s) of hazardous waste, including hazardous constituents, in which there is a statistically significant in crease over the background data for the media of concern, during the course of groundwater monitoring, field investigation, environmental auditing, or by other means.

"Operating Record" means written or electronic records of all maintenance, monitoring, inspection, calibration, or performance testing—or other data as may be required—to demonstrate compliance with this permit, document noncompliance with this permit, or document actions taken to remedy noncompliance with this permit. A minimum list of documents that must be included in the operating record are identified at LAC 33:V.1529.B.

"Permittee" means Olin Corporation, 960 I-10 West, Westlake, Louisiana 70602.

"RCRA Permit" means the full permit, with RCRA and HSWA portions.

"RFA" means RCRA Facility Assessment.

"RFI" means RCRA Facility Investigation.

"Release" means any spilling, leaking, pouring, emitting, emptying, discharging, injecting, pumping, escaping, leaching, dumping or disposing of hazardous wastes (including hazardous constituents) into the environment (including the abandonment or discarding of barrels, containers, and other closed receptacles containing hazardous wastes or hazardous constituents).

"SARA" means Superfund Amendments and Reauthorization Action of 1986.

"Solid Waste Management Unit" (SWMU) means any discernable unit at which solid wastes have been placed at any time, irrespective of whether the unit was intended for the management of solid or hazardous waste. Such units include any area at a facility at which solid wastes have been routinely and systematically released.

"Stabilization" is an action taken for the purpose of controlling or abating threats to human health or the environment from releases or preventing or minimizing the further spread of contaminants while long-term remedies are pursued.

If, subsequent to the issuance of this permit, regulations are promulgated which redefine any of the above terms, the Administrative Authority may, at its discretion, apply the new definition to this permit.

All regulating citations are defined as being the regulations in effect on the date of issuance of this permit. New and/or amended regulations are not included as permit requirements until permit modification procedures as specified in Condition II.C of the permit and LAC 33:V.321 are completed.

II. GENERAL PERMIT CONDITIONS

II.A. DURATION OF PERMIT

This permit is effective as of the date indicated on the accompanying signature page and shall remain in effect for a maximum period of ten (10) years from the effective date, unless suspended, modified, revoked and reissued or terminated for just cause.

II.B. EFFECT OF PERMIT

This permit authorizes the Permittee to conduct post-closure care activities associated with the Interim Status Landfill in accordance with the conditions of this permit and LAC 33:V.2521.B. The Permittee is prohibited from any storage, treatment or disposal of hazardous waste not authorized by statute, regulation or this permit. Compliance with this permit, LAC 33:V.Subpart 1 and HSWA, constitutes compliance for purposes of enforcement, with Subtitle C of RCRA and Chapter 9 of the Louisiana Environmental Quality Act (Act). However, compliance with the terms of this permit does not constitute a defense to any order issued or any action brought under Section 3013 or Section 7003 of RCRA, or under Section 106 (a) of the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) {42 U.S.C. 9606 (a)}.

In accordance with LAC 33:V.307.B and C, issuance of this permit does not convey property rights of any sort or any exclusive privilege; nor does it authorize any injury to persons or property, any invasion of other private rights, or any infringement of State or local law or regulations.

II.C. PERMIT ACTIONS

Any inaccuracies found in the permit application may be cause for revocation or modification of this permit. The Permittee must inform the Administrative Authority of any deviation from, changes or inaccuracies in the information in the permit application.

The Administrative Authority may also suspend, modify, revoke and reissue, or terminate for cause when necessary to be protective of human health or the environment as specified in 40 CFR 270.41, 270.42, 270.43 or LAC 33:V.309.F, 311.A or 323. The Administrative Authority may modify the permit when the standards or regulations on which the permit was based have been changed by promulgation of amended standards or regulations or by judicial decision after the permit was issued. The filing of a request for permit modification, revocation and reissuance, or termination or the notification of planned changes or anticipated noncompliance on the part of Permittee does not stay the applicability or enforceability of any permit condition.

II.D. SEVERABILITY

The conditions of this permit are severable and if any provision of this permit or the application of any provision of this permit to any circumstance is held invalid, the application of such provision to other circumstances and the remainder of this permit shall not be affected thereby.

II.E. DUTIES AND REQUIREMENTS

II.E.1. Duty to Comply

The Permittee shall comply with all conditions of this permit, except to the extent and for the duration such noncompliance may be authorized by an emergency permit. Any permit noncompliance, other than noncompliance authorized by an emergency permit (LAC 33:V.701), constitutes a violation of the LAC 33:V.Subpart 1 and the Environmental Quality Act and is grounds for enforcement action which may include permit termination, permit revocation and reissuance, permit modification, or denial of permit renewal application.

II.E.2. Duty to Reapply

If the Permittee wishes to continue an activity regulated by this permit after the expiration date of this permit, the Permittee must reapply for the permit as required by the LAC 33:V.303.N and 309.B. Notification shall be at least 180 calendar days before the permit expires.

II.E.3. Permit Extension

This permit and all conditions herein will remain in effect beyond the permit's expiration date until the Administrative Authority issues a final decision on the re-application, provided the Permittee has submitted a timely, complete new permit application as provided in LAC 33:V.309.B and 315.A.

II.E.4. Need to Halt or Reduce Activity Not a Defense

It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

II.E.5. Duty to Mitigate

The Permittee shall immediately take all reasonable steps to minimize or correct any adverse impact on the environment resulting from noncompliance with this permit as required by LAC 33:V.309.D.

II.E.6. Proper Operation and Maintenance

The Permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related ancillary equipment) that are installed or used by the Permittee to achieve compliance with the conditions of this permit. Proper operation and maintenance includes effective performance, adequate funding, adequate operator

staffing and training, and adequate laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems only when necessary to achieve compliance with the conditions of the permit.

II.E.7. Duty to Provide Information

The Permittee shall furnish to the Administrative Authority, within a reasonable time, any information which the Administrative Authority may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. The Permittee shall also furnish to the Administrative Authority upon request, copies of records required by this permit and in accordance with LAC 33:V.309.H.

II.E.8. Inspection and Entry

The Permittee shall allow the Administrative Authority or an authorized representative, upon the presentation of credentials and other documents as may be required by law, to:

- II.E.8.a. enter upon the Permittee's premises where a regulated activity is located or conducted, or where records must be maintained under the conditions of this permit;
- II.E.8.b. have access to and copy, at reasonable times, any records that must be maintained under the conditions of this permit;
- II.E.8.c. inspect, at reasonable times, any facilities, equipment (including monitoring and control equipment), practices, or operation regulated or required under this permit; and
- **II.E.8.d.** sample or monitor, at reasonable times, for the purposes of assuring permit compliance or as otherwise authorized by the Administrative Authority any substances or parameters at any location.

II.E.9. Sample Monitoring and Records

II.E.9.a. Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity. The method used to obtain a representative sample of the waste to be analyzed must be the appropriate method from Appendix I of 40 CFR Part 261. Laboratory methods must be those specified in Test Methods for Evaluating Solid Waste: Physical/Chemical Methods, "SW-846", latest revision; Manual of Ground Water Quality Sampling Procedures, 1981, EPA-600/2-81-160, as revised; Procedures Manual for Ground Water Monitoring at Solid Waste Disposal Facilities, 1977, EPA-530/SW-611, as revised; or an equivalent method.

II.E.9.b. Records of monitoring information shall include:

- II.E.9.b.(1) the date, exact place, and time of sampling or measurements;
- **II.E.9.b.(2)** the name(s) and signature(s) of the individual(s) who performed the sampling or measurements;
- II.E.9.b.(3) the date(s) analyses were performed;
- **II.E.9.b.(4)** the name(s) and signature(s) of the individual(s) who performed the analyses;
- II.E.9.b.(5) the analytical techniques or methods used;
- II.E.9.b.(6) the results of such analyses; and
- **II.E.9.b.(7)** associated quality assurance performance data.

II.E.9.c. Laboratory Quality Assurance/Quality Control

In order to ensure the accuracy, precision, and reliability of data generated for use, the Permittee shall submit a statement, certified as specified in LAC 33:V.513 and included in the annual report, indicating that:

II.E.9.c.(1) any commercial laboratory providing analytical results and test data to the LDEQ required by this permit is accredited by the Louisiana Environmental Laboratory Accreditation Program (LELAP) in accordance with LAC 33:I. Subpart 3, Chapter 45. Laboratory data generated by commercial laboratories not accredited under LELAP will not be accepted by the LDEQ.

LAC 33:I. Subpart 3 (Chapters 45-49) provides requirements for the accreditation program. Regulations and a list of labs that have applied for accreditation are available on the LDEQ website: http://www.deq.louisiana.gov/portal/tabid/2412/Default.aspx.

In accordance with LAC 33:I.4501, the requirements for LELAP accreditation applies whenever data is:

- submitted on behalf of a facility;
- required as part of a permit application;
- required by order of the LDEQ;
- required to be included in a monitoring report submitted to the LDEQ;
- required to be submitted by contract; or
- otherwise required by the LDEQ regulations.

This includes, but is not limited to data from RCRA Trial Burns, Risks Burns, Risk Assessments, MACT Comprehensive Performance Tests, and data used for continuing compliance demonstrations.

II.E.9.c.(2) If the Permittee decides to use their own in-house laboratory for test and analysis, the laboratory is not required to be accredited by LELAP. However, the laboratory must document and submit for approval, quality assurance/quality control procedures that are commensurate with requirements in LAC 33:I.Subpart 3 Laboratory Accreditation.

II.E.9.c.(3) For approval of equivalent testing or analytical methods, the Permittee may petition for a regulatory amendment under LAC 33:V.105.I and LAC 33:I.Chapter 9. In cases where an approved methodology for a parameter/analyte is not available or listed, a request to utilize an alternate method shall be submitted to the Administrative Authority for approval. Documentation must be submitted to the LDEQ that will verify that the results obtained from the alternate method are equal to or better than those obtained from EPA-accepted methods, as well as those deemed equivalent by the LDEQ.

II.E.10. Retention of Records

The Permittee shall maintain records from all ground water monitoring wells and associated groundwater surface elevations for the active life of the facility and for the post-closure care period.

The Permittee shall maintain records through the active life of the facility (including operation, closure and post-closure periods) as required by LAC 33:V.309.J and LAC 33:V.1529.A, B, and C. All records, including plans, must be furnished upon request and made available at all reasonable times as required by LAC 33:V.1529.C.

File copies shall be kept for LDEQ inspection for a period of not less than three years as required by LAC 33:V.317.B.

The Permittee shall, for the life of the permit, maintain records of all data used to complete the application for this permit and any supplemental information submitted under the Louisiana Hazardous Waste Control Law (LA. R.S. 30:2171 et seq.).

II.E.11. Notices of Planned Physical Facility Changes

The Permittee shall give notice to the Administrative Authority, as soon as possible, of any planned physical alterations or additions to the permitted facility, in accordance with LAC 33:V.309.L.1.

II.E.12. Physical Facility after Modification

For a closed unit being modified, the Permittee may not manage hazardous waste in the modified portion of the closed unit until:

II.E.12.a. the Permittee has submitted to and received approval from the Administrative Authority, by certified mail or hand delivery, a letter signed by the Permittee and an independent registered professional engineer stating that the unit is complete and has been constructed or modified in compliance with the permit; and

II.E.12.b. the Administrative Authority has inspected the modified unit following a request to make final inspection by the Permittee and finds it is in compliance with the conditions of the permit and all applicable sections of LAC 33:V.Subpart 1, and has issued an Order to Proceed. The Permittee may then commence treatment, storage, or disposal of hazardous waste.

II.E.13. Anticipated Noncompliance

The Permittee shall give advance notice to the Administrative Authority of any planned changes in the permitted facility or activity that may result in noncompliance with permit requirements.

II.E.14. Transfer of Permits

This permit may be transferred to a new owner or operator only if it is modified or revoked and reissued pursuant to LAC 33:V.309.L.4, 321.B, 321.C.4, and 1531.

II.E.15. Compliance Schedules

Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this permit shall be submitted no later than fourteen (14) days following each schedule date (LAC 33:V.309.L.6).

II.E.16. Emergency Unauthorized Discharge Notification

In accordance with LAC 33:I.3915, in the event of an unauthorized discharge that results in an emergency condition (an emergency condition is any condition which could be reasonably expected to endanger the health and safety of the public, cause significant adverse impact to the land, water, or air environment, or cause severe damage to property), the Permittee shall notify the DPS (Department of Public Safety) 24-hour Louisiana Emergency Hazardous Materials Hotline by telephone at (225) 925-6595 immediately, but in no case later than one (1) hour after learning of the discharge. The DPS 24-hour Louisiana Emergency Hazardous Materials Hotline will subsequently notify the Department regarding the details of the discharge.

II.E.17. Non-Emergency Unauthorized Discharge Notification

In accordance with LAC 33:I.3917, in the event of an unauthorized discharge that exceeds a reportable quantity specified in LAC 33:I.Chapter 39.Subchapter E and/or results in contamination of the groundwaters of the state but does not result in an emergency condition, the Permittee shall promptly notify the Department within twenty-four (24) hours after learning of the discharge. Notification shall be made to the Office of Environmental Compliance, Emergency and Radiological Services Division, Single Point of Contact (SPOC) in accordance with the procedure and content requirements specified in LAC 33:I.3923.

II.E.18. Unauthorized Discharge to Groundwater Notification

In accordance with LAC 33:I.3919, in the event of an unauthorized discharge resulting in contamination of groundwaters of the state by moving in, into, within or on any saturated subsurface strata, the Permittee shall promptly notify the Department within twenty-four (24) hours after learning of the discharge. Notification shall be made to the Office of Environmental Compliance, Emergency and Radiological Services Division, SPOC in accordance with the procedure and content requirements specified in LAC 33:I.3923.

II.E.19. Written Notification Reports for Unauthorized Discharges

The Permittee shall submit written reports to the SPOC for any unauthorized discharges requiring notification under Conditions II.E.16, II.E.17 or II.E.18 of this permit. The written report shall be submitted in accordance with the procedure and content requirements specified in LAC 33:I.3925.

II.E.20. Noncompliance Reporting

The Permittee shall report orally within twenty-four (24) hours any noncompliance with the permit not reported under Condition II.E.16 or Condition II.E.17 of this permit that may endanger the human health or the environment. This report shall include at minimum the following information:

II.E.20.a. information concerning the release of any hazardous waste that may endanger public drinking water supplies; and

II.E.20.b. information concerning the release or discharge of any hazardous waste, or of a fire or explosion at the facility, that could threaten the environment or human health outside the facility. The description of the occurrence and its cause shall include:

II.E.20.b.(1) name, address, and telephone number of the owner or operator;

II.E.20.b.(2) name, address, and telephone number of the facility;

II.E.20.b.(3) date, time, and type of incident;

II.E.20.b.(4) name and quantity of materials involved;

II.E.20.b.(5) the extent of injuries, if any;

II.E.20.b.(6) an assessment of actual or potential hazard to the environment and human health outside the facility, where this is applicable; and

II.E.20.b.(7) estimated quantity and disposition of recovered material that resulted from the incident.

II.E.21. Follow-up Written Report of Noncompliance

The Permittee shall provide a written submission within five (5) days after the time the Permittee becomes aware of any noncompliance which may endanger human health or the environment not reported under Condition II.E.19 of this permit. The written submission shall contain a description of the noncompliance and its cause; the periods of noncompliance (including exact dates and times); whether the noncompliance has been corrected; and if not, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance. If the Administrative Authority waives the requirement, then the Permittee submits a written report within fifteen (15) days after the time the Permittee becomes aware of the circumstances, as required by LAC 33:V.309.L.7.

II.E.22. Other Noncompliance

The Permittee shall report all other instances of noncompliance not otherwise required to be reported above, at the time required monitoring reports are submitted. The reports shall contain the information listed in Condition II.E.20 of this permit.

II.E.23. Other Information

Whenever the Permittee becomes aware that it failed to submit any relevant facts in the permit application, or that it submitted incorrect information in a permit application, or in any report to the Administrative Authority, the Permittee shall promptly submit such facts or information.

II.E.24. Signatory Requirement

All applications, reports or other information submitted to the Administrative Authority shall be signed and certified according to LAC 33:V.507, 509, 511, and 513.

II.E.25. Schedule of Compliance

(RESERVED)

II.E.26. Additional Operating Standards

(RESERVED)

II.E.27. Updated Documents to Be Submitted Prior to Operation

(RESERVED)

II.E.28. Documents to Be Maintained at Facility Site

II.E.28.a. Until post-closure is completed and certified by an independent registered professional engineer, the Permittee shall maintain at the facility the following documents and any amendments, revisions, and modifications to these documents. Any revision or changes shall be submitted with the annual report unless previously submitted.

II.E.28.a.(1) (RESERVED). A waste analysis plan is not required for the unit in post-closure under this permit.

II.E.28.a.(2) (RESERVED). A personal training plan is not required for the unit in post-closure under this permit.

II.E.28.a.(3) (RESERVED). A contingency plan is not required for the unit in post-closure under this permit.

II.E.28.a.(4) (RESERVED). Arrangements with the local authorities are not required for the unit in post-closure under this permit.

II.E.28.a.(5) Post-Closure Plan submitted in accordance with LAC 33:V.3523 and approved by the Administrative Authority, as well as any post-closure care requirements that may be required initially or through permit modifications in accordance with LAC 33:V.3523 (see Attachment 1).

II.E.28.a.(6) Cost estimate for facility post-closure care submitted in accordance with LAC 33:V.3709 and approved by the Administrative Authority, as well as any post-closure cost estimate that may be required initially or through permit modifications in accordance with LAC 33:V.3709 (see Attachment 1).

II.E.28.a.(7) (RESERVED). The maintenance of the operating record is not required for the unit in post-closure under this permit.

II.E.28.a.(8) Inspection plan developed in accordance with LAC 33:V.517.G and 1509.B and approved by the Administrative Authority. (see Attachment 1)

II.E.28.a.(9) Security plan developed in accordance with LAC 33:V.1507 (see Attachment 1)

II.E.28.b. All proposed amendments, revisions and modifications to any plan or cost estimates required by this permit shall be submitted to the Administrative Authority for approval.

II.E.29. Annual Report

An annual report shall be submitted covering all hazardous waste units and their activities during the previous calendar year as required by LAC 33:V.1529.D.

II.E.30. Manifest

The Permittee shall report manifest discrepancies and unmanifested waste as required by LAC 33:V.309.L.8 and 9.

II.E.31. Emissions

Emissions from any hazardous waste facility shall not violate the Louisiana Air Quality Regulations. If air quality standards are exceeded, the site will follow air regulation protocol.

II.E.32. Water Discharges

Water discharges from any hazardous waste facility shall not violate the Louisiana Water Quality Regulations. If water standards are exceeded, the site will follow water quality regulation protocol.

II.E.33. Non-Listed Hazardous Waste Facilities

This permit is issued for those hazardous waste facilities listed in Condition IV (Permitted Closed Facilities). If the Permittee determines that an unpermitted hazardous waste facility exists, the Permittee must immediately notify the Administrative Authority in accordance with Condition II.E.23 of the General Permit Conditions.

II.E.34. Compliance with Land Disposal Restrictions

The Permittee shall comply with those land disposal restrictions set forth in LA. R.S. 30:2193, all regulations promulgated thereunder, and the HSWA portion of this permit (Conditions VII and VIII).

II.E.35. Establishing Permit Conditions

Permits for facilities with pre-existing groundwater contamination are subject to all limits, conditions, remediation and corrective action programs designated under LAC 33:V.311.D and LAC 33:V.3303.

II.E.36. Obligation for Corrective Action

Owners or operators of hazardous waste management units must have all necessary permits during the active life of the unit and for any period necessary to comply with the corrective action requirements in Condition VIII of this permit. The facility is obligated to complete facility-wide corrective action regardless of the operational status of the facility.

II.E.37. Attachments and Documents Incorporated by Reference

All attachments and documents required by this permit, including all plans and schedules, are incorporated, upon approval by the Administrative Authority, into this permit by reference and become an enforceable part of this permit. When applicable, the Permittee must modify the permit according to LAC 33:V.Chapter 3. Since required items are essential elements of this permit, failure to submit any of the required items or submission of inadequate or insufficient information may subject the Permittee to enforcement action, which may include fines, suspension, or revocation of the permit.

Any noncompliance with approved plans and schedules shall be termed noncompliance with this permit. Written requests for extension of due dates for submittals may be granted by the Administrative Authority.

If the Administrative Authority determines that actions beyond those provided for, or changes to what is stated herein, are warranted, the Administrative Authority may modify this permit according to procedures in LAC 33:V.321.

III. GENERAL POST-CLOSURE CONDITIONS

III.A. DESIGN AND OPERATION OF THE POST-CLOSURE UNIT

III.A.1. The Permittee must maintain all facilities included in Condition IV, Table 1 to minimize the possibility of a fire, explosion, or any unauthorized sudden or nonsudden release of hazardous waste or hazardous waste constituents to air, soil, or water that could threaten human health or the environment.

III.A.2. The Permittee must not manage any new wastes.

III.B. REQUIRED NOTICE

(RESERVED)

III.C. GENERAL WASTE ANALYSIS

Reserved as per Condition II.E.28.a.(1).

III.D. SECURITY The Permittee must comply with the security provisions of LAC 33:V.1507, as referenced in Attachment 1.

III.E. GENERAL INSPECTION REQUIREMENTS

The Permittee must follow the Inspection Plan referenced in Condition II.E.28.a.(8) and Attachment 1. The Permittee must remedy any deterioration or malfunction discovered by an inspection as required by LAC 33:V.1509.C. Records of inspections must be kept as required by LAC 33:V.1509.D. The inspection schedule must include the regulatory requirements of LAC 33:V.517.G, 1509.A and B, and 3523.B.

III.F. PERSONNEL TRAINING

Reserved as per Condition II.E.28.a.(2).

III.G. GENERAL REQUIREMENTS FOR IGNITABLE, REACTIVE, OR INCOMPATIBLE WASTE

The Permittee must take precautions as required by LAC 33:V.1517 to prevent accidental ignition or reaction of ignitable or reactive wastes.

III.H. LOCATION STANDARDS

III.H.1. The Permittee has furnished evidence that it is in compliance with seismic standards as required by LAC 33:V.517.T.

III.H.2. The Permittee must not manage any hazardous waste on any portion of the property that lies within the 100 year flood plain (as identified in the Flood Insurance Rating Map) unless such areas are raised above this flood level or other means (e.g., levees) are provided to protect such areas from washouts, overtopping by wave action, soil erosion or other effects of such a flood as required by LAC 33:V.1503.B.3. Such site improvements must be certified by independent licensed professional engineers and approved by LDEQ prior to any hazardous waste and/or hazardous waste units being placed thereon.

III.I. PRECIPITATION RUN-ON AND RUN-OFF

The Permittee must provide for the control by diversion or treatment of run-on and run-off resulting from a rainfall of at least twelve (12) inches, occurring during a period of twenty-four (24) hours in conformity with locally available records of a twenty-four (24) hour rainfall as per LAC 33:V.1503.B.2. The Permittee shall comply with the requirements of LAC 33:V.2911.

III.J. HURRICANE EVENTS

Reserved as per Condition II.E.28.a.(3).

III.K. PREPAREDNESS AND PREVENTION

Reserved as per Condition II.E.28.a.(3).

III.L. CONTINGENCY PLAN

Reserved as per Condition II.E.28.a.(3).

III.M. MANIFEST SYSTEM

The Permittee shall comply with the manifest requirements of LAC 33:V.Chapter 9 and 11.

III.N. RECORD KEEPING AND REPORTING

III.N.1. Operating Record

Reserved as per Condition II.E.28.a.(7).

III.N.2. Annual Report

The Permittee must comply with the annual report requirements of LAC 33:V.1529.D.

III.N.3. Operations Manual

Reserved as per Condition II.E.28.a.(7).

III.O. POST-CLOSURE

III.O.1. Post-Closure Care

The Permittee must manage the Interim Status Landfill in accordance with this permit, LAC 33:V. Chapter 35, Subchapter B and LAC 33:V.2521.

III.O.2. Amendment to Post-Closure Permit

The Permittee must request modification to this post-closure permit when necessary, in accordance with LAC 33:V.3523.D. and LAC 33:V.321.

III.O.3. Post-Closure Maintenance

After final closure, the Permittee must comply with all post-closure requirements contained in LAC 33:V.3519 through 3527, including maintenance and monitoring throughout the post-closure care period specified in LAC 33:V.3521.A.1. The Permittee must maintain all units in post-closure according to the requirements in Condition V.B.

III.O.4. Post-Closure Restrictions

The Administrative Authority may require, at partial and final closure, continuation of any of the security requirements of LAC 33:V.1507, during part or all of the post-closure care period when access by the public or domestic livestock may pose a hazard to human health.

III.O.5. Post-Closure Property or Site Use

III.O.5.a. Post-closure use of property on or in which hazardous wastes remain after partial or final closure must never be allowed to disturb the integrity of the final cover, liner(s), or any other components of the containment system, or the function of the permitted closed unit's monitoring systems, unless the Administrative Authority finds that the disturbance:

III.O.5.a.(1) is necessary to the proposed use of the property, and will not increase the potential hazard to human health or the environment; or

III.O.5.a.(2) is necessary to reduce a threat to human health or the environment.

III.O.5.b. Any post-closure activity other than that specified in this permit must have prior approval of the Administrative Authority.

III.O.6. Post-Closure Contact

The Permittee must provide the name, address, and phone number of the person or office to contact about the permitted post-closure units during the post-closure care period.

III.O.7. Certification of Completion of Post-Closure Care

No later than sixty (60) days after completion of the established post-closure care period for the specified unit, the Permittee must submit to the Administrative Authority, by registered mail, a certification that the post-closure care period for the hazardous waste disposal unit(s) was performed in accordance with the specifications in the approved post-closure plan. The certification must be signed by the Permittee and an independent registered professional engineer. Within sixty (60) days after receipt of the certification the Administrative Authority will notify the owner or operator that he is no longer required to maintain financial assurance for post-closure care of that unit, unless the Administrative Authority has reason to believe that post-closure care was not conducted in accordance with the approved post-closure plan.

The certification of post-closure care shall include the certification statement found in the LAC 33:V.513.A or the current certification statement in the Louisiana hazardous waste regulations at the time of completion of post-closure care.

III.P. COST ESTIMATE FOR CARE OF THE POST-CLOSURE UNIT

- III.P.1. The Permittee must maintain a cost estimate for the permitted and associated structures as required by LAC 33:V.3709.
- III.P.2. The Permittee must maintain and adjust the post-closure cost estimate for inflation, as specified in LAC 33:V.3709.B, C, D, and for other circumstances that increase the cost of post-closure.
- III.P.3. The Permittee must base all post-closure cost estimates on the assumption that a third party contractor performs post-closure monitoring and maintenance in accordance with LAC 33:V.3709.A.
- III.P.4. The Permittee must consider the inventory and process conditions and their impact on the post-closure cost estimate for any resubmittal.
- III.P.5. During the life of the facility, the Permittee must keep, at the facility, its latest post-closure cost estimates, as necessary, to comply with LAC 33:V.3709.D.
- III.P.6. Throughout the active life of the facility, the Permittee must adjust and revise its post-closure cost estimates, as necessary, to comply with the provisions of LAC 33:V.3709.

III.Q. FINANCIAL ASSURANCE FOR THE POST-CLOSURE UNIT

Throughout the post-closure care period, the Permittee must provide updates for its financial assurance mechanisms, as necessary, to comply with the provisions of LAC 33:V.3711.

III.R. LIABILITY REQUIREMENTS

(RESERVED)

III.S. INCAPACITY OF THE PERMITTEE

The Permittee must comply with LAC 33:V.3717 whenever bankruptcy is initiated for the Permittee or its institutions providing financial assurance. If insurance is used for compliance with LAC 33:V.3715, the Permittee must immediately notify the Administrative Authority if the insurance company is placed in receivership. The Permittee must establish other financial assurance or liability coverage within sixty (60) days after such an event.

III.T. POST-CLOSURE NOTICES

If the Permittee or any subsequent Permittee of the land upon which this hazardous waste disposal unit is located wishes to remove hazardous wastes and hazardous waste residues, the liner or contaminated soils, he must request a modification to the post-closure permit in accordance with the applicable requirements in LAC 33:V, Chapters 3 and 7. The Permittee must demonstrate that the removal of hazardous wastes will satisfy the criteria of LAC 33:V.3521. By removing hazardous waste, the Permittee may become a generator of hazardous waste and must manage it in accordance with all applicable requirements of LAC 33:V, Subpart 1. If he is granted a permit modification or otherwise granted approval to conduct such removal activities, the Permittee may request that the Administrative Authority approve either:

- III.T.1. the removal of the notation on the deed to the facility property or other instrument normally examined during title search; or
- III.T.2. the addition of a notation to the deed or instrument indicating the removal of the hazardous waste.

IV. PERMITTED CLOSED UNITS

This permit is applicable only to the unit known as the Interim Status Landfill located on the property of Olin Corporation, Calcasieu Parish, Louisiana. This permit also applies to any appurtenances associated with these units. The appurtenances are defined as any run-on/run-off control systems, leachate collection/leak detection systems, tanks, and/or piping and instrumentation associated with these regulated units. If any additional appurtenances are added in the future, they would be addressed through a permit modification as required by regulation and this permit.

TABLE 1 INVENTORY AT CLOSURE

UNIT NAME	UNIT TYPE	CAPACITY
Interim Status Landfill	Landfill	6 acre-feet

V. PERMIT CONDITIONS APPLICABLE TO PERMITTED CLOSED UNITS

V.A. POST-CLOSURE CARE PERIOD

The post-closure care period will be in effect for the period of thirty (30) years, unless extended or shortened by the Administrative Authority, as specified in LAC 33:V.3521.A.1 and 2, Length of Post-Closure.

V.A.1 Interim Status Landfill: Certified and verified closed on 04/17/86. Post-closure monitoring commenced on 03/01/96.

V.B. POST-CLOSURE MAINTENANCE

After final closure, the owner or operator must comply with all post-closure requirements contained in LAC 33:V.3519 through 3527 and Condition III.O of this permit, including maintenance and monitoring throughout the post-closure care period specified in the permit under Condition V.A and LAC 33:V.3521.A.1. The owner or operator must:

- V.B.1. for all permitted units, maintain the integrity and effectiveness of the final cover, including making repairs as necessary to correct the effects of settling, subsidence, erosion, or other events;
- V.B.2. for all permitted units, maintain and monitor the groundwater monitoring system and comply with all other applicable requirements of LAC 33:V.Chapter 33;
- V.B.3. for all permitted units, manage a run-on and run-off control system to prevent erosion at and other damage to the final cover;

- **V.B.4.** for all permitted units, maintain the cover with a final cover designed, constructed and maintained to:
 - **V.B.4.a.** provide long-term minimization of migration of liquids through the landfill;
 - V.B.4.b. function with minimal maintenance at all permitted units;
 - V.B.4.c. promote drainage and minimize erosion or abrasion of the final cover at all permitted units;
 - **V.B.4.d.** accommodate settling and subsidence, as necessary, so that the cover's integrity is maintained for all permitted units; and
 - V.B.4.e. have a permeability less than or equal to the permeability of any bottom liner system or natural subsoils present at the landfill.
- V.B.5. The annual report shall include a Post-Closure activity report for the Interim Status Landfill.

V.C. POST-CLOSURE RESTRICTIONS

The Administrative Authority may require, at partial and final closure, continuation of any of the security requirements of LAC 33:V.1507, during part or all of the post-closure period when access by the public or domestic livestock may pose a hazard to human health.

V.D. POST-CLOSURE USE OF PROPERTY

- V.D.1. Post-closure use of property on or in which hazardous wastes remain after partial or final closure must never be allowed to disturb the final cover, liner(s), or any other components of the containment system, or the function of the permitted closed unit's monitoring systems, unless the Administrative Authority find that the disturbance:
 - V.D.1.a. is necessary to the proposed use of the property and will not increase the potential hazard to human health or the environment; or
 - V.D.1.b. is necessary to reduce a threat to human health of the environment.
- **V.D.2.** Any post-closure activity other than that specified in this permit must have prior approval of the Administrative Authority.

VI. GROUNDWATER PROTECTION

VI.A. APPLICABILITY

The regulations of LAC 33:V, Chapters 3, 5, 15, 29, 33, 35, and 37, and Louisiana Hazardous Waste Control Law Revised Statute R.S., 30:2171 of the Environmental Quality Act, R.S., 30:2001 et seq., and the provisions of this condition shall apply to groundwater protection programs at the units identified in Condition IV, Table 1 of this permit. All requirements of this condition must be satisfied and shall apply until the Administrative Authority has accepted the certification of completion of post-closure care required by regulation and under Condition III.O.7 of this permit. This includes compliance, closure, and post-closure care periods. The units referenced in Condition IV, Table 1 of the permit are subject to post-closure groundwater monitoring. If groundwater contamination is confirmed as a result of operations related to past or present hazardous waste management facilities associated with this site, the Permittee shall establish, expand or continue, assessment and corrective action programs in accordance with the requirements of LAC 33:V.Chapter 33 and as subsequently directed by the Administrative Authority.

VI.B. REQUIRED PROGRAMS

The Permittee must continue to conduct a compliance monitoring program per Condition VI.I using all existing systems necessary to comply with monitoring programs specified herein and as stated in the most current approved Sampling and Analysis Plan. In the event statistically significant evidence that the concentration limits defined in Condition VI.D and Table 3 of this permit have been exceeded in any groundwater monitoring wells in Table 2 of this permit, the Permittee shall modify the permit in accordance with LAC 33:V.321 and Condition VI.J of this permit in order to establish a corrective action program to remediate the contamination. Corrective actions must continue uninterrupted to the fullest extent until groundwater problems are abated per the requirements of LAC 33:V.3321 and this requirement is terminated through permit modifications in accordance with LAC 33:V.321 and 322, as applicable.

All wells and any associated piezometers described in Table 2 of this permit must be maintained, protected from moving equipment, and cannot be abandoned unless exempted from the program at a later date by the Administrative Authority, or unless the integrity of the well or piezometer is threatened. In such a case, it must be replaced with a new well, in conformance with a work plan approved by the Administrative Authority (see Condition VI.K – Construction and Abandonment of Monitoring Wells and Geotechnical Boreholes). The Permittee must include revised facility maps in the Annual Report, depicting all monitoring, assessment, compliance, and corrective action wells.

VI.C. GROUNDWATER PROTECTION STANDARD

VI.C.1. The Permittee must comply with conditions specified in this permit that are designed to insure that hazardous waste and hazardous waste constituents do not exceed the concentration limits (see Condition VI.D) in the uppermost permeable zones underlying the waste management areas, beyond or below the points of compliance (see

Condition VI.E) during the compliance period (see Condition VI.F). The protection standard does not exempt the Permittee from required corrective action regarding contamination detected by wells not assigned as groundwater compliance points.

VI.C.2. The Permittee must utilize and maintain the present groundwater monitoring system described in this permit.

VI.C.3. The Permittee must adhere to the Sampling and Analysis Plan referenced in Attachment 1.

VI.D. HAZARDOUS CONSTITUENTS, PARAMETERS, ANALYTICAL FREQUENCY AND CONCENTRATION LIMITS

The wells, hazardous constituents and concentration limits to which the protection standards of LAC 33:V.3305 apply are shown herein in Tables 2 through 4. The sampling frequency for constituents is noted in Table 2. The concentration limits for each hazardous waste constituent specified in Table 3 shall serve as the groundwater protection standard.

The Permittee must institute corrective action in all areas associated with the permitted postclosure units and appurtenances where groundwater has been affected by hazardous wastes, hazardous constituents, or parameters exceeding the assigned concentration limits, and implement corrective measures in other areas which may be discovered to exceed these limits in the future.

VI.E. POINT OF COMPLIANCE

The point of compliance (POC) at which the groundwater protection standard of LAC 33:V.3305.A applies, and at which monitoring must be conducted, are the vertical intervals intercepted by the wells identified in Table 2 and required by Condition VI.C.2. The horizontal limit of compliance must be the surface following an imaginary line connecting the risers of monitoring wells listed as Point of Compliance wells in Table 2 unless amended through permit modifications by the Administrative Authority in the future. The vertical limit of compliance must be the Uppermost Aquifer.

When contamination is detected in the uppermost permeable zone underlying the waste management area, the next vertical aquifer or permeable zone must also be monitored. In the event that hazardous constituents are detected at the point of compliance above the groundwater protection standard, the Permittee shall institute a corrective action program. During the corrective action program (i.e., until such time as hazardous constituents are no longer detected above the groundwater protection standard at the point of compliance and beyond), the groundwater quality at each monitoring well (including point of compliance wells, plume defining wells and recovery wells) identified in Table 2 must be monitored in order to determine the effectiveness of the corrective action. Additional monitoring wells may be installed, as required.

Table 2. RCRA Units, Point of Compliance and Monitoring Wells, Sampling Frequencies, and Analytical Parameters

Unit Monitored	Well	Zone	Туре	Sampling Frequency	Parameters
	MW-68	UPZ-S	PD ¹		
Interim Status Landfill	MW-69	UPZ-D	PD ¹	Quarterly	Site-Specific Monitoring Parameters
Landini	MW-70	LPZ	PD ¹		Benzene
	MW-71	UPZ	PD ¹		Chlorobenzene
	MW-72	LPZ	PD¹		Toulenediamine 2,4-Dinitrotoluene
	MW-73	LPZ	PD ¹		2,6-Dinitrotoluene
	MW-74	UPZ	PD ¹		1,2-Dichloroethane
	MW-75	LPZ	PD		Aniline Toluene diisocyanate
	MW-76	UPZ	PD ¹		Table 4 Parameters ⁴
	MW-77	LPZ	PD ¹		(annually only)
ì	MW-78	UPZ	PD ¹		Cdt Olit
i	MW-79	UPZ	PD ¹		Groundwater Quality Parameters
	MW-80	LPZ	PD ¹		рН
	MW-81	UPZ	PD		Specific Conductance
	MW-82	LPZ	POC ³		Phenols
	MW-83	UPZ-S	POC ³		Drinking Water Quality
	MW-84	UPZ-D	POC ³		Parameters 5
	MW-85	LPZ	POC ³		Antimony ⁵ Arsenic ⁵
	MW-86	UPZ-S	POC ³		Barium ⁵
	MW-87	UPZ-D	POC ³		Beryllium ⁵
	MW-88	LPZ	POC ³		Cadmium ⁵ Chromium ⁵
	MW-89	UPZ-D	UG ²		Cobalt ⁵
	MW-90	UPZ-D	UG ²		Copper ⁵
	MW-91	LPZ	UG ²		Lead ⁵ Nickel ⁵
	MW-106	UPZ-S	POC ³		Selenium ⁵
	MW-107	UPZ-D	POC ³		Thallium ⁵
	MW-108	LPZ	POC ³		Zinc ⁵
	MW-109	UPZ	POC ³		
	MW-110	LPZ	POC ³		

Table 3. Groundwater Monitoring Methods and Requirements.

P	arameters	Analytical	Method Detection	Maximum
İ		Method ¹	Limit (MDL) ²	Concentration Limit
				(MCL) ³
Groundwater	pН	9040	Note⁴	Note⁴
Quality	Specific	9050	Note ⁴	Note ⁴
Parameters	Conductance			
	Antimony	6010B	11.09 μg/l	6 μg/l
	Arsenic	6010B	6.052 μg/l	10 μg/l
	Barium	6010B	7.055 μg/l	2000 μg/l
	Beryllium	6010B	0.380 μg/l	4 μg/l
	Cadmium	6010B	0.374 μg/l	5 μg/l
	Chromium	6010B	1.307 μg/l	100 μg/l
	Cobalt	6010B	1.952 μg/l	220 μg/l
	Copper	6010B	3.182 μg/l	1300 μg/l
	Lead	6010B	2.90 μg/l	15 μg/l
	Nickel	6010B	28.55 μg/l	73 μg/l
	Selenium	6010B	5.913 μg/l	50 μg/l
	Thallium	6010B	4.314 μg/l	2 μg/l
	Zinc	6010B	2.624 μg/l	1100 μg/l
	Total Phenols	9066	5.33 μg/l	180 μg/l
Volatiles &	Benzene	8260B	0.117 μg/l	5 μg/l
Semi-	Chlorobenzene	8260B	0.119 μg/l	2 μg/l
Volatiles	Toluenediamine	8270C	10 μg/l	10 μg/l
	2,4-Dinitrotoluene	8270B	0.880 μg/l	10 μg/l
	2,6-Dinitrotoluene	8270B	1.01 μg/l	10 μg/l
	1,2-Dichloroethane	8260B	0.212 μg/l	10 μg/l
	Aniline	8260B	1.725 μg/l	10 μg/l
	Toluene	See footnote	See footnote	See footnote
	diisocyanate ⁵]		

¹ Test Methods for Evaluating Solid Waste Physical/Chemical Methods, Third Edition (EPA Publication Number SW-846, 1986 as amended): must be in accordance with the latest edition of SW-846.

¹ PD – Plume Defining Monitoring Well

² UG- Up-gradient Monitoring Well

³ POC – Point of Compliance Monitoring Well
⁴ All wells shall be sampled annually for constituents listed in LAC 33:V.3325, Table 4

⁵ Both total and soluble metals

² Method Detection Limit (MDL) denotes the minimum concentration of an analyte that can be measured and reported with 99% confidence that the analyte concentration is greater than zero and is determined from analysis of a sample in a given matrix (groundwater) containing the analyte. The MDL is a laboratory-specific number and may change with time and, therefore, is

included for reference purposes only. The Permittee shall provide the latest laboratory MDL for each analyte in each groundwater monitoring report submitted to the Administrative Authority.

Table 4. Sample Bottle and Preservation Specifications

Parameters	Container Type	Preservation Method
pН	n/a	Analyze immediately
Specific Conductance	n/a	Analyze immediately
Antimony ¹	Glass/plastic	HNO ₃ to pH <2, Cool to 4° C
Arsenic	Glass/plastic	HNO ₃ to pH <2, Cool to 4° C
Barium ¹	Glass/plastic	HNO ₃ to pH <2, Cool to 4° C
Beryllium ¹	Glass/plastic	HNO ₃ to pH <2, Cool to 4° C
Cadmium ¹	Glass/plastic	HNO ₃ to pH <2, Cool to 4° C
Chromium ¹	Glass/plastic	HNO ₃ to pH <2, Cool to 4° C
Cobalt ¹	Glass/plastic	HNO ₃ to pH <2, Cool to 4° C
Copper	Glass/plastic	HNO ₃ to pH <2 and Cool to 4° C
Lead	Glass/plastic	HNO ₃ to pH <2, Cool to 4° C
Nickel ¹	Glass/plastic	HNO ₃ to pH <2 and Cool to 4° C
Nickel'	Glass/plastic	HNU ₃ to pH <2 and Cool to 4° C

³ The Maximum Concentration Limits (MCL) shall be the groundwater protection standard unless changed through permit modification by the Administrative Authority. The Permittee must report to the Administrative Authority, any detectable level of compounds on Table 2, even if lower than the MCL. Maximum concentrations shall not exceed Drinking Water Standards unless the Permittee can demonstrate that the natural background levels unaffected by the facility are higher that n the standards set and the Administrative Authority approves such limits. Whenever technically feasible, the MDL shall be less than the risk-based MCLs.

⁴ These parameters are only being used for qualitative groundwater evaluation with no statistical evaluation. As such, no specific PQL is required other than method consistency.

⁵ The direct analysis of toluene diisocyanate will not be required by this permit due to the fact that the compound undergoes hydrolysis in aqueous conditions. Concentrations of toluene diisocyanate will be inferred from concentrations of toluene diamine (the product of the hydrolysis of toluene diisocyanate).

Selenium	Glass/plastic	HNO ₃ to pH <2, Cool to 4° C
Thallium ¹	Glass/plastic	HNO ₃ to pH <2, Cool to 4° C
Zinc ¹	Glass/plastic	HNO ₃ to pH <2, Cool to 4° C
Phenols	Glass	H ₂ SO ₄ to pH < 2, Cool to 4° C
Benzene	Glass, Teflon-lined septum	HCl to pH < 2, Cool to 4° C
Chlorobenzene	Glass, Teflon-lined septum	HCl to pH < 2, Cool to 4° C
Toluenediamine	Glass, Teflon-lined cap	Cool to 4° C
2,4-Dinitrotoluene	Glass, Teflon-lined cap	Cool to 4° C
2,6-Dinitrotoluene	Glass, Teflon-lined cap	Cool to 4° C
1,2-Dichloroethane	Glass, Teflon-lined cap	Cool to 4° C
Aniline	Glass, Teflon-lined cap	Cool to 4° C
Toluene diisocyanate	Glass, Teflon-lined cap	Cool to 4° C

¹ For dissolved metals, filter through a 0.45 micron filter and acidize with HNO₃ to pH < 2, then cool to 4° C. For total metals, acidize but do not filter.

(See "US EPA RCRA Ground Water Monitoring Technical Enforcement Guidance Document,

EPA 530/SW-86-005.")

VI.F. COMPLIANCE PERIOD

The compliance period during which the groundwater protection standard of LAC 33:V.3305.A applies is until the Administrative Authority has accepted the certification of completion of post-closure care required by regulation and under Condition III.O.7 of this permit. However, if a corrective action program has been implemented, the compliance period can not end until after the Permittee has demonstrated that the corrective action has been effectively implemented and the groundwater protection standard of LAC 33:V.3305.A has not been exceeded for a period of three (3) consecutive years.

VI.G. GENERAL REQUIREMENTS

- VI.G.1. The Permittee's groundwater monitoring system for the previously identified hazardous waste management facilities must consist of all wells as listed in Table 2, unless changed in the future by the Administrative Authority through permit modification.
- VI.G.2. The Permittee must maintain the structural and mechanical integrity of all wells and provide protection from accidental damage and surface infiltration, as well as implement a monitoring well inspection schedule. A written report on damage to any well must be submitted to the Administrative Authority in accordance with Condition II.E.22 of this permit.
- VI.G.3. Upgradient wells must always yield groundwater samples from the uppermost water bearing zone that are representative of groundwater that has not been affected by possible leakage from the waste management units. Downgradient and vertical point of compliance wells must yield groundwater samples from the water bearing zones that represent the quality of groundwater beneath the facilities that flows to the points of compliance.
- VI.G.4. The Permittee must conform to the sampling and analysis requirements listed in Conditions VI.C and as required by LAC 33:V.3315.
- VI.G.5. Each well must be measured for total depth and depth to water on the same day and prior to purging. Measurements must be to the nearest 0.1 foot, and the values must be recorded in the field notebook and reproduced and submitted in the Groundwater Annual Report. If 10% of the screened interval is blocked by sediments, the well must be redeveloped prior to the next required sampling event.
- VI.G.6. Each well must be purged by evacuation to dryness or by removing a minimum of three casing volumes. The wells must be sampled immediately upon purging and/or when sufficient water for sampling has recharged the well. Other techniques (e.g., micropurging) must be approved by the Administrative Authority prior to use in monitoring or corrective action programs. Purging methods must be consistent throughout the life of the permitted closed unit.

- VI.G.7. Samples must be withdrawn using dedicated or adequately cleaned equipment for each well. No equipment or method may be used that will chemically alter or influence the sample. Sampling devices other than bailers must be approved by the Administrative Authority prior to use in monitoring or corrective action programs. Care must be taken to avoid placing clean sampling equipment on the ground or on any contaminated surface. Sampling methods and equipment must be compatible throughout the life of the permitted closed unit.
- VI.G.8. Groundwater samples shall be monitored and analyzed for turbidity. Samples containing less than five (5) NTU (nephelometric turbidity unit) are acceptable for analysis when the analytical method is sensitive to turbidity (such as the analysis of metals). Samples containing greater than five (5) NTU are only acceptable when well development is certified by a qualified geologist as "the best obtainable". An evaluation of turbidity must accompany all potentially affected analytical values.
- VI.G.9. The Permittee must measure pH and specific conductance as standard indicators of groundwater contamination, which will be used to indicate well integrity and possible groundwater contamination. The results of these analyses must be recorded in the field log book and interpreted.
- VI.G.10. A chain of custody protocol must be employed that will allow for tracking possession and handling of samples from the time of collection through laboratory analysis. All sample containers must be labeled to prevent misidentification, have proper seals, and indicate the test parameters required.
- VI.G.11. Sample preservation, handling and analysis must meet of the specifications of LAC 33:V.3315.D and E and Test Methods for Evaluating Solid Waste Physical/Chemical Methods 3rd. Edition (EPA Publication Number SW-846, as amended) or an equivalent substitute (approved by the Administrative Authority prior to implementation). Containers, preservation methods and analytical limits are listed in Table 4 and Table 3 of this permit, respectively.
- VI.G.12. The Permittee must use one of the statistical procedures outlined in the most current approved facility Sampling and Analysis Plan or LAC 33:V.3315.H in determining whether background values or concentrations have been exceeded for the hazardous constituents specified in Tables 3.
- VI.G.13. Records of all sampling and analytical work must be maintained at the site during the life of the facilities, including post-closure care periods. An up-to-date field log book (or compilation of field sheets) must be kept at the site which documents (for each sample) the well identification number, total well depth, elevation of top of casing, water level, water color (visual), well evacuation procedures and equipment, sample withdrawal procedures and equipment, date, time sample identification numbers, field measurements (pH, specific conductance, etc.) and methods, name of collector, field observations, calculations of the standing water volume in the well, and the total volume evacuated.

VI.H. DETECTION MONITORING PROGRAM

(RESERVED) Permittee currently in the Corrective Action Program as per Condition VI.I.

VI.I. COMPLIANCE MONITORING

The Permittee must conduct a Compliance Monitoring Program in accordance with LAC 33:V.3319.

- VI.I.1. The Permittee shall determine the concentration of each hazardous constituent listed in Table 3 of this permit at least quarterly (from groundwater in the wells listed in Table 2 of this permit).
- VI.I.2. The Permittee shall determine whether the concentrations of hazardous constituents determined under Condition VI.I.1 of this permit exhibit statistically significant evidence of increased contamination. The Permittee shall complete the statistical analysis included in the approved Sampling and Analysis Plan within sixty (60) days of the groundwater monitoring event.
- VI.I.3. The Permittee shall annually analyze samples from all point of compliance wells in Table 2 of this permit for all constituents listed in LAC 33:V.3525, Table 4, in order to determine whether additional hazardous constituents are present in the uppermost aquifer (and, if so, at what concentration), pursuant to the conditions of this permit.
- VI.I.4. In the event additional LAC 33:V.3525, Table 4, constituents (not already identified in the permit as monitoring constituents) are detected, the Permittee may resample within one month and repeat the LAC 33:V.3525, Table 4 analysis. If the second analysis confirms the presence of new constituents, the Permittee must report the concentrations of these additional constituents to the Administrative Authority within seven (7) days after completion of the second analysis. In addition, the Permittee must submit a permit modification application to add the additional constituents to Table 2 and Table 3 of this permit in accordance with LAC 33:V.321 and Condition II.C of this permit.
- VI.I.5. In the event the Permittee determines concentration limits, as defined in LAC 33:V.3309 and Condition VI.D of this permit, have been exceeded at any monitoring wells at the point of compliance, the Permittee must:
 - VI.I.5.a. notify the Administrative Authority in writing within seven (7) days of this finding. The notification must indicate the constituent(s) and concentration(s) for those constituents which have exceeded there respective concentration limits;
 - VI.I.5.a. notify the Administrative Authority in writing within seven (7) days of this finding. The notification must indicate the constituent(s) and concentration(s) for those constituents which have exceeded there respective concentration limits; and

- VI.I.5.b. submit an application for a permit modification to establish a corrective action program meeting the requirements of LAC 33:V.3321 within 180 days (or ninety (90) days if the Permittee has previously submitted a certified engineering feasibility study under LAC 33:V.3317.G.5.b). The application must include the following information:
 - VI.I.4.b.(1). a detailed description and schedule for assessment and corrective actions that will achieve compliance with the groundwater protection standard specified in Conditions VI.C and D of this permit;
 - VI.I.4.b.(2). a geotechnical plan (certified by a qualified geologist or a geotechnical engineer) to demonstrate the effectiveness of the planned corrective actions. This plan may incorporate the Compliance Monitoring Program developed to meet the requirements of this permit, except that the Permittee will be required to monitor as frequently as necessary to demonstrate the effectiveness of the corrective action.
- VI.I.5. If the Permittee determines, pursuant to Condition VI.I.1, that there is statistically significant evidence of contamination for indicator parameters or hazardous constituents at any point of compliance well, the Permittee may demonstrate that a source other than a regulated unit caused the contamination, or that the detection is an artifact caused by an error in sampling, analysis, or statistical evaluation, or natural variation in the groundwater. In making a demonstration under this Condition, the Permittee, must:
 - VI.I.5.a. Notify the Administrative Authority in writing within seven (7) days that the Permittee intends to make a demonstration under this Condition;
 - VI.I.5.b. Within ninety (90) days, submit a report to the Administrative Authority which demonstrates that a source other than a regulated unit caused the standard to be exceeded or that the apparent noncompliance with the standard resulted from an error in sampling, analysis or evaluation;
 - VI.I.5.c. Within ninety (90) days, submit to the Administrative Authority an application for a permit modification to make any appropriate changes to the Compliance Monitoring Program; and
 - VI.I.5.d. Continue to monitor in accordance with the Compliance Monitoring Program established under this permit.
- VI.I.6. If the Permittee determines that the Compliance Monitoring Program no longer satisfies the requirements of this permit, he or she must, within ninety (90) days submit an application for a permit modification to make any appropriate changes to the program.

Any time the Administrative Authority determines that the Compliance Monitoring Program does not satisfy the requirements of this permit, the Permittee shall, within ninety (90) days of notification of such determination, submit an application for a permit modification to make any appropriate changes to the program.

VI.J. CORRECTIVE ACTION PROGRAM

(RESERVED) Permittee currently in the Compliance Monitoring Program as per Condition VI.I.

The conditions of VI.J (in italics) are included for informational purposes only and are meant to provide a course of action in the event a Corrective Action Program is required. In the event a Corrective Action Program is required, the permit will be modified in accordance with LAC 33:V.321 and Condition VI.I.4.b of this permit and the conditions of VI.J will become enforceable.

The Permittee shall institute a Corrective Action Program in accordance with the requirements of LAC 33:V.3321 and as subsequently directed by the Administrative Authority. Water quality sampling, water level measurements and the general compilation of data to demonstrate the effectiveness of existing and new corrective action programs must be made until compliance with groundwater protection standards is achieved for at least three (3) years or until this requirement is terminated in writing by the Administrative Authority (after the data indicates adequate control of contaminant migration and concentration increases).

VI.J.1. The Permittee must evaluate and report the effectiveness and progress of the corrective action semi-annually to the Administrative Authority as required by LAC 33:V.3321.G and in accordance with Condition VI.L.1.j. The evaluation shall include the following:

VI.J.1.a. general discussion on the effectiveness of the corrective action in controlling the source of release and protecting human health and the environment, and progress being made toward completion;

VI.J.1.b. trend analysis and updated schedule for completion of the corrective action;

VI.J.1.c. evaluation of performance reliability, ease of implementation and any encountered concerns or problems;

VI.J.1.d. any changes to surrounding land use or environmental receptors that may impact effectiveness;

VI.J.1.e. recommendations for improvement;

- VI.J.1.f. recovered amounts for each component of a recovery system (e.g., recovery wells, French drain systems, etc.) and the entire system; recovered amounts for both contaminants and all liquids; recovered amounts for both the reporting period and since recovery implementation; and
- VI.J.1.g. graphical and statistical analyses, as necessary, to demonstrate the effectiveness and progress (the Administrative Authority may also require predictive computer modeling, as per LAC 33:V.3303.D.).
- VI.J.2. Plume defining wells are wells present or proposed for installation along the perimeter of the plume and serve the purpose of insuring detection of any enlargement of the plume.
 - VI.J.2.a. The plume defining wells as listed in Table 2 must be sampled according to a frequency approved by the Administrative Authority, as part of the on-going evaluation of the corrective action program, for constituents specified in Table 3 to satisfy LAC 33:V.3315.A.3.
 - VI.J.2.b. If the Permittee determines that there is statistically significant evidence of contamination for chemical parameters or hazardous constituents at any plume defining wells previously reported as non-detect, the Permittee must notify the Administrative Authority of the finding in writing within seven (7) days. This notification must indicate what chemical parameters or hazardous constituents have shown statistically significant evidence of contamination. Further, the Permittee must do one of the following:
 - VI.J.2.b.(1) Submit a workplan to the Administrative Authority within ninety (90) days from the date of the confirmation of contamination. The workplan must detail the specific additional assessment procedures the Permittee will conduct to identify the full extent of the plume and propose any changes necessary to the corrective action to achieve the groundwater protection standard. The workplan shall include any proposed changes to the groundwater monitoring system, monitoring frequency, sampling and analysis procedures and methods, and/or statistical methods; or
 - VI.J.2.b.(2) Demonstrate that a source other than a regulated unit caused the contamination or that the detection is an artifact caused by an error in sampling, analysis, or statistical evaluation or natural variation in the groundwater. The Permittee may make a demonstration under this Paragraph in addition to, or in lieu of, submitting a permit modification application; however, the Permittee is not relieved of the requirement to submit a permit modification application within the time specified unless the demonstration made under this Paragraph successfully shows that a

source other than a regulated unit caused the increase, or that the increase resulted from error in sampling, analysis, or evaluation. In making a demonstration under this Paragraph the Permittee must:

VI.J.2.b.(2).a. Specify the Permittee's intention to make a demonstration under this Paragraph when notifying the Administrative Authority of the statistically significant evidence of contamination;

VI.J.2.b.(2).b. Within ninety (90) days, submit a report to the Administrative Authority that demonstrates that a source other than a regulated unit caused the contamination or that the contamination resulted from error in sampling, analysis, or evaluation. Further, the Permittee must submit an application for a permit modification to make any appropriate changes to the monitoring program; and

VI.J.2.b.(2).c. Continue to monitor in accordance with the monitoring program established under this permit.

VI.J.3. If the Permittee determines that the corrective action program (including monitoring) no longer satisfies the requirements of this permit, the Permittee, within ninety (90) days, shall submit an application for a permit modification to make any appropriate changes to the program.

VI.K. CONSTRUCTION AND ABANDONMENT OF MONITORING WELLS AND GEOTECHNICAL BOREHOLES

The construction and abandonment of groundwater monitoring wells must conform to the standards and guidelines specified in "CONSTRUCTION OF GEOTECHNICAL BOREHOLES AND GROUNDWATER MONITORING SYSTEMS HANDBOOK", dated May 1993 ("Construction Handbook", May 1993). This document is printed by and available from the Louisiana Department of Transportation and Development (DOTD), Water Resources Section, P.O. Box 94245, Baton Rouge, Louisiana 70804-9245.

A work plan for the construction of a new well must be submitted to the Administrative Authority for approval as the entire groundwater monitoring system must be approved. Any required new well should be installed within thirty (30) days of approval of the work plan by the Administrative Authority. Upon completion of new or replacement well, a copy of DOTD-GW-1 S, DOTD Well Registration Short Form, is to be provided to the Administrative Authority.

The Permittee must provide for the sealing of any vertical migration path resulting from exploratory boring, leachate collection or detection systems and/or groundwater monitoring programs as provided in LAC 33:V.3323. A work plan for the plugging and abandonment of a

well must be submitted for approval by the Administrative Authority, whenever such migration pathways are discovered. Upon completion of well abandonment, a copy of DOTD-GW-2, DOTD Well Plugging and Abandonment Form, is to be provide to the Administrative Authority.

VI.L. REPORTING AND NOTIFICATION REQUIRMENTS

VI.L.1. Annual Groundwater Report

An annual groundwater report must be submitted each year no later than March 1, as required by LAC 33:V.1529.D.8. This report must summarize all groundwater activities for the preceding calendar year including an evaluation of the monitoring strategy in relation to the direction of groundwater flow and locations of wells associated with the facilities. Applicable calculations must also include groundwater flow contaminant migration rates (as applicable), statistical comparisons, and any other information as it regards corrective action required by this permit. The report shall include the following:

- VI.L.1.a. a table showing well number, well depth, interval screened, zone monitored, well diameter, screen and casing material (and the type of pump, if applicable) for all wells;
- VI.L.1.b. a facility map showing all wells (up-gradient, point of compliance, assessment, plume defining and recovery) and identifying zones in which wells are screened;
- VI.L.1.c. a scaled potentiometric surface showing well locations, groundwater elevations with respect to mean sea level for each monitored zone;
- VI.L.1.d. all analytical data, including QA/QC;
- VI.L.1.e. a summary of all analytical data;
- VI.L.1.f. a statistical method shall be used in evaluating data for each hazardous constituent, as approved by the Administrative Authority;
- VI.L.1.g. graphical representation of the values of pH, conductance and the hazardous constituents including:
 - VI.L.1.g.(1) contaminant concentration isopleth maps;
 - VI.L.1.g.(2) contaminant concentration versus time graphs;
- VI.L.1.h. a discussion of any significant changes in the data from the last reporting period;
- VI.L.1.i. a discussion of the down time for any well or part of the system and actions taken to return the system to normal operations and maximum efficiency.


VI.L.2. Notification of Statistically Significant Evidence of Contamination

The Permittee must notify the Administrative Authority in accordance with Conditions VI.H, VI.I or VI.J when there is statistically significant evidence of contamination for chemical parameters or hazardous constituents.

VI.L.3. Notification of Release to SPOC

In the event of a release in, into, within, or on any groundwaters of the state, (i.e., any confirmation of contamination in any previously uncontaminated saturated subsurface strata) the Permittee must notify the Department within twenty-four (24) hours of confirming statistically significant evidence of a release. Notification shall be made to the Office of Environmental Compliance, Emergency and Radiological Services Division, Single Point of Contact (SPOC) in accordance with LAC 33:309.L.7 and Condition II.E.18 of this permit. This requirement is in addition to notification requirements to the Administrative Authority discussed in Conditions VI.H, VI.I or VI.J.

LDEQ-EDMS Document 34577681, Page 8 or 11



HAZARDOUS AND SOLID WASTE AMENDMENTS

VII. GENERAL CONDITIONS PURSUANT TO THE HAZARDOUS AND SOLID WASTE AMENDMENTS

VII.A. STANDARD CONDITIONS

VII.A.1. Waste Minimization

Annually, by March 1, for the previous year ending December 31, the Permittee shall enter into the operating record as required by LAC 33:V.1529.B.19, a statement certified according to LAC 33:V.513.A specifying that the Permittee has a program in place to reduce the volume and toxicity of hazardous wastes generated by the facility's operation to the degree determined by the Permittee to be economically practicable; and that the proposed method of treatment, storage, or practicable disposal method that is currently available to the Permittee minimizes the present and future threat to human health and the environment. A current description of the program shall be maintained in the operating record and a copy of the annual certified statement shall be submitted to the Administrative Authority. The following criteria should be considered for the program:

- VII.A.1.a. Any written policy or statement that outlines goals, objectives, and/or methods for source reduction and recycling of hazardous waste at the facility;
- VII.A.1.b. Any employee training or incentive programs designed to identify and implement source reduction and recycling opportunities;
- VII.A.1.c. An itemized list of the dollar amounts of capital expenditures (plant and equipment) and operating costs devoted to source reduction and recycling of hazardous waste;
- VII.A.1.d. Factors that have prevented implementation of source reduction and/or recycling;
- VII.A.1.e. Sources of information on source reduction and/or recycling received at the facility (e.g., local government, trade associations, suppliers, etc.);
- VII.A.1.f. An investigation of additional waste minimization efforts that could be implemented at the facility. This investigation would analyze the potential for reducing the quantity and toxicity of each waste stream through production reformulation, recycling, and all other appropriate means. The analysis would include an assessment of the technical feasibility, cost, and potential waste reduction for each option;
- VII.A.1.g. A flow chart or matrix detailing all hazardous wastes the facility produces by quantity, type, and building/area;

VII.A.1.h. A demonstration of the need to use those processes that produce a particular hazardous waste due to a lack of alternative processes or available technology that would produce less hazardous waste;

VII.A.1.i. A description of the waste minimization methodology employed for each related process at the facility. The description should show whether source reduction or recycling is being employed;

VII.A.1.j. A description of the changes in volume and toxicity of waste actually achieved during the year in comparison to previous years; and

VII.A.1.k. The Permittee may meet the requirements for waste minimization by developing an Environmental Management System according to the EPA document, Integrated Environmental Management System Implementation Guide, EPA 744-R-00-011, October 2000, found on the EPA website at www.epa.gov/opptintr/dfe/pubs/iems/iems guide/index.htm.

VII.A.2. Dust Suppression

Pursuant to LAC 33:V.4139.B.4, and the Toxic Substances Control Act, the Permittee shall not use waste or used oil or any other material which is contaminated with dioxin, polychlorinated biphenyls (PCBs), or any other hazardous waste (other than a waste identified solely on the basis of ignitability), for dust suppression or road treatment.

VII.A.3. Failure to Disclose

The Permittee's failure in the application or during the permit issuance process to disclose fully all relevant facts at any time may be cause for termination or modification of this Permit in accordance with LAC 33:323.B.2 and 3.

VII.A.4. Suspension, Modification, or Revocation and Reissuance, and Termination of Permit

This Permit may be modified, revoked and reissued, or terminated for cause as specified in LAC 33:V.323. The filing of a request by the Permittee for a permit modification, revocation and reissuance, termination, or the notification of planned changes or anticipated noncompliance on the part of the Permittee, does not stay the applicability or enforceability of any permit condition.

VII.A.4.a. If the Administrative Authority tentatively decides to modify or revoke and reissue a permit under LAC 33:V.321.C. or 323, a draft permit shall be prepared incorporating the proposed changes. The Administrative Authority may request additional information and, in the case of a modified permit, may require the submission of an updated permit application.

VII.A.4.b. The Permittee may initiate permit modification proceedings under LAC 33:V.321.C. All applicable requirements and procedures as specified in LAC 33:V.321.C shall be followed.

VII.A.4.c. Modifications of this Permit do not constitute a reissuance of the Permit.

VII.A.5. Permit Review

This Permit may be reviewed by the Administrative Authority five years after the date of permit issuance and may be modified as necessary as provided for in LAC 33:V.321.C. Nothing in this section shall preclude the Administrative Authority from reviewing and modifying the Permit at any time during its term.

VII.A.6. Compliance with Permit

Compliance with a RCRA permit during its term constitutes compliance, for purposes of enforcement, with subtitle C of RCRA except for those requirements not included in the permit which:

VII.A.6.a. Become effective by statute;

VII.A.6.b. Are promulgated under LAC 33:V.Chapter 22 restricting the placement of hazardous wastes in or on the land; or

VII.A.6.c. Are promulgated under LAC 33:V.Chapters 23, 25 and 29 regarding leak detection systems for new and replacement surface impoundment, waste pile, and landfill units, and lateral expansions of surface impoundment, waste pile, and landfill units. The leak detection system requirements include double liners, construction quality assurance (CQA) programs, monitoring action leakage rates, and response action plans, and will be implemented through the procedures of LAC 33:V.321.C Class 1 permit modifications.

VII.A.7. Specific Waste Ban

VII.A.7.a. The Permittee shall not place in any land disposal unit the wastes specified in LAC 33:V. Chapter 22 after the effective date of the prohibition unless the Administrative Authority has established disposal or treatment standards for the hazardous waste and the Permittee meets such standards and other applicable conditions of this Permit.

VII.A.7.b. The Permittee may store wastes restricted under LAC 33:V.Chapter 22 solely for the purpose of accumulating quantities necessary to facilitate proper recovery, treatment, or disposal provided that it meets the requirements of LAC 33:V.2205 including, but not limited to, clearly marking each tank or container.

VII.A.7.c. The Permittee is required to comply with all applicable requirements of LAC 33:V.2245 as amended. Changes to the Waste Analysis Plan will be considered permit modifications at the request of the Permittee, pursuant to LAC 33:V.321.C.

VII.A.7.d. The Permittee shall review the waste analysis plan and analyze the waste when a process changes to determine whether the waste meets applicable treatment standards. Results shall be maintained in the operating record pursuant to Condition III.C.1 and 2.

VII.A.8. Information Submittal for the Corrective Action Strategy

Failure to comply with any condition of the Permit, including information submittals, constitutes a violation of the Permit and is grounds for enforcement action, permit amendment, termination, revocation, suspension, or denial of permit renewal application. Falsification of any submitted information is grounds for termination of this Permit (LAC 33:V.323.B.3).

The Permittee shall ensure that all plans, reports, notifications, and other submissions to the Administrative Authority required by this Permit using the Corrective Action Strategy are signed and certified in accordance with LAC 33:V.Chapter 5, Subchapter B. All submittals required under the corrective action strategy must conform to those requirements outlined in the RECAP (see Condition VIII of this permit). Variance from content and/or formatting guidelines provided under the RECAP shall be requested by the Permittee prior to submittal to the Administrative Authority, as deemed necessary. Approval or disapproval of such a request with further guidance on content and formatting will be provided by the Administrative Authority, as deemed necessary. Five (5) copies each of these plans, reports, notifications or other submissions and one (1) electronic copy (3.5" IBM compatible disk or CD-ROM) of all portions thereof which are in word processing format shall be submitted to the Administrative Authority by Certified Mail or hand delivered to:

Louisiana Department of Environmental Quality Office of Environmental Assessment Environmental Technology Division P.O. Box 4314 Baton Rouge, LA 70821-4314

A summary of the planned reporting milestones pursuant to the corrective action requirements of this Permit is found in Condition VIII, Table 1.

VII.A.9. Data Retention

All raw data, such as laboratory reports, drilling logs, bench-scale or pilot-scale data, and other supporting information gathered or generated during activities undertaken pursuant to this Permit shall be maintained at the facility during the term of this Permit, including any reissued Permits.

VII.A.10. Management of Wastes

All solid wastes which are managed pursuant to a remedial measure taken under the corrective action process or as an interim measure addressing a release or the threat of a release from a solid waste management unit shall be managed in a manner protective of human health and the environment and in compliance with all applicable Federal, State and local requirements. As a response to the Louisiana legislature mandate La. R.S. 30:2272 (Act 1092 of the 1995 Regular Session) to develop minimum remediation standards, the LDEQ promulgated the Risk Evaluation Corrective Action Program (RECAP). RECAP's tiered approach to risk evaluation and corrective action establishes not only across the board numerical standards for most media, but also allows for the development of more site-specific numerical standards, as warranted. The Permittee is required to comply with all applicable requirements of RECAP. Approval of units for managing wastes and conditions for operating the units shall be granted through the permitting process.

VII.B. EMISSION STANDARDS - PROCESS VENTS, EQUIPMENT LEAKS, TANKS, SURFACE IMPOUNDMENTS, AND CONTAINERS (AA-BB-CC AIR REGULATIONS)

(RESERVED)

VII.C. SPECIFIC CONDITION - CLOSURE

(RESERVED)

VIII. SPECIAL CONDITIONS PURSUANT TO HAZARDOUS AND SOLID WASTE AMENDMENTS—CORRECTIVE ACTION STRATEGY

Corrective Action for Releases: Section 3004(u) of RCRA, as amended by the Hazardous and Solid Waste Amendments (HSWA), and LAC 33:V.3322 require that permits issued after November 8, 1984, address corrective action for releases of hazardous waste or hazardous constituents from any solid waste management unit at the facility, regardless of when the waste was placed in the unit.

EPA's traditional RCRA corrective action approach is structured around several elements common to most activities. In the first phase, RCRA facility assessment (RFA), EPA or the authorized state assesses the facility to identify releases and determine the need for corrective action. In the second phase, RCRA facility investigation (RFI), the facility conducts a more detailed investigation to determine the nature and extent of contaminants released to ground water, surface water, air, and soil. If remedial action is needed, a third phase, corrective measures study (CMS), is started. During this phase, the facility conducts a study, which when completed, describes the advantages, disadvantages, and costs of various cleanup options. After selection of a final remedy, the fourth phase, corrective measures implementation (CMI), is initiated. The facility is required to design, construct, operate, maintain, and monitor the final remedy(s).

The Corrective Action Strategy (CAS) is an alternate corrective action approach that can be implemented during any phase of corrective action for a release area. The Permittee shall use the CAS approach as the framework for corrective action to clarify, facilitate and expedite the process, and shall use the Louisiana Department of Environmental Quality Risk Evaluation/Corrective Action Program (RECAP) for screening and media-specific cleanup standards. EPA has interpreted the term "release" to mean, "any spilling, leaking, pumping, pouring, emitting, emptying, discharging, injecting, escaping, leaching, dumping, or disposing into the environment." (50 FR 2873, July 15, 1985). The CAS refers to "release areas" as solid waste management units (SWMUs) and areas of concern (AOCs) while the RECAP refers to release areas as areas of investigation (AOIs). SWMUs and AOCs may also be referred to as "AOIs" when investigated and managed under the RECAP.

VIII.A. ALTERNATE CORRECTIVE ACTION

VIII.A.1. Introduction to CAS

Guidance Document CAS will utilize the This Permit (www.epa.gov/Arkansas/6pd/rcra_c/pd-o/riskman.htm) developed by the U.S. Environmental Protection Agency (EPA) Region 6 whenever the Administrative Authority determines that it will serve to facilitate the corrective action. The CAS Guidance Document shall be utilized to the fullest extent practicable for planning and implementation of the corrective action. The CAS in this Permit shall not supersede existing Federal, State, and local regulations. The two primary objectives are to prioritize corrective action at the facility, and streamline corrective action administrative procedures, resulting in the protection of human health and the environment.

The CAS is a performance-based approach; using data quality objectives, investigations begin with the endpoint in mind. The CAS is a risk management strategy that can be implemented during any phase of corrective action. However, the CAS need not be applied to work that has already been completed to the satisfaction of the Administrative Authority. Performance standards are established at the beginning of the corrective action process, allowing earlier and more focused implementation. Releases are screened using RECAP screening numbers to determine the priority of corrective action, and remedial alternatives are selected on the basis of their ability to achieve and maintain the established performance standards.

There is no one specific path through the CAS process. The CAS is a facility-wide approach, focusing corrective action on releases that pose the greatest risk first. Screening releases will also enable some areas of interest to qualify for no further action at this time (Condition VIII.A.3.a.), thus resources can be used to best benefit the protection of human health and the environment. The CAS process also considers activities previously conducted under the traditional RCRA corrective action process. Appendix 1 of this permit contains a summary of corrective action activities completed to date and also describes where the Permittee is in the CAS process at the time of issuance of this permit. The applicability of various provisions of the CAS will depend on where the Permittee is in the CAS process as detailed in Appendix 1.

The traditional RCRA corrective action process and reports (i.e., RFIs, CMSs, CMIs, etc.) are not elements of the CAS. However, the use of information and reports from the traditional corrective action process, if available, is encouraged, in addition to new site-specific information.

The Administrative Authority, through an agency-initiated permit modification, may remove the CAS as the means of facility-wide corrective action in the case of the failure of the Permittee to disclose information, abide by the terms and conditions of this permit, adhere to agreed schedules, or show adequate progress; or should an impasse occur between the Permittee and the Administrative Authority. The Administrative Authority will institute other means of corrective action (such as traditional corrective action) at the facility through modification of this permit.

VIII.A.2. Performance Standards

Expectations for the outcome of corrective action at a facility are established in the CAS by three performance standards as defined in Conditions VIII.A.2.a through c. The Permittee's proposed performance standards shall be presented during the scoping meeting. The Permittee must justify the proposed performance standards through evaluation and documentation of land use, ground water designation (current and reasonably expected future use), types of receptors present, exposure pathways, etc.; as described in RECAP, Chapter 2. Through the application of the performance standards and RECAP, the Permittee and Administrative Authority shall determine whether a release must be addressed through corrective action, and whether implemented corrective actions are protective of human health and the environment.

The Permittee shall submit the performance standards in writing along with the Conceptual Site Model (Condition VIII.D) within one-hundred and twenty (120) days after the scoping meeting. The Administrative Authority may either approve the performance standards proposed by the Permittee or establish performance standards that the Administrative Authority deems necessary to protect human health and the environment.

The three CAS performance standards are defined below. The order in which the performance standards are listed does not indicate that one performance standard takes priority over another. All applicable performance standards must be achieved by the Permittee.

VIII.A.2.a. Source Control Performance Standard

Source control refers to the control of materials that include or contain hazardous wastes or hazardous constituents that act as a reservoir for migration of contamination to soil, sediment, ground water, surface water, or air, or as a source for direct exposure.

The facility must determine if source material is present. Removal, containment, treatment, or a combination of the three, must be evaluated on a case-by-case basis. Controlling source material is a predominating issue in the CAS, and must be addressed to ensure protectiveness over time. Prioritization of the SWMUs and AOCs does not mean avoidance of controlling source materials.

VIII.A.2.b. Statutory and Regulatory Performance Standard

Applicable statutory and regulatory requirements (Federal, State, and local) must be identified. These requirements may dictate media-specific contaminant levels (e.g., maximum contaminant levels (MCLs) in drinking water) that must be achieved and may become a performance standard for the Permittee.

VIII.A.2.c. Final Risk Goal Performance Standard

The final risk goal is the level of protection to be achieved and maintained by the Permittee. The final risk goal shall be based on site-specific issues including land use, special subpopulations, contaminant concentrations based on acceptable risk, location at which the levels are measured, and the remediation time frame, as specified by RECAP.

One final risk goal may apply to the entire facility, but it is more likely that different releases will require different final risk goals due to variations in location of releases, land use, proximity of receptors, etc. The final risk goal will be based on sound risk assessment methodologies (Condition VIII.A.3).

VIII.A.3. Use of RECAP

The latest edition of the RECAP document shall be used by the Permittee to determine the need for further corrective actions under this permit. The RECAP consists of a tiered framework comprised of a Screening Option (SO), and three Management Options (MO). The tiered management options allow site evaluation and corrective action efforts to be tailored to site conditions and risks. As the MO level increases, the approach becomes more site-specific and hence, the level of effort required to meet the objectives of the Option increases.

The RECAP shall be used by the Permittee to evaluate data quality and data usability (RECAP Section 2.4 and 2.5), to determine the identity of an AOI as described in RECAP Section 2.6, and for estimations of Area of Investigation Concentrations and Groundwater Compliance Concentrations for each media as defined in RECAP Section 2.8.

The RECAP shall be used by the Permittee to evaluate land use as described in RECAP Section 2.9, and groundwater/aquifer use as described in RECAP Section 2.10.

The RECAP shall be used by the Permittee to prioritize AOCs, SWMUs, and AOIs that require remediation so site investigations are focused on the release areas that pose the greatest risk. As the CSM is compiled, the Permittee shall assess historical data (RECAP Section 2.5) and use the following management options, as appropriate, to address each release site.

VIII.A.3.a. Screening Option

The Permittee shall use the Screening Standards (SS) which are LDEQ-derived screening numbers for soil and groundwater for non-industrial and industrial land use scenarios. The SS shall be used to demonstrate that an AOI does not pose a threat to human health and the environment and, hence does not require further action at this time (NFA-ATT) or that further evaluation is warranted under a higher Management Option.

VIII.A.3.b. Management Option 1

The Permittee shall use Management Option 1 (MO-1) which provides a RECAP standard (RS) derived for non-industrial and industrial exposure scenarios using currently recommended default exposure parameters and toxicity values. Under MO-1, an AOI may warrant a NFA-ATT determination, or if an exposure, source, or compliance concentration detected at the AOI exceeds a MO-1 limiting RS, then the Permittee may; (1) remediate to the MO-1 limiting RS (and comply with closure/post closure requirements for MO-1), or (2) proceed with a MO-2 or MO-3 evaluation.

VIII.A.3.c. Management Option 2

The Permittee shall use Management Option 2 (MO-2) which provides for the development of soil and groundwater RS using site-specific data with specified analytical models to evaluate constituent fate and transport at the AOI. The results of this evaluation shall be used in conjunction with standard reasonable maximum exposure (RME) assumptions to identify site-specific MO-2 RS. Under MO-2, an AOI may warrant a NFA-ATT determination, or if an exposure, source, or compliance concentration detected at the AOI exceeds a MO-2 limiting RS, then the Permittee may; (1) remediate to the MO-2 limiting RS (and comply with closure/post closure requirements for MO-2), or (2) proceed with a MO-3 evaluation.

VIII.A.3.d. Management Option 3

The Permittee shall use Management Option 3 (MO-3) which provides the option of using site-specific data for the evaluation of exposure and the evaluation of environmental fate and transport at the AOI. The results of the site-specific evaluation may be to develop site-specific MO-3 RS. Under MO-3, an AOI may warrant a NFA-ATT determination, or if an exposure, source, or compliance concentration detected at the AOI exceeds a MO-3 limiting RS, then the Permittee shall; (1) remediate to the MO-3 RS, (2) conduct confirmatory sampling, and (3) comply with closure/post closure requirements for MO-3.

VIII.A.4. Corrective Action for Releases Beyond Facility Boundary

Section 3004(v) of RCRA as amended by HSWA, and State regulations promulgated as LAC 33:V.3322.C require corrective actions beyond the facility property boundary, where necessary to protect human health and the environment, unless the Permittee demonstrates that, despite the Permittee's best efforts, the Permittee was unable to obtain the necessary permission to undertake such actions. The Permittee is not relieved of all responsibility to clean up a release that has migrated beyond the facility boundary where offsite access is denied.

VIII.A.5. Financial Responsibility

Assurances of financial responsibility for corrective action shall be provided by the Permittee as specified in the Permit following major modification for remedy selection. The Administrative Authority reserves the right to require financial assurance prior to remedy selection based upon facility compliance history, the extent and degree of contamination, financial health of the Permittee, and input from the public.

VIII.A.6. Summary of Corrective Action Activities

A summary of the corrective action activities associated with the facility is provided in Condition VIII, Appendix 1 of this permit. AOCs and SWMUs that are currently being managed or proposed for management under a prescribed corrective action program (e.g., groundwater order, corrective action order, CERCLA) are identified in Condition VIII, Appendix 1, Table 1 of this permit.

VIII.A.7. Approval of Alternate Schedule

The Permittee may submit a written request for an alternate schedule for a submittal deadline as presented in Condition VIII, Table 1. The request should propose a specific alternate schedule and include an explanation as to why the alternate schedule is necessary. The Administrative Authority will consider site-specific criteria in either approving or disapproving the request for an alternate schedule.

VIII.B. PROJECT DEVELOPMENT AND SCOPING MEETING

VIII.B.1. Notice of Intent

The Permittee must submit to the Administrative Authority a Notice of Intent to conduct corrective action using the CAS within sixty (60) days of the effective date of this permit. The notice of intent should state the following in a concise manner:

VIII.B.1.a. General information regarding facility location;

VIII.B.1.b. General information regarding the facility's operational history;

VIII.B.1.c. General discussion on how the Permittee will proceed through the CAS;

VIII.B.1.d. Brief description of proposed performance standards for corrective action; and

VIII.B.1.e. Propose a date for a scoping meeting between the Permittee and the Administrative Authority to be held within sixty (60) days of the date of the Notice of Intent.

VIII.B.2. Scoping Meeting

The scoping meeting will serve as the first CAS milestone where the Permittee and the Administrative Authority identify expectations concerning CAS implementation. The length and extent of the meeting will depend on the complexity of the site. Agreements on land use, groundwater classification, the level of detail required in the conceptual site model (see Condition VIII.D) and expectations for remediation goals will be discussed during the scoping meeting(s). During the scoping meeting the Permittee will present the following information to the Administrative Authority:

- VIII.B.2.a. A conceptual site model (if one already has been developed);
- VIII.B.2.b. Discussions on history of corrective action at the facility, including facility investigations, risk evaluations or risk assessments, interim measure/stabilizations and final remedies implemented;
- VIII.B.2.c. Proposed performance standards for the facility with justification, and potential risk management approaches;
- VIII.B.2.d. Discussions on how the Permittee plans to use the CAS to meet its corrective action obligations, including permitting and compliance issues;
- VIII.B.2.e. A Communication Strategy Plan that specifies where in the CAS process the Permittee is currently and how the Permittee will provide information about future progress at the facility to the Administrative Authority (i.e., progress reports, conference calls, routine meetings, etc.);
- VIII.B.2.f. Site-specific concerns (i.e., sensitive environments or special subpopulations);
- VIII.B.2.g. Need for interim measures or stabilization activities, if necessary; and
- VIII.B.2.h. Schedule for submittal of the CAS Investigation Workplan and proposed schedule for conducting and completing CAS requirements, including public participation.

Information plans and reports that have already been developed by the Permittee during the corrective action process can be referenced during the scoping meeting. The Permittee must coordinate with the Administrative Authority in order to determine the date, time, and location of the scoping meeting.

VIII.C. REPORTING REQUIREMENTS

- VIII.C.1. The Permittee shall submit, in accordance with Condition VII.A.8, signed reports of all activities conducted pursuant to the provisions of this Permit as required by the Administrative Authority. The reporting schedule shall be determined on a case-by-case basis by the Administrative Authority. These reports shall contain, as applicable to the stage of corrective action, the information required by CAS, as well as the following:
 - VIII.C.1.a. A description of the work completed and an estimate of the percentage of work completed;
 - VIII.C.1.b. Summaries of all findings, including summaries of laboratory data;

VIII.C.1.c. Summaries of all problems or potential problems encountered during the reporting period and actions taken to rectify problems;

VIII.C.1.d. Projected work for the next reporting period;

VIII.C.1.e. Summaries of contacts pertaining to corrective action or environmental matters with representatives of the local community, public interest groups or State government during the reporting period;

VIII.C.1.f. Changes in key project personnel during the reporting period; and

VIII.C.1.g. Summaries of all changes made in implementation during the reporting period.

VIII.C.2. Copies of other reports relating to or having bearing upon the corrective action work (e.g., inspection reports, drilling logs and laboratory data) shall be made available to the Administrative Authority upon request.

VIII.C.3. In addition to the written reports as required in Condition VIII.C.1 and VIII.C.2 above, at the request of the Administrative Authority, the Permittee shall provide status review through briefings with the Administrative Authority.

VIII.C.4. The determination and approval of remedy selections, schedules of submittals and minor changes to any corrective action workplans may be made by the Administrative Authority during the scoping meeting or status review briefings as described in Condition VIII.C.3.

VIII.D. SPECIFIC CONDITION - CONCEPTUAL SITE MODEL (CSM)

No later than 120 days after the scoping meeting, the Permittee shall submit to the Administrative Authority a CSM (along with the Performance Standards detailed in Condition VIII.A.2) or an update of any CSM submitted at the scoping meeting providing background information and the current conditions at the facility. The level of detail required for the CSM will be discussed during the scoping meeting. At a minimum, the CSM must address current site conditions, land use, known and/or potential constituent source(s), routes of constituent migration, exposure media (i.e., soil, surface waters, groundwater), exposure points, points of compliance and pathways, receptors and source media to be evaluated under the RECAP. The CSM must include a completed Figure 8 (LAC 33:I.Chapter 13). The Permittee may include completed investigations, existing data, or previously submitted documents in the CSM by reference. References must include the names, dates, and brief summaries of the documents.

If a CSM has been previously developed, the scoping meeting will also provide the opportunity for the Permittee and Administrative Authority to consider and identify all data gaps in the CSM. The initial CSM shall be considered the "base document" to be prepared

and updated by the facility as new information is gathered during investigations. The CSM shall be used by the facility to make decisions regarding risk management options, ecological risk, and monitored natural attenuation determinations (RECAP Section 2.16), or technical impracticability (TI) waiver determinations, when appropriate.

The Administrative Authority reserves the right to require revisions to the CSM based upon data resulting from ongoing investigations and activities. Revisions to the CSM may also be required for newly identified SWMUs or AOCs according to Condition VIII.L of this permit (See Appendix 1, Ongoing Corrective Action) and based on new information and information not previously considered by the Administrative Authority.

The CSM shall be divided into Profiles as detailed in Conditions VIII.D.1 through 6. If the Permittee chooses to use existing data and documents in the CSM, it may not be necessary to prepare the Profiles as detailed in Conditions VIII.D.1 through 6. However, the existing documents and data must provide sufficient information and detail which corresponds to the information required by the Facility, Land Use and Exposure, Physical, Release, Ecological, and Risk Management Profiles.

VIII.D.1. Facility Profile

The Permittee shall include in the CSM a Facility Profile which shall summarize the regional location, pertinent boundary features, general facility structures, process areas, and locations of solid waste management units or other potential sources of contaminant migration from the routine and systematic releases of hazardous constituents to the environment (e.g., truck or railcar loading/unloading areas). The Permittee shall also include historical features that may be potential release areas because of past management practices. The Facility Profile shall include:

VIII.D.1.a. Map(s) and other documents depicting the following information (all maps shall be consistent with the requirements set forth in LAC 33:V Chapter 5 and be of sufficient detail and accuracy to locate and report all current site conditions):

VIII.D.1.a.(1) General geographic location;

VIII.D.1.a.(2) Property lines with the owners of all adjacent property clearly indicated;

VIII.D.1.a.(3) Facility structures, process areas and maintenance areas:

VIII.D.1.a.(4) Any other potential release areas shall be delineated, such as railcar loading/unloading areas or any other AOI as described in RECAP Section 2.6; and

VIII.D.1.a.(5) Locations of historical features that may be potential release areas or any areas of past solid and hazardous waste generation, treatment, storage or disposal activities.

VIII.D.1.b. The Facility Profile shall also include a description of ownership and operation of the facility.

VIII.D.1.c. The Permittee shall provide pertinent information for those spills that have not been assessed and reported to the Administrative Authority during facility investigations, addressed by facility spill contingency plans, or previously remediated or deemed for no further action. The information must include at minimum, approximate dates or periods of past waste spills, identification of the materials spilled, the amount spilled, the location where spilled, and a description of the response actions conducted (local, state, federal, or private party response units), including any inspection reports or technical reports generated as a result of the response.

VIII.D.2. Land Use and Exposure Profile

The Permittee shall include in the CSM a Land Use and Exposure Profile which includes surrounding land uses (industrial and non-industrial, as described in RECAP Sections 2.9.1 and 2.9.2), resource use locations (water supply wells, surface water intakes, etc.), beneficial resource determinations (groundwater classifications as described in RECAP Section 2.10), natural resources (wetlands, etc.), sensitive subpopulation types and locations (schools, hospitals, nursing homes, day care centers, etc.), applicable exposure scenarios, and applicable exposure pathways identifying the specific sources, releases, migration mechanisms, exposure media, exposure routes and receptors. The Land Use and Exposure Profile shall include:

VIII.D.2.a. Map(s) and other documents depicting the following information (all maps shall be consistent with the requirements set forth in LAC 33:V Chapter 5 and be of sufficient detail and accuracy to locate and report all current site conditions):

VIII.D.2.a.(1) Surrounding land uses, resource use locations, and natural resources/wetlands;

VIII.D.2.a.(2) Locations of sensitive subpopulations; and

VIII.D.2.a.(3) An exposure pathway flowchart which outlines sources, migration pathways, exposure media and potential receptors as depicted in Figure 8 (CMS example) of the RECAP.

VIII.D.3. Physical Profile

The Permittee shall include in the CSM a Physical Profile which shall describe the factors that may affect releases, fate and transport, and receptors, including; topography, surface water features, geology, and hydrogeology. The Physical Profile shall include:

VIII.D.3.a. Map(s) and other documents depicting the following information (all maps shall be consistent with the requirements set forth in LAC 33:V.Chapter 5 and be of sufficient detail and accuracy to locate and report all current site conditions):

VIII.D.3.a.(1) Topographic maps with a contour interval of five (5) or ten (10) feet, a scale of one inch to 100 feet (1:100), including hills, gradients, and surface vegetation or pavement;

VIII.D.3.a.(2) Surface water features including routes of all drainage ditches, waterways, direction of flow, and how they migrate to other surface water bodies such as canals and lakes;

VIII.D.3.a.(3) Regional geology including faulting and recharge areas, as well as local geology depicting surface features such as soil types, outcrops, faulting, and other surface features;

VIII.D.3.a.(4) Subsurface geology including stratigraphy, continuity (locations of facies changes, if known), faulting and other characteristics;

VIII.D.3.a.(5) Maps with hydrogeologic information identifying water-bearing zones, hydrologic parameters such as transmissivity, and conductivity. Also locations and thicknesses of aquitards or impermeable strata; and

VIII.D.3.a.(6) Locations of soil borings and production and groundwater monitoring wells, including well log information, and construction of cross-sections which correlate substrata. Wells shall be clearly labeled with ground and top of casing elevations (can be applied as an attachment).

VIII.D.4. Release Profile

The Permittee shall include in the CSM a Release Profile which shall describe the known extent of contaminants in the environment, including sources, contaminants of concern (COC), areas of investigations, distribution and magnitude of known COCs with corresponding sampling locations, and results of fate and transport modeling depicting potential future extent/magnitude of COCs. The Release Profile shall include:

VIII.D.4.a. Map(s) and other documents depicting the following information (all maps shall be consistent with the requirements set forth in LAC 33:V. Chapter 5 and be of sufficient detail and accuracy to locate and report all current site conditions):

VIII.D.4.a.(1) Estimations of source concentrations, exposure concentrations and compliance concentrations for each affected media as defined in Section 2.8 of RECAP;

VIII.D.4.a.(2) Isopleth maps depicting lateral extent and concentrations of COCs;

VIII.D.4.a.(3) Results of fate and transport modeling showing potential exposure concentrations and locations; and

VIII.D.4.a.(4) Locations of potential sources including past or present waste units or disposal areas and all SWMUs/AOCs.

VIII.D.4.b. Table(s) depicting the following information for each SWMU/AOC, including but not limited to: location; type of unit/disposal/release area; design features; operating practices (past and present); period of operation; age of unit/disposal/release area; general physical condition; and method of closure.

VIII.D.4.c. Table(s) depicting the following waste/contaminant characteristics for those areas referenced in Condition VIII.D.4.b, including but not limited to: type of waste placed in the unit (hazardous classification, quantity, chemical composition), physical and chemical characteristics (physical form, description, temperature, pH, general chemical class, molecular weight, density, boiling point, viscosity, solubility in water, solubility in solvents, cohesiveness, vapor pressure); and migration and dispersal characteristics of the waste (sorption coefficients, biodegradability, photodegradation rates, hydrolysis rates, chemical transformations).

VIII.D.5. Ecological Profile

The Permittee shall include in the CSM an Ecological Profile that shall describe the physical relationship between the developed and undeveloped portions of the facility, the use and level of disturbance of the undeveloped property, and the type of ecological receptors present in relation to completed exposure pathways. When compiling data for the Ecological Profile, current, as well as, future impacts to receptors and/or their habitats shall be considered. The Ecological Profile shall include:

VIII.D.5.a. A history and description of the developed property on the facility, including structures, process areas, waste management units, and property boundaries;

VIII.D.5.b. A history and description of the undeveloped property, including habitat type (wetland, grassy area, forest, ponds, etc.). Include a description of the primary use, degree and nature of any disturbance, along with proximity to drainage ditches, waterways and landfill areas;

VIII.D.5.c. A description of the site receptors in relation to habitat type, including endangered or protected species, mammals, birds, fish, etc.;

VIII.D.5.d. A description of the relationship between release areas and habitat areas, specifically relating chemicals of potential ecological concern (COEC) to ecological receptors;

VIII.D.5.e. An ecological checklist as described in Section 7.0 of RECAP. An ecological checklist (presented in Appendix C, Form 18 of the RECAP) shall be used to determine if a tier 1 (screening level) Ecological Risk Assessment (ERA) is warranted.

VIII.D.6. Risk Management Profile

The Permittee shall include in the CSM a Risk Management Profile that shall describe how each AOI at the facility will be managed for the protection of human health and the environment. The Risk Management Profile will serve as documentation of the results of the site ranking system (described in Section 2.2 of RECAP). The Risk Management Profile will also document the criteria and verify that the SO, MO-1, MO-2 or MO-3 is appropriate for application at each AOI. The Risk Management Profile shall include:

VIII.D.6.a. A table for tracking the management options for each AOI, and the determination made, whether an AOI is deemed for no further action at this time (NFA-ATT) or is going to use either the SO, MO-1, MO-2 or MO-3 management option.

VIII.D.6.b. A list of identified site-wide data gaps for further investigation.

VIII.D.6.c. Documentation of all interim measures which have been or are being undertaken at the facility, including under State or Federal compliance orders, other than those specified in the Permit. This documentation shall include the objectives of the interim measures and how the measure is mitigating a potential threat to human health or the environment and/or is consistent with and integrated into requirements for a long term remedial solution.

VIII.E. INTERIM MEASURES

VIII.E.1. If at any time during the term of this Permit, the Administrative Authority determines that a release or potential release of hazardous constituents from a SWMU/AOC poses a threat to human health and the environment, the Administrative

Authority may require interim measures. The Administrative Authority shall determine the specific measure(s) or require the Permittee to propose a measure(s). The interim measure(s) may include a permit modification, a schedule for implementation, and an Interim Measures Workplan. The Administrative Authority may modify this Permit according to LAC 33:V.321 to incorporate interim measures into the Permit. However, depending upon the nature of the interim measures, a permit modification may not be required.

VIII.E.2. The Permittee may propose interim measures at any time by submittal of an Interim Measures Workplan subject to the approval of the Administrative Authority.

VIII.E.3. The Administrative Authority shall notify the Permittee in writing of the requirement to perform interim measures and may require the submittal of an Interim Measures Workplan. The following factors will be considered by the Administrative Authority in determining the need for interim measures and the need for permit modification:

VIII.E.3.a. Time required to develop and implement a final remedy;

VIII.E.3.b. Actual and potential exposure to human and environmental receptors;

VIII.E.3.c. Actual and potential contamination of drinking water supplies and sensitive ecosystems;

VIII.E.3.d. The potential for further degradation of the medium in the absence of interim measures;

VIII.E.3.e. Presence of hazardous wastes in containers that may pose a threat of release;

VIII.E.3.f. Presence and concentration of hazardous waste including hazardous constituents in soil that has the potential to migrate to ground water or surface water;

VIII.E.3.g. Weather conditions that may affect the current levels of contamination;

VIII.E.3.h. Risks of fire, explosion, or accident; and

VIII.E.3.i. Other situations that may pose threats to human health and the environment.

VIII.E.5. Upon approval of the Interim Measures Workplan and completion of the interim measure(s) implementation, the Permittee will submit a report to the Administrative Authority describing the completed work.

VIII.E.6. At anytime during or after the interim measure(s), including the issuance of an NFA-ATT, the Administrative Authority may require the Permittee to submit the SWMUs/AOCs for further corrective action.

VIII.F. CAS (CORRECTIVE ACTION STRATEGY) INVESTIGATION WORKPLAN

VIII.F.1. The CAS Investigation Workplan that describes site investigation activities for corrective action shall be submitted to the Administrative Authority within 180 days after the scoping meeting between the Permittee and the Administrative Authority. The CAS Investigation Workplan must address releases of hazardous waste or hazardous constituents to all media, unless otherwise indicated, for those SWMUs/AOCs listed in Appendix 1, Table 1. The focus of the site investigation phase for corrective action is to collect data to fill in data gaps identified in the CSM. The corrective action investigations may be conducted in phases if warranted by site conditions, contingent upon approval by the Administrative Authority.

VIII.F.1.a. The CAS Investigation Workplan shall describe the management options (MO) for each AOI/release area, data quality objectives for achieving each management option, and proposals for release characterizations (sampling and analysis/quality assurance plans) to support the data quality objectives (DOOs). (DOOs are determined based on the end use of the data to be collected, and the DQO development process should be integrated into project planning and refined throughout the CAS implementation. DQOs shall be used to 1) ensure that environmental data are scientifically valid, defensible, and of an appropriate level of quality given the intended use, and 2) expedite site investigations. The CAS Investigation Workplan is required to have DQOs that are developed to support the performance standard for each release.) The CAS Investigation Workplan shall detail all proposed activities and procedures to be conducted at the facility, the schedule for implementing and completing such investigations, the qualifications of personnel performing or directing the investigations, including contractor personnel, and the overall management of the site investigations. The scope of work for the site investigation can be found in RECAP Appendix B.

VIII.F.1.b. The CAS Investigation Workplan shall describe sampling, data collection quality assurance, data management procedures (including formats for documenting and tracking data and other results of investigations) and health and safety procedures.

VIII.F.1.c. Development of the CAS Investigation Workplan and reporting of data shall be consistent with the latest version of the following EPA and State guidance documents or the equivalent thereof:

VIII.F.1.c.(1) Guidance for the Data Quality Assessment, Practical Methods for Data Analysis. QA97 Version EPA QA/G-9. January 1998;

VIII.F.1.c.(2) Guidance for the Data Quality Objectives Process. EPA QA/G-4. September 1994;

VIII.F.1.c.(3) Data Quality Objectives Remedial Response Activities. EPA/540/G87-003. March 1987;

VIII.F.1.c.(4) Guidance on Quality Assurance Project Plans. EPA QA/G-5. February 1998;

VIII.F.1.c.(5) Interim EPA Data Requirements for Quality Assurance Project Plans. EPA Region 6, Office of Quality Assurance. May 1994;

VIII.F.1.c.(6) 29 CFR 1910.120 (b) for the elements to Health and Safety plans;

VIII.F.1.c.(7) RCRA Groundwater Monitoring: Draft Technical Guidance EPA/530-R-93-001 November 1992;

VIII.F.1.c.(8) Test Methods for Evaluating Solid Waste, Physical/Chemical Methods; SW-846, 3rd Edition. November 1992, with revisions;

VIII.F.1.c.(9) The LDEQ Handbook - Construction of Geotechnical Boreholes and Groundwater Monitoring Systems," prepared by the LDEQ and the Louisiana Department of Transportation and Development. This document is printed by and available from the Louisiana Department of Transportation and Development, Water Resources Section, P. O. Box 94245, Baton Rouge, Louisiana 70804-9245; and

VIII.F.1.c.(10) The LAC 33:I.Chapter 13 and Louisiana Department of Environmental Quality Risk Evaluation/Corrective Action Program (RECAP).

VIII.F.2. After the Permittee submits the CAS Investigation Workplan; the Administrative Authority will approve, disapprove, or otherwise modify the CAS Investigation Workplan in writing. All approved workplans become enforceable components of this Permit.

In event of disapproval (in whole or in part) of the workplan, the Administrative Authority shall specify deficiencies in writing. The Permittee shall modify the CAS Investigation Workplan to correct these within the time frame specified in the notification of disapproval by the Administrative Authority. The modified workplan shall be submitted in writing to the Administrative Authority for review. Should the Permittee take exception to all or part of the disapproval, the Permittee shall submit a written statement of the ground for the exception within fourteen (14) days of receipt of the disapproval.

VIII.F.3. The Administrative Authority shall review for approval, as part of the CAS Investigation Workplan or as a new workplan, any plans developed pursuant to Condition VIII.L addressing further investigations of newly-identified SWMUs/AOCs, or Condition VIII.M addressing new releases from previously-identified SWMUs/AOCs.

VIII.G. IMPLEMENTATION OF SITE INVESTIGATION ACTIVITIES UNDER CAS

No later than fourteen (14) days after the Permittee has received written approval from the Administrative Authority for the CAS Investigation Workplan, the Permittee shall implement the site investigation activities according to the schedules and in accordance with the approved CAS Investigation Workplan and the following:

VIII.G.1. The Permittee shall notify the Administrative Authority at least 10 working days prior to any field sampling, field-testing, or field monitoring activity required by this Permit to give LDEQ personnel the opportunity to observe investigation procedures and/or split samples.

VIII.G.2. Deviations from the approved CAS Investigation Workplan, which are necessary during implementation, must be approved by the Administrative Authority and fully documented and described in the progress reports (Condition VIII.C), RECAP Report (Condition VIII.H) and the final Risk Management Plan (Condition VIII.J).

VIII.H. RECAP REPORT

Within ninety (90) days after completion of the site investigation the Permittee shall submit a RECAP Report to the Administrative Authority for approval. The RECAP Report shall document the results of the site investigation activities, and the evaluation of the impacts from releases. The Administrative Authority will review and evaluate the report and provide the Permittee with written notification of the report's approval or a notice of deficiency. If the Administrative Authority determines the RECAP Report does not fully meet the objectives stated in the CAS Investigation Workplan (Permit Condition VIII.F), the Administrative Authority shall notify the Permittee in writing of the report's deficiencies, and specify a due date for submittal of a revised Final Report to the Administrative Authority.

VIII.H.1. The Permittee shall screen site-specific data using the appropriate RECAP standard (RS) for each AOI (depending on the MO), evaluate impacts from releases with exposure scenario evaluations, and update the Risk Management Profile of the CSM.

VIII.H.2. The report shall include, but not be limited to, the following:

VIII.H.2.a. Documentation of site investigation activities and results;

VIII.H.2.b. Evaluation of exposure scenarios to document impacts from releases;

VIII.H.2.c. Deviations from the CAS Investigation Workplan;

VIII.H.2.d. Results of screening activities using RECAP standards (RS), including SO, MO-1, MO-2, or MO-3 RS for each media;

VIII.H.2.e. The revised CSM with updated profiles which incorporate investigation and screening results; and

VIII.H.2.f. Proposed revisions to performance standards based on new information (e.g., change in land use, difference in expected receptors and/or exposure, or other differences in site conditions), if warranted.

VIII.I. REMEDIAL ALTERNATIVES STUDY

Upon completion and approval of the RECAP Report, the Permittee shall proceed with the evaluation of remedial alternatives to complete corrective action for each AOI according to the performance standards described in Condition VIII.A.2. The remedial alternatives shall be submitted to the Administrative Authority in the Remedial Alternatives Study (RAS) within ninety (90) days of the Administrative Authority's approval of the RECAP Report. In the Remedial Alternatives Study, the Permittee shall identify and evaluate various potential remedies that would meet the performance-based corrective action objectives and propose one or more specific remedies based on an evaluation of applicable data and available corrective action technologies. The RAS shall be prepared in a manner that addresses the extent and nature of the contamination at the facility.

VIII.I.1. The Permittee shall evaluate remedies for each AOI that shall:

VIII.I.1.a. attain compliance with corrective action objectives for releases of hazardous waste and/or hazardous constituents, as established in the Conceptual Site Model or in later investigations approved by the Administrative Authority;

VIII.I.1.b. control sources of releases;

VIII.I.1.c. meet acceptable waste management requirements;

VIII.I.1.d. protect human health and the environment; and

VIII.I.1.e. meet applicable statutory and regulatory requirements (as noted in Condition VIII.A.2.b).

VIII.I.2. The Permittee shall evaluate the use of presumptive remedies and innovative technologies to achieve the appropriate remedial performance standards for each AOI.

VIII.1.3. The Permittee shall review the current interim measures/ stabilization activities to evaluate if these measures meet all the criteria for final remedy.

VIII.I.4. If under certain site-specific conditions, or when it is not technically or economically feasible to attain the corrective action objectives, the Permittee may propose to use institutional controls to supplement treatment or containment-based remedial actions upon approval of the Administrative Authority (Section 2.15 of RECAP).

VIII.I.5. The RAS shall at a minimum include:

VIII.I.5.a. An evaluation of the performance reliability, ease of implementation, and the potential impacts of the potential remedies;

VIII.I.5.b. An assessment of the effectiveness of potential remedies in achieving adequate control of sources and meeting remedial performance standards;

VIII.I.5.d. An assessment of the costs of implementation for potential remedies;

VIII.I.5.e. An assessment of the time required to begin and complete the remedy;

VIII.I.5.f. An explanation of the rationale for the remedy proposed for each AOI or group of AOIs; and

VIII.I.5.g. An assessment of institutional requirements (e.g., state permit requirements that may impact remedy implementation).

VIII.1.6. The Administrative Authority will review and evaluate the RAS and provide the Permittee with written notification of the study's approval or a notice of deficiency. If the Administrative Authority determines the RAS does not fully meet the requirements detailed in Conditions VIII.1.1 through VIII.1.5, the Administrative Authority shall notify the Permittee in writing of the RAS's deficiencies, and specify a due date for submittal of a revised RAS to the Administrative Authority. In addition, the Administrative Authority may require the Permittee to evaluate additional remedies or particular elements of one or more proposed remedies.

VIII.J. RISK MANAGEMENT PLAN

Within ninety (90) days of the Administrative Authority's approval of the RAS, the remedy/remedies proposed for selection shall be documented and submitted in the Risk Management Plan. The Permittee shall propose corrective action remedies in accordance with Chapter IV of the RCRA Corrective Action Plan (Final), May 1994, OSWER Directive 9902.3-2A or as directed by the Administrative Authority.

VIII.J.1. The Risk Management Plan shall at a minimum include:

VIII.J.1.a. A summary of the remedial alternatives for each AOI and the rationale used for remedy selection;

VIII.J.1.b. The final CSM with proposed remedies, including locations of AOIs addressed by a risk management activity, COC concentrations that represent the long-term fate and transport of residual COCs and the exposure pathways affected by the risk management activity;

VIII.J.1.c. Cost estimates and implementation schedules for proposed final remedies;

VIII.J.1.d. Proposed remedy design and implementation precautions, including special technical problems, additional engineering data required, permits and regulatory requirements, property access, easements and right-of-way requirements, special health and safety requirements, and community relations activities:

VIII.J.1.e. Remedy performance criteria and monitoring:

The Permittee shall identify specific criteria (such as land use changes, fate and transport model verification and constructed remedy performance) that will be evaluated to demonstrate that the risk management activity implemented will remain protective. A schedule for periodic performance review (such as monitoring data summaries, including graphical and statistical analyses) shall be established to demonstrate that the implemented activities are consistently achieving and maintaining desired results. Further, a mechanism shall be established to re-evaluate risk management activities in the event the implemented action does not achieve and maintain the performance standards;

VIII.J.1.f. Contingency plans; and

VIII.J.1.g. Description and schedules for performance reviews.

VIII.J.2. After the Permittee submits the Risk Management Plan, the Administrative Authority will review and evaluate the plan and subsequently either inform the Permittee in writing that the plan is acceptable for public review or issue a notice of deficiency.

VIII.J.3. If the Administrative Authority determines the Risk Management Plan does not fully meet the remedial objectives, the Administrative Authority shall notify the Permittee in writing of the plan's deficiencies and specify a due date for submittal of a revised Final Risk Management Plan. In addition, the Administrative Authority may require the Permittee to evaluate additional remedies or particular elements of one or more proposed remedies.

VIII.J.4. After the Administrative Authority has determined the Risk Management Plan is acceptable for public review, the Administrative Authority shall inform the Permittee in writing and instruct the Permittee to submit the plan as a Class 3 permit modification request in accordance with the requirements of LAC 33:V.321.C.3.

VIII.J.5. After conclusion of a sixty (60) day comment period, the Administrative Authority will either grant or deny the Class 3 permit modification request. In addition the Administrative Authority must consider and respond to all significant comments received during the sixty (60) day comment period.

VIII.J.6. If the Class 3 Modification request is granted, the Administrative Authority shall prepare a draft permit incorporating the proposed changes in accordance with LAC 33:V.703.C and solicit public comment on the draft permit modification according to Condition VIII.N.3 of this permit.

VIII.J.7. If, after considering all public comments, the Administrative Authority determines that the Risk Management Plan is adequate and complete, the Administrative Authority will issue a public notice for final approval the Class 3 permit modification. The resultant modified permit will include schedules for remedy implementation as well as financial assurance provisions as required by Condition VIII.A.5 of this permit.

VIII.K. DETERMINATION OF NO FURTHER ACTION

VIII.K.1. NFA-ATT DETERMINATIONS FOR SPECIFIC SWMUs/AOCs

VIII.K.1.a. Based on the results of the site investigations, screening, risk evaluations and risk management activities, the Permittee may request a NFA-ATT determination for a specific SWMU/AOC by submittal of a Class 1 permit modification (1 requiring Administrative Authority approval) request under LAC 33:V.321.C.1. The NFA-ATT request must contain information demonstrating that there are no releases of hazardous constituents from a particular SWMU/AOC that pose a threat to human health and/or the environment.

The basis for the determination of NFA-ATT shall follow the guidelines as described in the RECAP (Section 1.2.1 of RECAP) for each AOI, depending on the MO used.

VIII.K.1.b. If, based upon review of the Permittee's request for a permit modification, the results of the site investigations, and other information the Administrative Authority determines that releases or suspected releases from an individual SWMU/AOC which were investigated either are non-existent or do not pose a threat to human health and/or the environment, the Administrative Authority may grant the requested modification.

VIII.K.1.c. In accordance with LAC 33:V.321.C.1.a.ii, the Permittee must notify the facility mailing list within ninety (90) days of the Administrative Authority's approval of the Class 1 permit modification request.

VIII.K.2. FACILITY-WIDE NFA-ATT DETERMINATION

VIII.K.2.a. Upon the completion of all activities specified in the Risk Management Plan and after all SWMUs and AOCs at the facility have been remediated according to the standards dictated by the selected RECAP MO, the Permittee shall submit a summary report supporting a determination of NFA-ATT on a facility-wide basis.

VIII.K.2.b. The summary report must include a historical narrative for each SWMU/AOC at the site that includes a summary of the investigation, sampling & analysis, remedial, and confirmatory sampling activities leading to the NFA-ATT request. The basis for the determination of NFA-ATT shall follow the guidelines as described in the RECAP (Section 1.2.1 of RECAP) for each AOI, depending on the MO used. The facility-wide NFA-ATT determination must consider any newly-identified SWMUs/AOCs discovered after submittal of the Risk Management Plan.

VIII.K.2.c. The Administrative Authority will review and evaluate the summary report and subsequently either inform the Permittee in writing that the report is acceptable for public review or issue a notice of deficiency.

VIII.K.2.d. If the Administrative Authority determines the summary report does not fully demonstrate that all remedial objectives have been satisfied, the Administrative Authority shall notify the Permittee in writing of the summary report's deficiencies and specify a due date for submittal of a revised summary report.

VIII.K.2.e. After the Administrative Authority has determined the facility-wide NFA-ATT summary report is acceptable for public review, the Administrative Authority shall inform the Permittee in writing and instruct the Permittee to submit the summary report as a Class 3 permit modification request in accordance with the requirements of LAC 33:V.321.C.3.

VIII.K.2.f. After conclusion of a sixty (60) day comment period, the Administrative Authority will either grant or deny the Class 3 permit modification request. In addition the Administrative Authority must consider and respond to all significant comments received during the sixty (60) day comment period.

ATTACHMENT 1

ATTACHMENT 1 LIST OF FACILITY DOCUMENTS INCORPORATED IN THE PERMIT BY REFERENCE LAD008080681-PC-RN-1 AI#1254

		1	
DOCOMENI I YPE	DOCUMENT DATE	DATABASE MANAGEMENT SYSTEM (EDMS) DOCUMENT ID	COMMENTS
Post-Closure cost estimates	32500325	08/07/04	Post-Closure Permit Renewal Application, Appendix J, Pages 408-409 of the EDMS document
Post-Closure Plan	32500325	08/07/04	Post-Closure Permit Renewal Application, Appendix H,
Sampling and Analysis Plan (Soil and	32500325	08/07/04	Post-Closure Pennit Renewal Application, Appendix F,
Groundwater)	34577681	08/30/06	Pages 308-342 of EDMS document 32500325
			Document 34577681
Inspection Plan	32500325	08/07/04	Post-Closure Permit Renewal Application, Appendix D, Pages 301-305 of the EDMS document
Security Plan	32500325	08/07/04	Post-Closure Permit Renewal Application, Appendix C,
Groundwater Statistical Evaluation Plan	32500325	08/07/04	Post-Closure Permit Renewal Application, Appendix Q,
			Pages 663-674 of the EDMS document